Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



2.0 If A Department of Agriculture


Kelsey-Highlands NURSERY

East Boxford, Massachusetts

disco

Cemeteries

HOW TO REACH KELSEY-HIGHLANDS NURSERY



Visitors Welcome!

Kelsey-Highlands Nursery is located at East Boxford, Massachusetts, 24 miles north of Boston, at East Boxford Station, B. & M. R. R.

It is readily reached by good automobile roads from any part of New England. From Boston 28 miles, take either Newburyport Turnpike turning West at Topsfield, or Reading Turnpike, turning East at North Andover. Other distances are Salem, 13 miles; Lawrence, 11 miles; Haverhill, 9 miles; Newburyport, 10 miles; Manchester, 13 miles; Ipswich, 9 miles; Lowell, 20 miles.

PLANT INSURANCE: No guarantee—expressed or implied—is made that stock will grow, whether planted by us or not. As we have no control over after-treatment or weather conditions, the purchaser must assume all risks after stock leaves our Nursery in good condition. On request, we insure stock for a specified period at a rate covering estimated hazard.

HARLAN P. KELSEY

Kelsey-Highlands Nursery East Boxford, Mass.

Address telegrams, Harlan P. Kelsey, East Boxford, Mass. Telephone, Topsfield, Mass. 71



A splendid RHODODENDRON Planting with CAROLINA HEMLOCK and other trees as a background.

This superb effect is produced by a judicious use of the "mixed" type of material

KELSEY-HIGHLANDS NURSERY, EAST BOXFORD, MASSACHUSETTS

Conifers and Other Evergreens

THE best landscape effects are generally to be had by a judicious use of both evergreen and deciduous trees and shrubs, in various combinations. Solid forest plantings of either Evergreens or Hardwood Deciduous Trees, however, are often desirable in special situations.

I would particularly warn against the solid evergreen "base plantings" around dwellings, so frequently seen of late, and especially where large-growing conifers are used. The somewhat pleasing effect of the first few seasons is dearly paid for when the taller growing trees become thin, leggy and worthless (from overcrowding) and everything must be ripped up and the space replanted. Of course such procedure is doubly profitable to the Nurseryman—if you can trust him the second time!

Evergreens like all plants must have room to develop and no planting should be made without a knowledge and consideration of the

eventual sizes and habits of the material used.

Descriptions of trees and shrubs in this catalog are drawn largely from Arnold Arboretum Bulletins and Rehder's "Manual of Cultivated Trees and Shrubs," a work that should be owned by all plant lovers.

Note.—The heights given immediately after the names are approximate heights reached by the trees and shrubs under most favorable conditions, first under cultivation and then as observed in their native habitat, particularly the larger varieties.

"Standardized Plant Names" is authority for all names used in this catalog

ABIES, Fir.		Each	10	100
concolor, White Fir. 60-120 f	+	Lateri	10	100
Hardy in southern Canada		. 1	d bandson	
growth. One of the most su				
standing heat and drought v				
	9-12 in.	\$1.00	\$ 9.00	\$ 81.00
	12-18 in.	3.00	27.00	240.00
	18-24 in.	4.50	40.50	363.00
	2-3 ft.	7.00	63.00	567.00
	3-4 ft.	9.00	81.00	
	4-5 ft.	12.00	108.00	
fraseri, Fraser Fir. 35-60 ft. A fine species of "Balsam" to the Northern Balsam Fir				ery superior
	9-12 in.	1.00	9.00	
	12-18 in.	1.50	13.50	
	18-24 in.	2.50	22.50	204.00
veitchi, Veitch Fir. 60-80 ft.				
One of the very best Firs of	broad pyran	uidal habit	almost equ	alling White
Fir in beauty. Very hardy.	12-18 in.	1.50	13.50	$1\bar{2}0.00$
	18-24 in.	3.00	27.00	
	2-3 ft.	6.00	54.00	
ARCTOSTAPHYLOS uvaursi. (BERBERIS julianae, Wintergre		oadleaf Eve		
Tall shrub with pale branch	es and spines	, thick, day	rk green lea	ves, clusters
of vellow flowers and blue-b				,

At Kelsey-Highlands Nursery, East Boxford, may be seen hundreds of specimen Redcedar, Austrian, Scotch and White Pines, Firs, Spruces, etc., up to 25 ft. which are safely moved with a large ball. *Immediate effects* may be had by the use of this large material. A personal inspection is invited, for it is not feasible to catalog these odd sizes.

18-24 in.

2.00

18.00

		Each	10	100
CHAMAECYPARIS, Cypress and	Retinospo		10	100
obtusa, Hinoki Cypress. 30-120 Tree to 120 feet tall in Japan:		30 feet in c	ultivation	Very hand-
some with dark green lustrous	foliage, ver	y dense, Ja	panesy effe	ect.
	9-12 in. 12-18 in.	1.25	$\frac{6.75}{11.25}$	$60.00 \\ 102.00$
	18-24 in.	$\frac{1.25}{2.50}$	$\frac{11.25}{22.50}$	102.00
	$2-2\frac{1}{2}$ ft.	4.00	36.00	
one of the best and hardiest of		noree		
one of the best and nardiest of	18-24 in.	2.50	$\frac{22.50}{31.50}$	204.00
	2-3 ft.	3.50	31.50	282.00
	3-4 ft. 4-5 ft.	$\frac{5.00}{7.00}$	$\frac{45.00}{63.00}$	405.00
pisifera aurea, Golden Sawara	Retinospo	ra. 30-40 ft		
	12-18 in. 18-24 in.	$\frac{1.50}{2.50}$	$13.50 \\ 22.50$	
pisifera filifera, Thread Retino			22.50	
Branches thread-like, graceful	lly pendulou	ıs.		
pisifera plumosa, Plume Reti	18-24 in.	3.00 2-20 ft	27.00	
Dense conical habit. Foliage	and branchl	ets giving f	eathery ar	pearance.
	12-18 in.	1.25	11.25	102.00
	18-24 in. 2-3 ft.	$\frac{2.50}{4.00}$	$\frac{22.50}{36.00}$	204.00
pisifera squarrosa, Moss Retin			50.00	
Densely branched bushy tree				branchlets.
Silvery foliage.	9-12 in. 12-18 in.	$\frac{1.25}{2.50}$	$\frac{11.25}{22.50}$	
	18-24 in.	4.00	36.00	
Slandar Hinaki Cynraes (C. akta	2-3 ft.	6.00	54.00	
Slender Hinoki Cypress (C. obto A graceful narrow form, comp	<i>isa graciiis)</i> . act. dark gr	een foliage.		
,	2-2½ ft.	6.00	54.00	
CHAMAEDAPHNE calyculata. (S	ee under Br	oadleaf Eve	rgreens.)	
DAPHNE cneorum. (See under Bro	adleaf Ever	greens.)		
JUNIPERUS, Juniper, Redcedar		£.		
chinensis pfitzeriana, Pfitzer J Broad pyramid with horizont	ally spread	ng branche	s. Gravish	-green. One
of the best dwarf forms.	1-2 ft.	3.00	27.00	240.00
	2-3 ft. 3-4 ft.	$\frac{5.00}{8.00}$	$\frac{45.00}{72.00}$	405.00
chinensis sardenti Sardent II				
chinensis sargenti, Sargent Ju Introduced by Arnold Arbore	tum. "The	originals he	re are now	dense mats
of bright green foliage, 10 feet	across and o	nly a few in	ches high.'	,
communic depresses. Deservate	9-12 in.	4.00	36.00	
communis depressa, Prostrate The beautiful New England ty	pe and the	4 It. best of grou	nd covers.	Very hardy
and thrives in light or heavy s	oils. 6-12 in.	1.00	9.00	81.00
	12-18 in.	2.00	18.00	162.00
	18-24 in.	2.75	24.60	221.00
	2-3 ft. 3-4 ft.	$\frac{3.50}{5.00}$	$\frac{31.50}{45.00}$	282.00
communis suecica, Swedish J			10.00	
Columnar form with rather s	preading lig	ht bluish-gr		; branchlets
with nodding tips.	1-2 ft.	2.50	$\frac{22.50}{26.00}$	
sabina, Savin. 6-15 ft.	$2-2\frac{1}{2}$ ft.	4.00	36.00	
Spreading or procumbent shruand dwarf plantings.	ıb rarely wi	th erect ste	m. Fine fo	r rock work
and dwart plantings.	9-12 in. 12-18 in.	$\frac{1.25}{1.75}$	$\substack{11.25\\15.75}$	$102.00 \\ 141.00$
	18-24 in.	$\substack{1.75 \\ 2.25}$	21.00	195.00
	2-3 ft.	4.00	36.00	

TERMS. Cash or satisfactory reference from unknown customers. All accounts are due the first of each month, unless by special arrangement. Five at 10 rate, 50 at 100 rate, 500 at 1,000 rate. 5 per cent discount may be deducted only WHEN CASH ACCOMPANIES ORDER. When not taken, extra plants will be sent to cover such discount.

When ordering, please read instructions on page 54.

JUNIPERUS, Continued		Each	10	100
virginiana, Redcedar. 30-100 ft		nou to hu	adler conta	
Tree with many forms from na New England type is far super				
	6-9 in.	. 50	4.50	39.00
	9-12 in. 12-18 in.	$\frac{.80}{1.00}$	$\frac{7.20}{9.00}$	$63.00 \\ 81.00$
•	18-24 in.	2.00	18.00	162.00
	2-3 ft. 3-4 ft.	3.00	27.00	$\frac{240.00}{324.00}$
	4-5 ft.	$\frac{4.00}{5.00}$	$\frac{36.00}{45.00}$	524.00
	6-8 ft.	10.00	90.00	
	8-10 ft. 10-12 ft.	$\begin{array}{c} 16.00 \\ 24.00 \end{array}$	$144.00 \\ 216.00$	
	12-14 ft.	30.00	270.00	
	14-16 ft. 16-18 ft.	$\frac{40.00}{50.00}$	$\frac{360.00}{450.00}$	
	18-20 ft.	60.00	540.00	
	20-22 ft.	70.00	630.00	
virginiana cannarti, Cannart R Compact pyramidal form with	ledcedar. 6	5-10 ft.	nd bluich	bloomy fruits
profusely produced.	12-15 in.	2.50	22.50	broomy fruits
virginiana glauca, Silver Redce Form with steel-blue foliage.	edar. 20-40 2-3 ft.	ft. 6.00	54.00	
rorm with steer-bide forage.	3-4 ft.	8.00	$\frac{54.00}{72.00}$	
virginiana keteleeri. 15-20 ft.	according l	hman ah aa	and doubt on	moon moole like
Compact pyramidal form with foliage.	12-18 in.	3.00	27.00	reen scare-nke
	18-24 in.	4.00	36.00	
KALMIA. (See under Broadleaf Ever LARIX. (See under Deciduous Trees	rgreens.)	.)		
LEIOPH YLLUM buxifolium. (See	under Broad	dleaf Ever	greens.)	
LEUCOTHOE catesbaei. (See under	r Broadleaf	Evergree	ns.)	
PICEA, Spruce. asperata. 60-100 ft.				
Rare; the most vigorous of the	Chinese S	pruces; ge	eneral appe	earance some-
what similar to Norway Spruce ful as they open up.	e. The yello 23 ft.	wish-brov 10.00	vn buds are 90.00	e very beauti-
	3-4 ft.	15.00	135.00	
canadensis (alba; glauca), White Very hardy and beautiful orr	Spruce. 6	0-120 ft.	lanca hahi	it with light
bluish-green foliage, particular	ly suitable	for shore	planting.	
	6-9 in. 9-12 in.	$\begin{array}{c} .50 \\ .75 \end{array}$	$\frac{4.50}{6.75}$	$\frac{39.00}{60.00}$
	12-18 in.	1.00	9.00	81.00
	18-24 in.	1.75	15.75	141.00
canadensis albertiana, Alberta	2-3 ft. (Black Hil	3.00 (Is) Sprud	27.00 ce. 50-160	ft.
Compact pyramidal form from	Wyoming	and Mont	ana. Dark	green foliage.
	6-9 in. 9-12 in.	$.40 \\ .60$	$\frac{3.60}{5.40}$	$\frac{33.00}{48.00}$
5 444 6 45 1	12-18 in.	1.00	9.00	81.00
Dwarf Alberta Spruce (P. glauce Very dwarf cone-shaped Conife	r. fine for re	6 it. ock gardei	ns.	
	3-6 in.	2.00	18.00	
engelmanni, Engelmann Sprud	ce. 60-150 t anches in cl	t. oselv arra	nged whor	les forming a
Tree with slender spreading bridense and narrow pyramid. Lea	ves bluish-	green to s	teel-blue; f	lowers purple.
Very ornamental tree.	9-12 in. 18-24 in.	$\frac{1.00}{4.00}$	$\frac{9.00}{36.00}$	81.00
	2-3 ft.	6.00	54.00	
excelsa, Norway Spruce. 40-150 Spreading branches and usual	tt.	us branch	lets. Hand	dsome tree of
rapid growth.	12-18 in.	.75	6.75	60.00
	18-24 in. 2-3 ft.	$\frac{1.50}{2.50}$	$\frac{13.50}{22.50}$	$120.00 \\ 204.00$
	3-4 ft.	$\frac{2.50}{4.00}$	36.00	204.00
koyamai, Koyamai Spruce. 40-	60 ft.	and Kores		ad in 1014 br-
Narrow pyramidal free. Native E. H. Wilson of the Arnold Ar	boretum, w	here it ha	is proved h	nardy. One of
E. H. Wilson of the Arnold Arthe best new Conifers.	9-12 in.	1.00	9.00	81.00
	12-18 in. 18-24 in.	$\frac{1.50}{2.50}$	$\frac{13.50}{22.50}$	$120.00 \\ 204.00$
	2-3 ft.	4.00	36.00	

PICEA, Continued	\mathbf{Each}	10	100
omorika, Serbian Spruce. 50-60 ft.			
Perhaps the finest species for Northern		reaching	50-60 feet in
cultivation. Forms a narrow pyramidal h 6-9 in.	nead.	9.00	21 00
9-12 in.	$\frac{1.00}{1.50}$	13.50	$\frac{81.00}{120.00}$
12-18 in.	2.00	18.00	162.00
pungens, Green Colorado Spruce. 80-100			
Handsome tree of symmetrical habit with			
as a lawn tree and for dry climates. One of 12-18 in.	2.00	18.00	
12-18 in. 18-24 in.	$\frac{2.00}{4.00}$	36.00	162.00
2-3 ft.	6.00	54.00	
pungens glauca, Blue Colorado Spruce.	80-100 ft.		
Selected from seedling types but not gra	afted. Bluish	-white fol	iage.
12-18 in. 18-24 in.	$\frac{4.00}{6.00}$	$\frac{36.00}{54.00}$	324.00
8-9 ft.	50.00	04.00	
10-12 ft.	90.00		
12-14 ft.	110.00		
pungens kosteri, Koster Blue Spruce. 40	0-60 ft.	f-1'	. 1 . 1 1.
These are true Koster variety, very b	nect	ionage a	na penamous
branches. Perfect specimens in every respect to 9-10 ft.	90.00	810.00	
10-12 ft.	120.00	1080.00	
12-14 ft.	150.00	1350.00	
14-16 ft.	175.00	1575.00	
PIERIS. (See under Broadleaf Evergreens.) PINUS, Pine.			
banksiana, Jack Pine. 50-70 ft.			
Tree to 70 feet, usually much lower. Th	e hardiest o	f America	n Pines. Very
valuable for planting on dry and sandy s			
2-3 ft. 3-4 ft.	$\begin{smallmatrix}1.50\2.50\end{smallmatrix}$	$\frac{13.50}{22.50}$	120.00
densifiora, Japanese Red Pine. 60-100 ft.	2.50	22.50	
Tree to 100 feet tall, in cultivation much	less. Hands	some orna	mental Japa-
nese Pine of rapid growth when young, v 12-18 in.	ery pictures	que when	older.
12-18 in.	1.00	9.00	81.00
18-24 in. 3-4 ft.	$egin{smallmatrix} 1.50 \ 3.00 \end{smallmatrix}$	$\begin{array}{c} 13.50 \\ 27.00 \end{array}$	120.00
6-8 ft.	10.00	90.00	
excelsa, Himalayan Pine. 75-150 ft.			
Very handsome pine with wide-spreadin	g branches	and long s	lender droop-
ing leaves, grayish or bluish-green. Whit 12-18 in.	e Pine Grou 1.50	p. 13.50	
flexilis, Limber Pine, 40-50 ft.	1.50	10.00	
A hardy, usually low Pine with spread			
dark green leaves. Adapted for planting			
6-9 in. 3-4 ft.	$egin{smallmatrix} 1.00 \ 3.00 \end{smallmatrix}$	$\begin{array}{c} 9.00 \\ 27.00 \end{array}$	81.00
4-5 ft.	5.00	$\frac{27.00}{45.00}$	
5-6 ft.	7.00	63.00	
6-8 ft.	10.00	90.00	
jeffreyi, Jeffrey Pine. 60-120 ft. A distinct and ornamental Pine remarks	able for ite l	ong leaves	· very hardy
Black Pine Group. 18-24 in.	2.00	18.00	162.00
2-3 ft.	3.00	27.00	240.00
koraiensis, Korean Pine. 40-100 ft.): fan	. 11	. White Di
Of slow growth; one of the best hardy I Group. 18-24 in.	$\frac{2.00}{2.00}$	an gardens 18.00	s. white Pine
2-3 ft.	3.00	$\frac{13.00}{27.00}$	
3-4 ft.	5.00	45.00	
montana mughus, Mugho Pine.	2: f f-		lautinu na 1
Perhaps the most useful of the Dwarf F eries and borders of shrubberies. Very sh	rubby and b	nuation p	anung, rock-
6-9 in.	1.00	9.00	81.00
9-12 in.	1.50	13.50	120.00
12-18 in.	2.50	22.50	204.00
18-24 in.	4.00	36.00	324.00
monticola, Western White Pine. 40-100 Apparently slow growing in the East. Sir	nilar to Whi	te Pine bu	t of narrower
and denser habit. 3-4 ft.	3.00	27.00	
4-5 ft.	5.00	45.00	
5-6 ft.	$\frac{7.00}{9.00}$	$63.00 \\ 81.00$	
6-8 ft.	8.00	01.00	

PINUS, Continued	Each	10	100
nigra, Austrian Pine. 40-100 ft.	Each	10	100
Very handsome, vigorous Pine of regular h	abit with s	tout spread	ing branches
and long dark green leaves. 12-18 in.	1.50	13.50	120.00
18-24 in.	2.50	22.50	204.00
2-2½ ft	3.50	31.50	282.00
ponderosa, Western Yellow Pine. 50-230 Tree occasionally to 230 feet tall, proba	bly 50-75	feet in cult	ivation. Im-
Tree occasionally to 230 feet tall, proba portant timber tree somewhat resembling A	ustrian Pir	ne. Very fine	ornamental.
2-3 ft.	3.00	27.00	240.00
3-4 ft. 4-5 ft.	$\frac{4.00}{6.00}$	$\frac{36.00}{54.00}$	$324.00 \\ 486.00$
5-6 ft	8.00	72.00	400.00
nungens, Table Mountain Pine, 30-50 ft.			
A very picturesque dark-foliaged species, gives a "Japanesy" effect. Beautiful large	usually of	irregular g	rowth which
gives a 'Japanesy'' effect. Beautiful large 18-24 in.	1.00	9.00	81.00
$2-2\frac{1}{2}$ ft.	2.00	18.00	162.00
resinosa, Red Pine. 45-70 ft.		- 1	6.43 3 4
Long dark green leaves; ornamental Pine for northern gardens. 9-12 in.	of vigorous	$\frac{\text{growth, on}}{4.50}$	e of the best 39.00
12-18 in.	.50 .75 1.50	6.75	60.00
18-24 in.	1.50	13.50	120.00
2-3 ft.	$\frac{2.50}{3.50}$	22.50	204.00
3-4 ft. strobus, White Pine. 50-150 ft.	3.50	31.50	
Hardy in Canada. One of the most val	uable orna	mental Pin	es; of rapid
growth, symmetrical when young, picture	esque in old	l age.	20.00
12-18 in. 18-24 in.	1.25	$6.75 \\ 11.25$	$60.00 \\ 102.00$
2-3 ft.	2.00	18.00	162.00
Larger sizes, and clipped specimens 6 to 1	4 ft., up to	\$75.00 each	
sylvestris, Scotch Pine. 40-70 ft. Tree with spreading branches becomin	a broad a	nd round-t	ban board
picturesque. Bark bright red. 12-18 in.	.50	4.50	39.00
18-24 in.	.50 1.00	9.00	81.00
2-3 ft.	$\frac{2.00}{3.00}$	$\frac{18.00}{27.00}$	$162.00 \\ 240.00$
3-4 ft. thunbergi, Japanese Black Pine. 60-100 ft		27.00	240.00
Large winter buds silvery-white. A hands	some pictur	esque tree	of the Black
Pine Group. 12-18 in. 18-24 in.	$\frac{1.00}{2.00}$	$\frac{9.00}{18.00}$	81.00
2-3 ft.	$\frac{2.00}{3.50}$	31.50	162.00
4-5 ft.	5.00	45.00	
5-6 ft.	8.00	72.00	
PSEUDOTSUGA 6-8 ft.	12.00	108.00	
douglasi, Douglasfir. 50-200 ft.			
In nature attaining 200 feet in hight a	nd more; i	n cultivatio	on probably
50-75 feet. Forms a pyramidal tree of der and one of the best ornamental Conifers i			very hardy
12-18 in.	1.25	11.25	102.00
18-24 in.	2.00	$\frac{11.25}{18.00}$	162.00
2-3 ft. 3-4 ft.	4.00	36.00	324.00
4-5 ft.	$\frac{6.00}{8.00}$	$\frac{54.00}{72.00}$	486.00
5-6 ft.	10.00	90.00	
RHODODENDRON. (See under Broadleaf Eve	ergreens.)		
TAXUS, Yew. canadensis, Canada Yew. 2-6 ft.			
Low diffuse shrub, very hardy and esp	ecially use	ful as und	ergrowth in
shady woods, and for shady banks. 12-18 in.	1.50	13.50	120.00
cuspidata, Japanese Yew, 20-50 ft.			
Slow growing, perfectly hardy, the dark through the winter. 9-12 in	green fol	iage retaini	ng its color
through the winter. 9-12 in	2.00	18.00	162.00
12-18 in. 18-24 in.	$\frac{3.50}{5.00}$	$\frac{31.50}{45.00}$	$282.00 \\ 405.00$
cuspidata nana, Dwarf Japanese Yew. 3-	7 ft.	10.00	200.00
Shrubby form of preceding and compact g	rowth.	26 00	
12-18 in. 18-24 in.	4.00 6.00	$\frac{36.00}{54.00}$	
media hicksi, Hicks Yew.			
Distinct columnar form and perfectly har			ım.
6-9 in.	2.50	22.50	

KELSEY'S HARDY AMERICAN PLANTS

HUJA, Arborvitae. American Pyramidal Arborvi Narrow pyramidal growth, v	tae (occiden	Each	10 lalis). 8-20 lantings.	100) ft.
ranton pyramican growin, v	12-18 in.	1.75	15.75	141.00
	18-24 in.	2.40	21.00	195.00
	2-3 ft.	4.00	36.00	324.00
	3-4 ft.	6.00	54.00	
	4-5 ft.	8.00	72.00	
Douglas Golden Arborvitae.				
A golden-leaf form, the name	doubtfully	authentic.		
	12-18 in.	2.50	22.50	
	18 - 24 in.	3.50	31.50	
occidentalis, American Arbon Rarely attaining 60 feet. Ve ings. Fine for hedges and win	erv hardy a		ul in land	scape plan
	12-18 in.	1.00	9.00	81.00
	18-24 in.	1.50	13.50	120.00
	2-3 ft.	2.00	18.00	162.00
	3-4 ft.	3.50	31.50	282.00
	4-5 ft.	5.50	49.50	444.00
and demantic other Owner View			10.00	111.00
occidentalis alba, Queen Vice In this variety the tips of the	young bran 2-3 ft.	nchlets are wi	hite. 40.50	
occidentalis columbia. Colum	mbia Arbot	rvitae.		
occidentalis columbia, Colum Strong habit; foliage "with a	12-18 in.	3.50	31.50	
occidentalis ellwangeriana, T				
A low broad pyramidal form,				
	12-18 in.	2.00^{-}	18.00	
	18-24 in.	3.00	27.00	
	2-3 ft.	4.50	40.50	
occidentalis globosa, America Dwarf globose form for rocke	eries and for	mal effects.	19 50	120.00
	9-12 in. 12-18 in.	$\frac{1.50}{2.50}$	$13.50 \\ 22.50$	120.00
	12-18 in. 18-24 in.	$\frac{2.50}{3.50}$		
		3.30	31.50	
occidentalis hoveyi, Hovey Ai "Dwarf dense ovate-globose f	rborvitae. form with br 2-2½ ft.	right green fo	liage.'' 36.00	
occidentalis lutea, George Per	, -	rvitae		
Rather strong-growing pyran			llow folia	TO
namer strong-growing pyram				ge.
	$12-18$ in. $2-2\frac{1}{2}$ ft.	$\frac{2.50}{4.50}$	$\frac{22.50}{40.50}$	
		4.50	40.50	
occidentalis reidi, Reid Arboi				
Small-leaved form, quite dwa	rf and retair	ning color in v	winter.	
	9-12 in.	1.50	13.50	
	12-18 in.	2.50	22.50	
occidentalis vervaeneana, Ver	vaene Arbo	orvitae.		
Upright form with bronze win	nter effects.			
	18-24 in.	2.50	22.50	
	2-2½ ft.	4.00	36.00	
	$2-2\frac{1}{2}$ ft. $2\frac{1}{2}-3$ ft.	6.00	54.00	
	3-4 ft.	8.00	72.00	
occidentalis wareana, Ware (A	Siberian) Ar	borvitae.		
Broadly pyramidal, dense typ	ne with shins	z. hlue-green	foliage, ve	ry desirabl
Library pyramidai, dense typ	12-18 in.	3.00	27.00	240.00
	18-24 in.	4.00	36.00	324.00
	2-3 ft.	6.00	54.00	021.00
	3-4 ft.	8.00	72.00	
and demantic woodwards W-			00	
occidentalis woodwardi, Woo Dense globose form with dee	dward Arb p green leav 15-18 in.	ves. 3.00	27.00	
Rosenthal Arborvitae. Columnar form with lustrous	dark green	leaves.		
	2-3 ft.	5.00	45.00	
Ware Globe Arborvitae.				
Variety of Dwarfer globe for				
	18-24 in.	4.00	36.00	
	2-2½ ft.	5.00	45.00	



View in Kelsey-Highlands Nursery showing young Rhododendrons with "water sprinkler system" and avenue of Specimen Koster Blue Spruce.

TSUGA, Hemlock.	Each	10	100
canadensis Canada Hemlock 40-100 ft			

Attaining rarely 100 feet or more in hight. One of our handsomest ornamental trees for lawn or forest plantings or for hedges. Sizes from 6 feet up are extra heavy specimens. Stands severe clipping.

12-18 in.	1.50	13.50	120.00
18-24 in.	2.50	22.50	204.00
2-3 ft.	4.00	36.00	324.00
3-4 ft.	6.00	54.00	486.00

caroliniana, Carolina Hemlock. 30-70 ft.

Rarely attaining 70 feet in hight, in cultivation 30-50 feet. Carolina Hemlock is unique in habit, with dark, dense, tufted foliage on sweeping pendulous branches with a "Japanesy effect." It is hardier and more adapted to trying city atmospheres than the Canada Hemlock and seems to thrive in southern latitudes where the latter becomes thin, yellow and unsightly. The late Professor Sargent, Director of the Arnold Arboretum, says, in a letter dated October 30, 1923: "As you know, I consider this tree (Carolina Hemlock) the handsomest Conifer we can grow in New England."

2-3 ft.	5.00	45.00	405.00
3-4 ft.	7.00	63.00	567.00
4-5 ft.	12.00	108.00	972.00
5-6 ft.	20.00	180.00	1620.00
6-7 ft.	30.00	270.00	
7-8 ft.	40.00	360.00	

sieboldi, Siebold Hemlock. 50-100 ft.

In Japan attaining 100 feet. A valuable variety but not as useful as the Carolina and Canada species. $\begin{array}{cccc} 2-3 & \text{ft.} & 10.00 & 90.00 \\ 3-4 & \text{ft.} & 12.00 & \\ 4-5 & \text{ft.} & 15.00 & \end{array}$

Kelsey's Hardy American Rhododendrons, Kalmias, Andromedas and Other Broadleaf Evergreens

All native species are perfectly hardy in the latitude of Quebec if

given proper soil conditions and exposure or location.

Many desirable hybrids are not hardy, so we offer only those named sorts which, with care, may be successfully grown in this latitude. For general planting and for most successful results we must turn to our hardy native species, using the hybrids sparingly or where specially protected by mass planting of the indigenous sorts. Not even in Asia do Rhododendrons grow so luxuriantly as in our own southern Allegheny Mountains, where they attain a hight of 30 feet and more, assuming tree-like proportions. They must be seen in their native lavishness of growth and bloom, on the mountain sides or hanging over the dashing, ice-cold streams and waterfalls, to be properly appreciated, and a trip to the high Carolina mountains in spring and early summer is a never-to-be-forgotten series of joys to the lover of nature.

With proper knowledge and experience this beauty and wildness may be transferred to our gardens and lawns. Our long experience

is at the service of customers at all times.

Be sure and read "The Successful Rhododendron Bed" on page 44.



The BEARBERRY, Arctostaphylos uvaursi, taking possession of a sand bank on Cape Cod. Our most beautiful Hardy Trailing Ground Cover.

See page 11.

ARCTOSTAPHYLOS. uvaursi, Bearberry. April-July.	Each	10	100
This is perhaps the finest ground cover	we have, as	it thrives e	qually well in
sandy and loamy soils forming a dense useful for covering banks and for larg	low mat of	dark green	foliage. Most
and scarlet berries. 3-6 in (in pots	\$.50	\$4.50	\$39.00
6-9 in. (in pots	.75	6.75	60.00
9-12 in. (in pots		9.00	81.00
vulgaris, Scotch Heather. 1-3 ft. Entirely hardy in New England, blor rosy-pink in dense racemes. There are than the Scotch Heather and its varietic.			
Entirely hardy in New England, block	oming in Ju	dy and Aug	gust. Flowers
than the Scotch Heather and its varietie	s, where the	conditions	are favorable.
i ney thrive in peaty, sandy son of acid:	reaction, and	d do not obje	ect to an open
sunny location. Fine for rockeries. 6-9 in.	1.00	9.00	81.00
9-12 in.	1.50	13.50	120.00
12-18 in. vulgaris alba, White Heather.	2.00	18.00	
Variety with pure white flowers.			
3-6 in.		6.75	60.00
6-9 in. vulgaris alba rigida?	1.00	9.00	
2-4 in. (2 in. pots)	.60	5.40	48.00
vulgaris alporti, Alport Heather.		1. 1	
Rather tall with crimson flowers and da 3-6 in.	irk or grays	6.75	60.00
vulgaris argentea? 1-3 in.	.50	4.50	39.00
vulgaris aurea. Very dwarf 4 to 6 in., and striking golde	n foliage		
3-6 in		6.75	60.00
vulgaris cuprea. Leaves golden in summer, bronze in wi	ntor		
3-6 in	.75	6.75	60.00
vulgaris elata? A taller and more open variety of Whit	. Usathan N	Jama daubt	f.,11ee
authentic. 2-4 in	.75	6.75	60.00
vulgaris hammondi. 2-4 in. (2 in. pots) vulgaris multiplex? 1-3 in. (2 in. pots)	.75	6.75	60.00
vulgaris multiplex? 1-3 in. (2 in. pots) vulgaris nana, Moss Heather.	.75	6.75	
very awari; moss-like ioliage, purple ii			
3-6 in. vulgaris pilosa alba?	1.50	13.50	
1-3 in. (2 in. pots)	. 50	4.50	39.00
vulgaris rubra, Red Heather. 1-3 in. (2 in. pots)	.50	4.50	39.00
vulgaris searlei, Searle Heather.	.50	4.00	38.00
Tall with loose feathery growth; flowers		9.00	
vulgaris spicata? 1-3 in. (2 in. pots)	.50	4.50	39.00
vulgaris variegata? 1-3 in. (2 in. pots)	.50	4.50	39.00
Mixed varieties. Twice Transplanted. 3-6 in.	. 50	4.50	39.00
CHAMAEDAPHNE, calyculata.			
Leatherleaf. 2-3 ft. White. April-June. An aquatic evergreen growing well in p	oosty soil a	nd suitable	for origination
plantings. 12-18 in	1.00	9.00	81.00
DAPHNE, Daphne.	1.50	13.50	120.00
DAPHNE, Daphne. cneorum, Rose Daphne. 1-3 ft. A most beautiful low hardy shrub; among the green leaves in the month rockery. 9-12 in. 12-15 in.			
A most beautiful low hardy shrub;	the fragrant	t pink bloss	soms nestling
rockery. 9-12 in	2.00	18.00	162.00
12-15 in. 15-18 in.		$\frac{27.00}{36.00}$	
ERICA.		30.00	324.00
carnea, Spring Heath. 6-12 in. March-	May.	استطاعت الد	
Low spreading shrub, rosy-red flowers 3-6 in.		ed anthers. 6.75	60.00
mackayi plena.			
Double flowers 3-6 in. (in pots stricta, Corsican Heath. 1-4 ft.		9.00	
A summer blooming Heath, rosy purple	e. Seems har	dy in this vi	cinity.
3-6 in.	.75	6.75	60.00

Each 10 100

EUONYMUS. (Evergreen, see under Vines.) GALAX, Galax.

aphylla. 8-12 in. May.

Beautiful heart-shaped leaves and white spike of flowers 10-12 inches high. Leaves turn brilliant scarlet when exposed to the sun. Splendid ground cover for Rhododendron Bed, and wildwood planting. Clumps

KALMIA, Kalmia.

ALMIA, Kalmia.

latifolia, Mountainlaurel. 6-40 ft. May-June.

The surpassing beauty of this broadleaf shrub is known to all plant lovers. It is attractive the year round but is really gorgeous in Spring with its clustered masses of white or blush flowers. This is a specialty at Kelsey-High-

 $\frac{1.00}{2.00}$ 9-12 in. 12-18 in. 18.00 162.00 Clumps 18-24 in. $\bar{3}.00$ 27.00 240.00 4.00 Clumps 2-3 ft. 36.00 324.00 Clumps 3-4 ft. 6.00 54.00 486.00

4 50

39 00

LEIOPHYLLUM, Sandmyrtle.

buxifolium, Box Sandmyrtle. 1-4 ft. April-June.

A charming heather-like plant requiring a sand-peat soil; covered with white flowers with pink stamens. 6-9 in. .75 6.7560.00

buxifolium prostratum, Allegheny Sandmyrtle, April-June. Prostrate form of the preceding. 3-6 in. 39.00 6-9 in. 6.75 60.00

LEUCOTHOE, Leucothoe. catesbaei, Drooping Leucothoe. 3-8 ft. White. April-May.

Invaluable as a border or undershrub and for edging the Rhododendron and Azalea plantation. The "spray" foliage turns a rich bronze in Autumn.

Clumps 6-12 in. 1.00 9.00 81.00

MAHONIA, Hollygrape.

aquifolium, Oregon Hollygrape. 3-6 ft. May.

Spiny lustrous dark green foliage. Yellow panicled flowers followed by clusters of bluish-black fruit. 6-12 in. .60 5.40

PACHISTIMA, Pachistima.

canbyi, Canby Pachistima. 6-10 in. Reddish. April-May.

Remarkably dainty, low shrub forming a dense evergreen carpet. 6.7560.00 1-3 in. .75 3-6 in. 1.2511.25

PACHYSANDRA, Pachysandra.

terminalis, Japanese Pachysandra. 6-9 in. Whitish. May. Grows from 6-9 inches high and is one of the best ground covers and unusually hardy. Useful for bordering walks and drives under evergreen shrub planting. Strong plants . 25 1.75

PIERIS, Andromeda.

floribunda, Mountain Andromeda. 2-6 ft. Dense, much-branched shrub, 2-6 feet tall. White nodding flowers in April and May. Perfectly hardy near Boston. 9.00

6-9 in. $\frac{1.00}{1.75}$ 9-12 in. 15.00141.00 12-18 in. 3.00 27.00240.00



CAROLINA RHODODENDRON Clear pink. See page 13.



OCONEEBELLS, See pages 14 and 43 (Shortia galacifolia)

Rhododendrons

THE Native American Rhododendrons are the best for American planting, being hardier than both the "hybrids" and the many Asiatic species. Even where the hardier of the hybrid varieties are successful, the dark-foliaged American species, maximum and catawbiense, should form the main background. "The Successful Rhododendron Bed." page 44.

aron Bea, page 44.				
RHODODENDRON, Rhodo	dendron	Each	10	100
carolinianum, Carolina	Rhododendron.	4-8 ft. Ma		100
A clear pink American	species introduced	l by Harlar	P. Kelsey	many years
ago. There is no mage	nta shade in the fl	owers. Enti	rely hardy	and fine for
massing on hillsides an		**		
	12-18 in. Clumps	\$3.00	\$27.00	
•	18-24 in. Clumps 2-3 ft. Clumps	$\frac{5.00}{7.00}$	$\frac{45.00}{63.00}$	
	3-4 ft. Clumps	9.00	81.00	
	4-5 ft. Clumps	12.00	108.00	
carolinianum album. 3	-6 ft. May-June.		100.00	
Pure white form of the	Carolina Rhodod	endron.		
	9-12 in.	2.00	18.00	\$ 162.00
	12-18 in.	3.00	27.00	
	2-3 ft. Clumps	$\frac{7.00}{9.00}$	$63.00 \\ 81.00$	
	3-4 ft. Clumps 4-5 ft. Clumps	12 00	108 00	
catawbiense, Catawba	Rhododendron.	20 ft. May-	June	
The hardiest and best	all-round Rhodode	endron and	the one wh	nich supplied
color and hardiness to				
with considerable varia				
	9-12 in.	1.25	11.25	102.00
	12-18 in.	1.75	15.75	141.00
	18-24 in. 2-3 ft. Clumps	$\begin{array}{c} 2.40 \\ 5.00 \end{array}$	$\frac{21.00}{45.00}$	$195.00 \\ 405.00$
	3-4 ft. Clumps	7.00	63.00	567.00
	4-5 ft. Clumps	10.00	90.00	810.00
catawbiense compacta,	Kelsey Catawba	Rhododen	dron. 4-12	2 ft.
A dense growing varie	ety discovered and	. introducec	l by Harla	n P. Kelsey.
Very distinct from the			07 00	
	12-18 in.	$\frac{3.00}{4.00}$	$\frac{27.00}{36.00}$	
	18-24 in. 2-3 ft. Clumps	8.00	$\frac{36.00}{72.00}$	
catawbiense, Named H			12.00	
Three year grafts of the		ay o ano.		
Album Elegans, Ligh	ht blush.			
Atrosanguineum, D	eep blood-red.			
Caractacus, Rich wa				
Catawbiense Album				
Delicatissimum, Fle E. S. Rand, Rich scar				
Everest (Everestianum		ed vellow.		
F. D. Godman, Crim	son with dark blot	ch.		
F. L. Ames, Large flor H. W. Sargent, Crim	wers, white center,	pink margi	n.	
H. W. Sargent, Crim	son.			
Kettledrum, Rich cr	imson.	.443		
Lady Armstrong, Ro Mrs. Charles Sargen	se, beautifully spo	ottea. bright pink	wellow ove	0
Parsons Grandifloru		origite pink,	, yellow ey	.
Roseum Elegans, R				
,	9-12 in.	4.00	36.00	
	12-18 in.	6.00	54.00	
	18-24 in.	10.00	90.00	
catawbiense, Seedling l			and from	the choicest
The seed from which named hybrids.	9-12 in.	2.50	22.50	204.00
named nybrids.	12-18 in.	$\frac{2.50}{3.50}$	31.50	282.00
	18-24 in.	4.50	40.50	
dahuricum, Dahurian	Rhododendron.	6-10 ft.		
Leaves deciduous or	sometimes persiste	ent. Rose-co	olored flow	ers one inch
across in early April.	6-12 in.	1.00	9.00	81.00
	12-18 in.	3.00	27.00	

KELSEY'S HARDY AMERICAN PLANTS

RHODODENDRONS, Continued	Each	10	100
laetivirens, Wilson Rhododendron. 3-1			
Dense growing with masses of bright ro			
12-18 in.	8.00	72.00	
maximum, Rosebay Rhododendron. 1 The white or pink-tinged flowers and la	ate-bloomir		e this species
invaluable for hardy Rhododendron pla			
12-18 in.		13.50	120.00
18-24 in.		18.00	162.00
12-18 in. Clumps		18.00	162.00
18-24 in. Clumps	3.00	27.00	240.00
2-3 ft. Clumps		40.50	363.00
3-4 ft. Clumps	6.00	54.00	486.00
4-5 ft. Clumps	9.00	81.00	
5-6 ft. Clumps	12.00	108.00	
micranthum, Manchurian Rhododend A distinct open-growing species, resem			
6-12 in.	1.50	13.50	
mucronulatum, Korean Rhododendro A hardy Asiatic species. Flowers rose-co	n. 6 ft. Ma lored, hand	rch-April. some scarlet	Fall coloring
6-9 in.		13.50	120.00
9-12 in.	2.00	18.00	
12-18 in.	3.50	31.50	
SHORTIA.			
galacifolia, Oconee-bells. 6-9 in. April. A beautiful and rare low evergreen,	with galax-	shaned leave	e and white
bell-shaped flowers in earliest Spring. A	dainty gro	ound-cover th	riving under
Rhododendrons and Kalmias. Our intr		0.75	co 00
VINCA Destantantal	.75	6.75	60.00
VINCA, Periwinkle. minor, Common Periwinkle. April-Ju			
Hardy evergreen trailing herb. Flowers Strong plants		A splendid g	round-cover. 18.00
minor alba, White Common Periwinkl A white variety of preceding.	le.		
Strong plants	.60	5.40	48.00



Photograph by Harlan P. Kelsey

The KALMIA or MOUNTAINLAUREL at Arnold Arboretum, with background of tall evergreens

Deciduous Trees and Shrubs

CER, Maple.	t Monla	Each	10	100
buergerianum (trifidum), Triden Small tree from China and Jap			e e 75	
dasycarpum, Silver Maple. 60-1		\$.75	\$ 6.75	
Large rapid-growing tree for qu				
So tabia Browing sico 101 d	6-8 ft.	1.50	13.50	
	8-10 ft.	2.00	18.00	
ginnala, Amur Maple. 12-20 ft.				
Yellowish fragrant flowers.	1-2 ft.	$\substack{.75\\1.25}$	6.75	\$60.00
	3-4 ft. 4-5 ft.	1.25	11.25	
negundo, Boxelder. 40-60 ft.	4-5 11.	2.00	18.00	
A rapid-growing, usually small	tree wit	h bright gre	en foliage	
ii rapia growing, asaariy sinari	1-2 ft.	.40	3.60	33.00
pennsylvanicum, Striped Mapl	e. 20-40	ft. Yellow. I		
Slender tree with beautiful gree				
	1-2 ft.	. 60	$\frac{5.40}{20}$	48.00
	2-3 ft.	.80	7.20	63.00
platanoides, Norway Maple. 10	3-4 ft. 0 ft Vell	1.00	9.00	
One of the best street trees and				•
one of the sest street trees and	5-6 ft.	1.50	13.50	120.00
	6-8 ft.	2.75	24.60	221.00
	8-10 ft.	4.00	36.00	324.00
Pyramidal Silver Maple (Acer de	asycarpui	n pyramidale	3).	
Broad columnar form of the Si			74.00	
1	8-10 ft. 10-12 ft.	6.00	$\frac{54.00}{72.00}$	
rubrum, Red Maple. 30-120 ft.		8.00	72.00	
Rarely over 50 feet under culti	vation. I	lowers red	or scarlet, ra	rely vellow
ish. Foliage turns brilliant scar				irong gonesii
5	2-3 ft.	. 50	4.50	39.00
	3-4 ft.	.75	6.75	
	4-5 ft.	1.25	11.25	
	5-6 ft. 6-8 ft.	$\frac{2.00}{3.00}$	$\frac{18.00}{27.00}$	
3_4 ft	Clumps	$\frac{3.00}{1.50}$	13.50	
6-8 ft.	Clumps	4.00	36.00	
saccharum, Sugar Maple. 50-12	20 ft. Gre	enish yellov	v. April.	
Excellent street and shade tre	ee of up	right dense	growth, tur	ning bright
scarlet and orange in Autumn.	5-6 ft.	1.50	13.50	
spicatum, Mountain Maple. 8-	30 It. Gr	eenish yello	w. June.	11
Valuable undershrub rarely 30 and scarlet.	1-2 ft.	$\sin \sin \tan \cos w$	11a. Leaves 4.50	turn yellov
and scariet.	2-3 ft.	1.00	9.00	39.00
	3-4 ft.	1.50	13.50	
MELANCHIER, Shadblow.				
canadensis, Downy Shadblow.				
Shrub or small tree, usually in	clump fo		F 40	40.00
	1-2 ft.	.60	$\frac{5.40}{9.00}$	48.00
laevis, Allegheny Shadblow. 20	2-3 ft.	1.00	9.00	81.00
The most graceful and handson	nest spec	ies differing	from all othe	ers: nurnlish
young foliage and drooping race				oro, parpuo
,	1-2 ft.	. 50	4.50	39.00
	2-3 ft.	$\begin{smallmatrix} .75\\1.00\end{smallmatrix}$	$\substack{4.50 \\ 6.75}$	60.00
	3-4 ft.	1.00	9.00	
	4-5 ft.	1.50	13.50	
MODDUA Folog indias	5-6 ft.	2.00	18.00	
MORPHA, False-indigo. fragrans. June.				
Dwarf variety, narrow foliage,				•
fruticosa, Indigobush. 8-20 ft.	3-4 ft. May-Jun	1.00	9.00	
Light green pinnate leaves, pur	mle-blue	dowers in a	ustered spik	es
mant green primate reaves, pur	1-2 ft.	.50	4.50	.05.
	2-3 ft.	.75	6.75	
tennesseensis, Tennessee-indig	30. 4-5 f	t.		_
Shrub 5 feet or over. 6 inch c	lustered	spikes, and	violet-purpl	e flowers.
	2-3 ft.	.75	6.75	
	3-4 ft.	1.00	9.00	

ARALIA, Aralia. spinosa, Devils-walkingstick.	10-40 ft. Whi	Each itish. Augus	10 t.	100
Large leaves and enormous	flower cluster 4-5 ft.	s. 1.00	9.00	
ARONIA, Chokeberry.				
arbutifolia, Red Chokeberry.	4-10 ft. Whit	e or reddish	. April-Ma	ay.
Shrub rarely to 10 feet. Brigh	1-2 ft.	. 50	4.50	39.00
melanocarpa, Black Chokebe	erry. 4-8 ft	April-May.		
	2 ft.	. 40	$\frac{3.00}{0.75}$	27.00
	3 ft. 4 ft. heavy	1.60	$6.75 \\ 14.40$	$60.00 \\ 129.00$
ARTEMISIA arborescens. 3-4 ft. Aromatic shrub with silvery-	Yellowish.	ies.		120.00
AZALEA, Azalea.	2-3 ft.	. 75	6.75	
arborescens, Sweet Azalea. 5-1	5 ft.	1.4 0		1
In June the delightfully spi appear in profusion, lasting i	cy, fragrant	white nowe	rs with pi	nk stamens
broad in cultivation; easy co	ilture. The fo	oliage of thi	s variety	often colors
striking shades of red in late	Autumn. Th	e clumps of	ered have	from 25-75
stems and are heavily budded			0.75	60.00
	6-9 in. 9-12 in.	$\substack{.75\\1.00}$	$\substack{6.75\\9.00}$	$60.00 \\ 81.00$
	12-18 in.	1.50	13.50	120.00
	18-24 in.	2.00	18.00	162.00
18-24 i	n. Clumps	3.00	27.00	240.00
2-3 I 2-4 f	t. Clumps t. Clumps	$\frac{4.50}{7.00}$	$\frac{40.50}{63.00}$	$363.00 \\ 567.00$
1d1 D1 A1	C 1 F CL 3 T	· T		
The most regal of all the spec	ies, native or	exotic, and	a noble rej	presentative
of our rich Carolina mountain	flora. Bartra	m, speaking	of it in his	s ''Travels,''
calls it the "hery Azalea," a	ind says: "I	nis epithet	fiery' 1 ai	nex to this
flowers, which are in general	of the color	of the finest	red-lead.	orange, and
bright gold, as well as yellow	and cream-co	lor. This is	ertainly t	he most gay
and brilliant-flowering shrub	yet known."	No more sti	iking lanc	scape effect
The most regal of all the spec of our rich Carolina mountair calls it the "fiery Azalea," a most celebrated species of Az. flowers, which are in general bright gold, as well as yellow and brilliant-flowering shrub can be produced than a hillsiall quoted above 18 inches	ue oi Azaiea o	These Aza	in run bid	lulaceas are
all quoted above 18 inches splendid clumps, with a mass	of buds, and	range in col	or from li	ght sulphur-
yellow to deep red.	9-12 in.	1.00	9.00	81.00
	12-18 in. 18-24 in.	1.50	13.50	120.00
	2-3 ft.	$\frac{2.00}{4.00}$	$\frac{18.00}{36.00}$	$162.00 \\ 324.00$
	3-4 ft.	6.00	54.00	486.00
	4-5 ft.	8.00	72.00	
canescens, Piedmont Azalea.	3-10 ft. April	-May.		
Deep pink flowers and quite	9-12 in.	1.00	9.00	81.00
	19-18 in	1 50	12 50	120 00
japonica, Japanese Azalea. 6	ft. April-Ma	у.		
japonica, Japanese Azalea. 6 Flowers salmon-red, brick-re Arboretum.	d or carmine 6-9 in.	. The type 1.60	grown at 14.40	Arnold = 129.00
Arboretum.	9-12 in.	2.25	20.25	180.00
	12-18 in.	3.00	27.00	240.00
kaempferi, Torch Azalea. 8 ft	April-May.	4h 37-	h a m .1	a. hard
Bright orange-red flowers w New England.	orn yellow ar 9-12 in.	1.50	13.50	e; nardy in
new England.	12-18 in.	$\frac{1.00}{2.25}$	21.00	
	18-24 in.	4.00	36.00	
lragtan!	$2-2\frac{1}{2}$ ft.	5.00	45.00	
kosteri. Hybrid forms from kaempferi	. 6-9 in.	1.00	9.00	
22, blid forms from kaempieri	9-12 in.	1.50	13.50	
	12-18 in.	2.50	22.50	
ledifolia, Snow Azalea. 4-8 ft.		white do		onanicus
Half-evergreen shrub, with l	arge fragrant 9-12 in.	1.50	ers, very c 13.50	conspicuous
	12-18 in.	$\frac{1.50}{2.50}$	$\frac{13.50}{22.50}$	
Louisa Hunnewell.				
A wonderful hybrid, japonio	eum x molle,			d flowers.
	6-9 in. 9-12 in.	$\substack{1.50\\2.00}$	$13.50 \\ 18.00$	120.00
nudiflora, Pinxterbloom. 2-10	ft. April-Ma	v.		
Beautiful clear pink, bloomi	ng very early	, just follov	ving Azale	ea vaseyi.
	9-12 in.	1.50	13.50	

AZALEA, Continued poukhanensis, Korean Azalea. 1-3 ft. May. A beautiful variety, perfectly hardy at Arn as a small plant; the purple-lilac color of t Azaleas. 9-12 in.	old Arbo:	10 retum; flow rs is unique 31.50	100 ering freely among the
quinquefolia rosea. 6-24 ft. Handsome shrub with soft-pink flowers in leaves in Autumn. 6-9 in.	4.50	40.50	to crimson
9-12 in.	$\frac{1.00}{2.50}$	$\frac{10.00}{22.50}$	
rosea, Downy Pinxterbloom. 4-6 ft. Hardy American species; with bright rose-co 6-9 in.	1.00	wers. 9.00	81.00
schlippenbachi, Royal Azalea. 3-8 ft. May. With very large pale rose-colored flowers brown. 3-6 in.	s, upper	lobes spot	ted reddish 162.00
vaseyi, Pinkshell Azalea. 6-15 ft. This showy Azalea was discovered only as Highlands Nursery very soon after. It is of most profuse bloomer of all the native specits white, pink or deep rose-colored flowers ap the foliage. Of erect, slender habit naturally spreading, while retaining the charming light turns the leaves a deep, dark crimson, greatly 6-9 in. 9-12 in. 12-18 in. 18-24 in.	easy cult es, and tl pear in ea r, in culti nt stem gr r enhanci 1.00 1.50 2.50 4.00	cure and is the more control of the more control of the control of	perhaps the spicuous as May before comes more imn usually
White, sometimes tinged with pink. Make	s fine clu	ımps, often	reaching a
hight of 10-12 feet. Quite fragrant. 12-18 in. Clumps 18-24 in. Clumps 2-3 ft. Clumps 3-4 ft. Clumps	1.25 1.75 2.50 4.00	11.25 15.75 22.50 36.00	$102.00 \\ 141.00 \\ 201.00$
BERBERIS, Barberry. brachypoda. 7-8 ft. May.	1.00	00.00	
Spreading shrub, conspicuous on account of flowers. Fruit deep blood-red. 6-12 in. emarginata. 3-4 ft. April-May.	1.00	9.00	pale yellow
Densely branched dwarf variety with deep r 6-12 in.	ed elonga 1.00	ted fruit. 9.00	
julianae. (See Evergreen Trees and Shrubs.) koreana, Korean Barberry. 6-7 ft. Upright shrub with stout branches. Broad deep red in Autumn. Fruits retain their brig 6-12 in. 12-18 in.	bright ght color a	green leaves a long time. 9.00 18.00	s change to
oblonga. 6 ft. Yellow. Very handsome on account of its large panic fruit. 6-12 in.			rplish-black
thunbergi, Japanese Barberry. 3-8 ft. Pale y Dense shrub. Large brilliant red fruit and used for hedges and ornamental planting.	ellow. Ar brilliant	oril-May. Fall colori	ng. Widely
6-12 in. 12-18 in. 18-24 in. 2-3 ft.	$\begin{array}{c} .25 \\ .35 \\ .60 \\ 1.00 \end{array}$	$1.80 \\ 2.75 \\ 5.40 \\ 9.00$	$12.00 \\ 24.00 \\ 48.00 \\ 81.00$
thunbergi atropurpurea. 3-6 ft. Variety of Japanese Barberry with purplish 18-24 in.		13.50	31.00
thunbergi maximowiczi, Coral Barberry. 3- Variety of Berberis thunbergi with more br 18-24 in. 2-3 ft.	-8 ft. illiant fru . 75 1. 25	it and colo 6.75 11.25	ring. 60.00 102.00
thunbergi minor, Box Barberry. 2-3 ft. Dwarf form of Japanese Barberry. 6-9 in.	. 35	2.75	24,00
vernae, Verna Barberry. 4-6 ft.	.75	6.75	-1.00
A distinct and graceful spreading shrub w racemes of small yellow flowers.	ith slende	er branches	and dense
6-9 in.	.75	6.75	60.00

KELSEY'S HARDY AMERICAN PLANTS

BERBERIS, Continued vulgaris, European Barberry. 4-12 ft. May	Each v-June	10	100
A vigorous upright shrub with golden flo	owers and	conspicuous	bright re
fruit. 6-12 in.	. 50	4.50	39.00
12-18 in.	.75	6.75	60.00
BETULA, Birch.			
alba, European White Birch. 60 ft.	40	2 60	22 00
Shining white bark. 2-3 ft. 3-4 ft.	.40	3.60	33.00
4-6 ft.	. 60 1.00	$\substack{5.40\\9.00}$	48.00
nigra, River Birch. 50-90 ft.	1.00	3.00	
A conspicuous and graceful tree with red	dish bark.	liking moist	sandy soi
1-2 ft.	.40	3.60	33.00
2-3 ft.	. 60	5.40	48.00
3-4 ft.	1.00	9.00	
papyrifera, Canoe Birch. 60-100 ft.			
Ornamental tree rarely over 100 feet high.			
ful head when older. 1-2 ft.	.40	3.60	33.00
2-3 ft.	. 50	4.50	39.00
4-5 ft.	1.00	9.00	
CALYCANTHUS, Sweetshrub. floridus, Common Sweetshrub. 4-8 ft. Ju	no-Iuly		
A fragrant bush with chocolate-colored f	Howere		
1-2 ft.	. 60	5.40	
CARAGANA, Pea-shrub.	.00	0.40	
arborescens, Siberian Peatree. 8-20 ft. M	Iav-June.		
Bright yellow flowers. 2-3 ft.	.75	6.75	
3-4 ft.	1.25	11.25	
frutex, Russian Pea-shrub. 10 ft. Bright y	ellow. June	-July.	
Very hardy from Russia and Siberia.			
6-12 in.	. 60	5.40	48.00
CARPINUS, Hornbeam.			
betulus, European Hornbeam. 65-70 ft.			
Makes an excellent hedge or a fine lawn to	ree.		
6-12 in.	. 50	4.50	39.00
caroliniana, American Hornbeam. 15-40	IU.		
Bushy tree rarely 40 feet; slender brane A fine hedge plant. 1-2 ft.			
A fine hedge plant. 1-2 ft. 2-3 ft.	$.50 \\ .75$	$\frac{4.50}{6.75}$	$\frac{39.00}{60.00}$
	1.00	9.00	00.00
CASTANEA, Chestnut. 3-4 ft. japonica, Japanese Chestnut. 30-40 ft.	1.00	3.00	
japonica, Japanese Chestnut. 30-40 It.	Ob44 bi	121. 4	
This is supposed to be immune from the			01.00
6-12 in. $1-2 ft.$	$\frac{1.00}{1.50}$	9.00	81.00
pumila, Chinquapin. 4-10 ft.	1.50	13.50	
Produces small ovoid units of delicious fla	avor		
2-3 ft.	3.00		
	0.00		
ERCIS, Redbud.			
ERCIS, Redbud.	Rosy pink.	April-May.	
ERCIS, Redbud.	Rosy pink.	April-May.	
CERCIS, Redbud. canadensis, American Redbud. 15-35 ft. 2-3 ft.	Rosy pink. 1.00	April-May. 9.00	
CERCIS, Redbud. canadensis, American Redbud. 15-35 ft. 2-3 ft. CHIONANTHUS, Fringetree. virginica, White Fringetree. 5-30 ft. May	v-June.		
CERCIS, Redbud. canadensis, American Redbud. 15-35 ft. 2-3 ft. CHIONANTHUS, Fringetree. virginica, White Fringetree. 5-30 ft. May Large shrub or slender tree rarely to 30 fe	v-June.		nch pendi
CERCIS, Redbud. canadensis, American Redbud. 15-35 ft. 2-3 ft. CHIONANTHUS, Fringetree. virginica, White Fringetree. 5-30 ft. May Large shrub or slender tree rarely to 30 fe lous white-fringed flowers. 2-3 ft.	y-June. eet. Very fr 2.00	agrant; 4-6 i 18.00	nch pendu
CERCIS, Redbud. canadensis, American Redbud. 15-35 ft. 2-3 ft. CHIONANTHUS, Fringetree. virginica, White Fringetree. 5-30 ft. May Large shrub or slender tree rarely to 30 ft lous white-fringed flowers. 2-3 ft. 3-4 ft. 3-4 ft.	y-June. eet. Very fr 2.00 3.00	agrant; 4-6 i 18.00 27.00	nch pendu
CERCIS, Redbud. canadensis, American Redbud. 15-35 ft. 2-3 ft. CHIONANTHUS, Fringetree. virginica, White Fringetree. 5-30 ft. May Large shrub or slender tree rarely to 30 ft. lous white-fringed flowers. 2-3 ft. CLADRASTIS lutea, Yellow-wood. 40-60 ft.	y-June. eet. Very fr 2.00 3.00 White. Jur	agrant; 4-6 i 18.00 27.00 ne-July.	
CERCIS, Redbud. canadensis, American Redbud. 15-35 ft. 2-3 ft. CHIONANTHUS, Fringetree. virginica, White Fringetree. 5-30 ft. May Large shrub or slender tree rarely to 30 fc lous white-fringed flowers. 2-3 ft. CLADRASTIS lutea, Yellow-wood. 40-60 ft. A charming native tree with loose droopi	y-June. eet. Very fr 2.00 3.00 White. Jung panicles	agrant; 4-6 i 18.00 27.00 ne-July. of white fra	grant flow
CERCIS, Redbud. canadensis, American Redbud. 15-35 ft. 2-3 ft. CHIONANTHUS, Fringetree. virginica, White Fringetree. 5-30 ft. May Large shrub or slender tree rarely to 30 ft lous white-fringed flowers. 2-3 ft. 3-4 ft. CLADRASTIS lutea, Yellow-wood. 40-60 ft. A charming native tree with loose droopi ers in summer. 6-12 in.	y-June. eet. Very fr 2.00 3.00 White. Jung panicles	agrant; 4-6 i 18.00 27.00 ne-July. of white fra 3.60	
CERCIS, Redbud. canadensis, American Redbud. 15-35 ft. 2-3 ft. CHONANTHUS, Fringetree. virginica, White Fringetree. 5-30 ft. May Large shrub or slender tree rarely to 30 fc lous white-fringed flowers. 2-3 ft. 3-4 ft. A charming native tree with loose droopi ers in summer. 6-12 in. 5-6 ft.	y-June. eet. Very fr 2.00 3.00 White. Jur ng panicles .40 2.50	agrant; 4-6 i 18.00 27.00 ne-July. of white fra 3.60 22.50	grant flow
CERCIS, Redbud. canadensis, American Redbud. 15-35 ft. 2-3 ft. CHIONANTHUS, Fringetree. virginica, White Fringetree. 5-30 ft. May Large shrub or slender tree rarely to 30 fc. lous white-fringed flowers. 2-3 ft. 3-4 ft. CLADRASTIS lutea, Yellow-wood. 40-60 ft. A charming native tree with loose droopi ers in summer. 6-12 in. 5-6 ft. CLETHRA, Clethra.	y-June. eet. Very fr 2.00 3.00 White. Jung panicles .40 2.50 3.00	agrant; 4-6 i 18.00 27.00 ne-July. of white fra 3.60 22.50 27.00	grant flow
ERCIS, Redbud. canadensis, American Redbud. 15-35 ft. 2-3 ft. EHIONANTHUS, Fringetree. virginica, White Fringetree. 5-30 ft. May Large shrub or slender tree rarely to 30 ft lous white-fringed flowers. 2-3 ft. 3-4 ft. ELADRASTIS lutea, Yellow-wood. 40-60 ft. A charming native tree with loose droopi ers in summer. 6-12 in. 5-6 ft. 6-8 ft. acuminata, Cinnamon Clethra. 8-20 ft. J	y-June. eet. Very fr 2.00 3.00 White. Jung panicles .40 2.50 3.00 uly-August	agrant; 4-6 i 18.00 27.00 ne-July. of white fra 22.50 27.00	igrant flow 33.00
CERCIS, Redbud. canadensis, American Redbud. 15-35 ft. 2-3 ft. 2-3 ft. CHIONANTHUS, Fringetree. virginica, White Fringetree. 5-30 ft. May Large shrub or slender tree rarely to 30 ft lous white-fringed flowers. 2-3 ft. 3-4 ft. CLADRASTIS lutea, Yellow-wood. 40-60 ft. A charming native tree with loose droopi ers in summer. 6-12 in. 5-6 ft. CLETHRA, Clethra. acuminata, Cinnamon Clethra. 8-20 ft. J Picturesque upright growth, with cinnam	y-June. eet. Very fr 2.00 3.00 3.00 white. Jun ng panicles .40 2.50 3.00 uly-August	agrant; 4-6 i 18.00 27.00 ne-July. of white fra 3.60 22.50 27.00 bark. Recu	igrant flow 33.00
CERCIS, Redbud. canadensis, American Redbud. 15-35 ft. 2-3 ft. 2-3 ft. CHIONANTHUS, Fringetree. virginica, White Fringetree. 5-30 ft. May Large shrub or slender tree rarely to 30 fc. lous white-fringed flowers. 2-3 ft. CLADRASTIS lutea, Yellow-wood. 40-60 ft. A charming native tree with loose droopi ers in summer. 6-12 in. 5-6 ft. 6-8 ft. acuminata, Cinnamon Clethra. 8-20 ft. J. Picturesque upright growth, with cinnam cles, white. 1-2 ft.	y-June. eeet. Very fr 2.00 3.00 White. Jun ng panicles .40 2.50 3.00 uly-August non-colored .60	agrant; 4-6 i 18.00 27.00 ne-July. of white fra 3.60 22.50 27.00 bark. Recu	igrant flow 33.00 urved pan 48.00
CERCIS, Redbud. canadensis, American Redbud. 15-35 ft. 2-3 ft. 2-3 ft. CHIONANTHUS, Fringetree. virginica, White Fringetree. 5-30 ft. May Large shrub or slender tree rarely to 30 fe lous white-fringed flowers. 2-3 ft. 3-4 ft. CLADRASTIS lutea, Yellow-wood. 40-60 ft. A charming native tree with loose droopi ers in summer. 6-12 in. 5-6 ft. CLETHRA, Clethra. acuminata, Cinnamon Clethra. 8-20 ft. J Picturesque upright growth, with cinnam cles, white. 1-2 ft. 2-3 ft.	y-June. eet. Very fr 2.00 3.00 White. Jun ng panicles . 40 2.50 3.00 uly-August non-colored . 60 1.00	agrant; 4-6 i 18.00 27.00 ne-July. of white fra 3.60 22.50 27.00 bark. Recu	igrant flow 33.00
CERCIS, Redbud. canadensis, American Redbud. 15-35 ft. 2-3 ft. 2-3 ft. CHIONANTHUS, Fringetree. virginica, White Fringetree. 5-30 ft. May Large shrub or slender tree rarely to 30 ft lous white-fringed flowers. 2-3 ft. 3-4 ft. A charming native tree with loose droopi ers in summer. 6-12 in. 5-6 ft. CLETHRA, Clethra. acuminata, Cinnamon Clethra. 8-20 ft. J Picturesque upright growth, with cinnam cles, white. 1-2 ft. 2-3 ft. alnifolia, Summersweet. 3-15 ft. July-Sep	y-June. eet. Very fr 2.00 3.00 White. Jun ng panicles .40 2.50 3.00 uly-August non-colored .60 1.00 otember.	agrant; 4-6 i 18.00 27.00 ne-July. of white fra 3.60 22.50 27.00 bark. Recu	igrant flow 33.00 urved pan 48.00
CERCIS, Redbud. canadensis, American Redbud. 15-35 ft. 2-3 ft. CHIONANTHUS, Fringetree. virginica, White Fringetree. 5-30 ft. May Large shrub or slender tree rarely to 30 fe lous white-fringed flowers. 2-3 ft. 3-4 ft. CLADRASTIS lutea, Yellow-wood. 40-60 ft. A charming native tree with loose droopi ers in summer. 6-12 in. 5-6 ft. 6-8 ft. acuminata, Cinnamon Clethra. 8-20 ft. J Picturesque upright growth, with cinnam cles, white. 1-2 ft. 2-3 ft. alnifolia, Summersweet. 3-15 ft. July-Seg White fragrant flowers in erect panicled r	y-June. eet. Very fr 2.00 3.00 White. Jun ng panicles 40 2.50 3.00 uly-August non-colored .60 1.00 otenber. acemes.	agrant; 4-6 i 18.00 27.00 ne-July. of white fra 3.60 22.50 27.00 bark. Rect 5.40 9.00	agrant flow 33.00 arved pan 48.00 81.00
CERCIS, Redbud. canadensis, American Redbud. 15-35 ft. 2-3 ft. 2-3 ft. CHIONANTHUS, Fringetree. virginica, White Fringetree. 5-30 ft. May Large shrub or slender tree rarely to 30 fe lous white-fringed flowers. 2-3 ft. 3-4 ft. CLADRASTIS lutea, Yellow-wood. 40-60 ft. A charming native tree with loose droopi ers in summer. 6-12 in. 5-6 ft. CLETHRA, Clethra. 6-8 ft. acuminata, Cinnamon Clethra. 8-20 ft. J Picturesque upright growth, with cinnam cles, white. 1-2 ft. 2-3 ft. 2-3 ft. 3-15 ft. July-Ser White fragrant flowers in erect panicled re 1-2 ft.	y-June. eet. Very fr 2.00 3.00 White. Jun g panicles .40 2.50 3.00 uly-August non-colored .60 1.00 otember. acemes60	agrant; 4-6 i 18.00 27.00 ne-July. of white fra 3.60 22.50 27.00 bark. Recc 5.40 9.00	agrant flow 33.00 urved pan 48.00 81.00
CERCIS, Redbud. canadensis, American Redbud. 15-35 ft. 2-3 ft. 2-3 ft. CHONANTHUS, Fringetree. virginica, White Fringetree. 5-30 ft. May Large shrub or slender tree rarely to 30 fe lous white-fringed flowers. 2-3 ft. 3-4 ft. A charming native tree with loose droopi ers in summer. 6-12 in. 5-6 ft. CLETHRA, Clethra. 6-8 ft. acuminata, Cinnamon Clethra. 8-20 ft. J. Picturesque upright growth, with cinnam cles, white. 1-2 ft. 2-3 ft. alnifolia, Summersweet. 3-15 ft. July-Sey White fragrant flowers in erect panicled recommended recom	y-June. eet. Very fr 2.00 3.00 White. Jun ng panicles 4.0 2.50 3.00 3.00 Why-August non-colored 60 1.00 otember. acemes. 60 1.00	agrant; 4-6 i 18.00 27.00 ne-July. of white fra 3.60 22.50 27.00 bark. Rect 5.40 9.00	agrant flow 33.00 arved pan 48.00 81.00
CERCIS, Redbud. canadensis, American Redbud. 15-35 ft. 2-3 ft. 2-3 ft. 2-3 ft. 2-3 ft. 3-4 ft. 2-4 ft. 2-4 ft. 2-4 ft. 2-5 ft. 2-5 ft. 2-6 ft. 3-6 ft. 3-7 ft.	y-June. eet. Very fr 2.00 3.00 White. Jun ng panicles . 40 2.50 3.00 uly-August non-colored . 60 1.00 otember. acemes 60 1.00 ast-Septemb	agrant; 4-6 i 18.00 27.00 ne-July. of white fre 3.60 22.50 27.00 bark. Recu 5.40 9.00 5.40 9.00	agrant flow 33.00 urved pan 48.00 81.00
CERCIS, Redbud. canadensis, American Redbud. 15-35 ft. 2-3 ft. 2-3 ft. CHIONANTHUS, Fringetree. virginica, White Fringetree. 5-30 ft. May Large shrub or slender tree rarely to 30 fe lous white-fringed flowers. 2-3 ft. 3-4 ft. A charming native tree with loose droopi ers in summer. 6-12 in. 5-6 ft. CLETHRA, Clethra. 6-8 ft. acuminata, Cinnamon Clethra. 8-20 ft. J. Picturesque upright growth, with cinnam cles, white. 1-2 ft. 2-3 ft. alnifolia, Summersweet. 3-15 ft. July-Sey White fragrant flowers in erect panicled recommended reco	y-June. eet. Very fr 2.00 3.00 White. Jun ng panicles . 40 2.50 3.00 uly-August non-colored . 60 1.00 otember. acemes 60 1.00 ast-Septemb	agrant; 4-6 i 18.00 27.00 ne-July. of white fre 3.60 22.50 27.00 bark. Recu 5.40 9.00 5.40 9.00	agrant flow 33.00 arved pan 48.00 81.00

HARLAN P. KELSEY, EAST BOXFORD, MASSACHUSETTS

CORNUS, Dogwood.	Each	10	100
alba sibirica, Coral Dogwood. 6-10 ft.			
Branches bright coral-red. 18-24 in.	.40	3.60	33.00
2-3 ft.	. 60	5.40	48.00
3-4 ft. alternifolia, Pagoda Dogwood. 12-25 ft.	1.00 May Jupa	9.00	81.00
A distinctive green-barked small tree,	with curious	s whorled	branches in
horizontal tiers. Bluish-black fruit on re	ed pedicels.		
amomum, Silky Dogwood. 3-10 ft. Yello Shrub with purple branches. Fruit blue,	. 40	3.60	33.00
amomum, Silky Dogwood. 3-10 ft. Yello	wish white. J	une-July	
Shrub with purple branches. Fruit blue,	sometimes p	artly white	
2-3 ft. florida, Flowering Dogwood. 10-40 ft. M	.60	5.40	
This is one of the handsomest American	ay. trees and m	akes a wor	nderful show
in early Spring with its pure white brace	ted-flowers a	nd in Autu	mn brilliant
scarlet fruit. 1-2 ft.	. 60	5.40	48.00
2-3 ft.	1.00	9.00	
florida rubra, Redflowering Dogwood. A bright pink form. 3-4 ft.	5.00	45.00	
4-5 ft.	7.00	63.00	
paniculata, Gray Dogwood. 6-12 ft. May		00.00	
		on red p	eduncles in
Autumn. Good for bird cover. 1-2 ft.	. 50	4.50	39.00
Autumn. Good for bird cover. 1-2 ft. sanguinea, Bloodtwig Dogwood. 6-12 ft Purple or dark-red branches. 2-3 ft.	. Greenish-w.	hite. May-	June. 60.00
3-4 ft.	$\substack{.75\\1.00}$	9.00	81.00
stolonifera, Redosier Dogwood. 6-8 ft. I	Oull White. M		01.00
Dark red-blood branches; white fruit.			
1-2 ft.	. <u>50</u>	4.50	39.00
2-3 ft.	.75	6.75	60.00
CORYLUS, Hazelnut. 3-4 ft.	1.00	9.00	81.00
americana, American Hazelnut. 3-10 ft		5 40	49.00
Good for under cover. 1-2 ft. 2-3 ft.	. 60 . 75	$\substack{5.40 \\ 6.75}$	48.00
3-4 ft.	1.50	13.50	
COTONEASTER, Cotoneaster.			
dielsiana, Diels Cotoneaster. 6 ft. Pinkis	h. June,		
Slender arching branches; fruit pendulo		9.00	81.00
9-12 in. (pots) 12-18 in. (pots)	$^{1.00}_{1.50}$	13.50	120.00
18-24 in. (pots)	2.00	18.00	162.00
2-3 ft.	2.50	22.50	
divaricata, Spreading Cotoneaster. 6 ft	. Pink. June.	.,	
Very handsome when studded with its k	oright red fru . 60	5.40	48.00
6-12 in. (pots) 12-18 in. (pots)	1.00	9.00	81.00
18-24 in. (pots) 2-3 ft.	1.50	13.50	120.00
2-3 ft.	2.00	18.00	162.00
foveolata. 6-10 ft. Pinkish. June.			
Black fruited; foliage turns bright scarle 6-12 in.	t and orange. 1.00	9.00	
12-18 in. (pots)	1.50	13.50	
18-24 in. (pots)	2.00	18.00	
2-3 ft.	2.50	22.50	
horizontalis, Rock Cotoneaster. 2-3 ft. I		-1 - 6 1-	
Low spreading shrub with bright red fru 3-6 in. (pots)	it, very suitai . 60	5.40	48.00
6-9 in. (pots)	.75	6.75	40.00
horizontalis perpusilla. 2-3 ft.			
Similar to last species with smaller leave	es; red fruit.		04.00
9-12 in. (pots) 12-18 in. (pots)	1.00	9.00	81.00
horizontalis wilsoni, Wilson Cotoneast	1,50 or 2-3 ft	13.50	120.00
Red fruit. A choice variety for rockeries	C1. 2-5 10.		
6-12 in. (pots)	1.50	13.50	
integerrima, European Cotoneaster. 3-	4 ft. May-Jui	ne.	
A much branched round shrub with r	oink flowers,	and very	ornamental,
globular, bright red fruit. 12-18 in. (pots)	1.50	13.50	120.00
18-24 in. (pots)	$\frac{1.30}{2.00}$	18.00	162.00
lucida. 6-10 ft. Pink. May-June.			
Upright dense shrub; fruit purplish-blace	ck. Of great	value as a	hedge plant,
very hardy and stands clipping well.			
9-12 in. 12-18 in.	$\begin{array}{c} .75 \\ 1.00 \end{array}$	$\frac{6.75}{9.00}$	
12-16 III.	1.00	0.00	

COTONEASTER, Continued nitens. 4-6 ft. Pink. June.	\mathbf{Each}	10	100
nitens. 4-6 ft. Pink. June. Broad shrub with dark green lustrous leave	oe emall	I flowers s=	d nondulana
purplish-black fruit. One of the handsome			
12-18 in. (pots)	. 75	6 75	60.00
18-24 in. (pots)	1.25	11.25	102.00
2-3 ft. (pots) racemiflora soongarica. 4-8 ft.	1.75	15.75	141.00
Perhaps the most beautiful of the genus. W	Vhite flower	s in May on	long grace-
ful stems and later the large bright red fru	its complet	ely cover th	e branches.
6-12 in. (pots)	2.00	18.00	
zabeli. 4-6 ft. Pinkish. May.	3.00	27.00	
A broad shrub, ovoid red fruit and foliag	e turning b	right vellor	w in Fall
6-12 in. (pots)	1.00	9.00	
12-18 in. (pots)	1.50	13.50	
CRATAEGUS, Hawthorn. 18-24 in.	2.00	18.00	
arkansana, Arkansas Hawthorn. 30 ft.	nd acculat fr	it minanina	in Ostoban
Handsome small tree; large white flowers at 1-2 ft.	1.00	9.00	in October.
arnoldiana, Arnold Hawthorn. 15-20 ft. N	Иау.	0.00	
Fruit bright crimson. 6-12 in.	. 50	4.50	39.00
1-2 ft.	1.00	9.00	81.00
barryana, Barry Hawthorn. 12-15 ft. May Shrubby form with obovoid fruit, erimson	n with smal	l pale dots	
chlorosarca. 20 ft. 6-12 in.	1.00	9.00	
Small tree with black fruit. 4-5 ft.	3.00		
coccinea, Thicket Hawthorn. 20 ft.			
Bushy tree; $\frac{1}{2}$ inch long red fruit. 6-12 in.	50	4 50	20.00
1-2 ft.	. 50 . 60	$\frac{4.50}{5.40}$	$\frac{39.00}{48.00}$
2-3 ft.	1.00	9.00	81.00
cordata, Washington Hawthorn. 30 ft. M	lay-June.		
A very desirable species; beautiful Fall co	oloring and	long cluste	rs of bright
red fruit remaining a long time on the bra 6-12 in.	inches.	4.50	39.00
1-2 ft.	.75	6.75	60.00
2-3 ft.	1.00	9.00	81.00
crusgalli, Cockspur Thorn. 40 ft. May-Jun	ie. Loom and s	hours brief	t and famile
Very decorative species; handsome in bremaining until Spring. 1-2 ft.	.75	6.75	60.00
2-3 ft.	1.00	9.00	81.00
monogyna, English Hawthorn (one-stone). 15-20 ft.	1.1.	. 37
A fine species of English Hawthorn cove June and later oval bright red fruit.	rea with w	nite nowers	in May or
6-12 in.	. 40	3.60	33.00
1-2 ft	60	5.40	48 00
oxyacantha, English Hawthorn (two-ston The Hawthorn or May of English literatu by brilliant red "haws" which hang until	e). 8-15 ft.	May.	falla d
by brilliant red "haws" which hang until	ire. The wh February	ne nowers a	tre followed
6-12 in.	.40	3.60	33.00
1-2 ft.	. 60	5.40	48.00
oxyacantha pauli, Paul English Hawtho Variety with double scarlet flowers makin	rn.	of the most	brilliant of
late spring bloomers. 4-5 ft.	2.00	18.00	orimant of
5-6 ft.	3.00	27.00	
peregrina, Persian Hawthorn.			
Probably Asiatic origin. Dark, dull purpl 6-12 in.	e fruit. 1.50		
pinnatifida, Chinese Hawthorn. 20 ft.	1.50		
Asiatic species with pyriform red fruit.			
6-12 in.	1.50		
prunifolia, Plumleaf Hawthorn. 30 ft. M Is a handsome plant with brilliant scarle		luetrone le	aves which
turn bright orange or scarlet in October.		rustrous re	aves which
1-2 ft. 2-3 ft.	. 60	5.40	48.00
2-3 ft.	1.00	9.00	
3-4 ft. punctata, Dotted Hawthorn, 25 ft. Whit	2.00 e. May-Jur	18.00 ne	
punctata, Dotted Hawthorn. 25 ft. Whit Horizontal spreading branches; dull red fr	uit falling s	soon.	
1-2 ft.	. 60	5.40	48.00
4-5 ft. 5-6 ft.	$egin{smallmatrix} 1.60 \ 2.40 \end{smallmatrix}$	$\frac{14.40}{21.00}$	
5-6 It. 6-8 ft.	$\frac{2.40}{3.50}$	$\frac{21.00}{31.50}$	
8-10 ft.	4.50	31.00	

CRATAEGUS, Continued	200 ft Wh	Each	10	100
All the Hawthorns stand clip	ping well a	ite. June. nd make fin	e hedges. T	The fruit of
this species is yellow or yello	wish red. 1-2 ft.	. 60	5.40	
	2-3 ft.	1.00	9.00	
CYDONIA japonica, Flowering Q	uince. 3-6	ft. Red. M	ay.	
An old-fashioned shrub; very	snowy. 6-12 in.	.40	3.60	33.00
orimiaria p	1-2 ft.	.75	6.75	60.00
CYTISUS, Broom. scoparius, Scotch Broom. 10	ft.			
Very useful shrub with brigh flowers in May and June.	t green ste 6-12 in.	ms and brill	$\frac{1}{3.60}$	s of yellow 33.00
DEUTZIA, Deutzia. lemoinei, Lemoine Deutzia. 5-	8 ft White	Luna		
With very showy flowers. Pride of Rochester. 8-12 ft.	1-2 ft.	. 50	4.50	
Strong growing shrub; very	profuse blo	omer; large	double wh	nite flowers
tinged pink.	2-3 ft. 3-4 ft.	$\frac{.75}{1.00}$	$\begin{array}{c} 6.75 \\ 9.00 \end{array}$	
	4-5 ft.	2.00	18.00	
scabra, Fuzzy Deutzia. 4-6 ft.	June-July.			
Flowers white or blush.	1-2 ft. 2-3 ft.	$\frac{.50}{.75}$	$\frac{4.50}{6.75}$	
	3-4 ft.	1.00	$\begin{array}{c} 6.75 \\ 9.00 \end{array}$	
scabra candidissima, Snowfla	ke.			
A dainty dwarf form with larg	ge fluffy spr	ays of pure	white doubl	e flowers.
	1-2 ft, 2-3 ft.	. 50 . 75	$\substack{4.50 \\ 6.75}$	
scabra crenata. 4-6 ft.				
Strong growing variety of the	Fuzzy Deu	tzia with bro	own branch	es.
	2-3 ft.	.75	$\frac{4.30}{6.75}$	
	3-4 ft.	1.00	9.00	
DIERVILLA, Bushhoneysuckle. rivularis, Georgia Bushhoneys Shrub with dense growth. Flo	suckle. 4-6	ft. July-Aug ur-vellow.	gust.	
S	1-2 ft.	.40	3.60	
	2-3 ft. 3-4 ft.	$\begin{smallmatrix} .75\\1.25\end{smallmatrix}$	$\substack{6.75\\11.25}$	
sessilifolia, Southern Bushho				z July
A splendid undershrub of thi		0010.001	phur yenow	. oury.
	2-3 ft.	1.00	9.00	
trifida, Dwarf Bushhoneysuck A fine very low-growing groun	nd cover, ra	rely over 2	feet high.	24.00
	6-12 in. 1-2 ft.	. 30 . 40	$2.\overline{70}$ 3.60	$\frac{24.00}{33.00}$
ELSHOLTZIA stauntoni. 1-3 ft. I				99.00
A remarkable shrubby plant o Flowers in conspicuous spike	f greatest v s.	alue on acco	unt of bloor	
ENKIANTHUS, Enkianthus.	ong plants	1.00	9.00	81.00
campanulatus, Redvein Enki The beautiful ericaceous shru	anthus. 6- b reaches a	15 ft. May. hight of 15 f	eet, though	more ofter
6 to 8 feet in cultivation. Thi fine garden. Masses of bell-sh				
darker red on pendulous stalk				
plants; foliage turning brillia	nt red in A	utumn.		
	6-9 in. 9-12 in.	1.00	$\substack{4.50\\9.00}$	$\frac{39.00}{81.00}$
	12-18 in.	1.50	13.50	120.00
perulatus, White Enkianthus Another beautiful but dwarfe	4-7 ft. Mer species the	ay. nan the Red	vein, with	waxy white
flowers. Leaves turn yellow of	r partly sca 6-12 in.	riet. 1.00	9.00	81.00
	1-2 ft.	2.00	18.00	162.00
subsessilis, Nikko Enkianthu	s. 9 ft. Wh	ite.		
A handsome Japanese species	, leaves turi 6-9 in.	ning brilliant 1.00	red in Aut 9.00	umn.
	0-9 III.	1.00	9.00	

[&]quot;Hardy New England Grown-Best by Test"

EUONYMUS, Euonymus. alatus, Winged Euonymus. 8-19	0 ft Velle	Each	10	100
Leaves turning brilliant crimso	n color in	Autumn: co	une. rky wings o	n branches:
a very beautiful shrub.	1-2 ft.	.50	4.50	39.00
	2-3 ft.	1.00	9.00	
americanus, Brook Euonymus.				
Pink and scarlet fruit. A good s	1-2 ft.	amp location	ıs. 5.40	
bungeanus, Winterberry Euon	vmus. 12	-15 ft. Yello	wish. June.	
With brilliant orange and pink	fruit rem	aining a long	time on th	e branches.
.9	4-5 ft.	2.00	$\frac{18.00}{27.00}$	
europaeus, European Burningt	5-6 ft.	3.00 20 ft. Vellowi	sh May	
Small tree with brilliant velle	ow and so	carlet fruit i	n Autumn	completely
Small tree with brilliant yello covering the tree.	3-4 ft.	1.00	9.00	
	5-6 ft.	2.00	18.00	
latifolius, Broadleaf Burningbu	ush. 12-20 handsome) it. Yellowis	h. May-Jui	ie.
Very decorative species with fruit.	18-24 in	75	6 75	iulous pink
11 4101	2-3 ft.	1.25	11.25	
maacki.	3-4 ft.	2.00	18.00	
Large shrub or small tree from	the Orier	nt with yello	wish flowers	s, fruit pink
opening up with red seed and or	ange aril.	F 0	4 70	00.00
	6-12 in. 1-2 ft.	. 50	$\frac{4.50}{9.00}$	39.00
obovatus, Running Euonymus	1-2 ft. P	1.00 urnlish Max	9.00	
Low trailing form, very useful	as a groui	nd cover, esp	ecially in st	adv places.
	Strong	. 50	4.50	
patens, Spreading Euonymus.				
Ornamental half-evergreen shr		inkish-red fr 1.00	uit effect. 9.00	
yedoensis, Yeddo Euonymus. 8	1-2 ft. 8-15 ft. Ju		9.00	
Large shrub with remarkable	masses of	pink and o	range four-	lobed fruit.
	2-3 ft.	1.50	$1\overline{3}.50$	
EXOCHORDA, Pearlbush.	D - 11-	-1- 0.10 0		
grandiflora (racemosa), Common Slender spreading shrub with	messes of	lsn. 6-10 It.	white flow	ore in April
and May; a very showy shrub.	1-2 ft.	.50	4.50	39.00
and may, a very showy shi as:	2-3 ft.	.75	6.75	60.00
	3-4 ft.	1.25	11.25	
FAGUS, Beech.	0.00 44			
americana, American Beech. 6 One of our best American orns	U-8U It. amental t	rees for norm	nanent nlan	ting
One of our best fillerican of h	1-2 ft.	1.00	9.00	ung.
	2-3 ft.	1.50	13.50	
	3-4 ft.	3.00	27.00	
avilvatica hatananhvilla Familia	4-5 ft.	5.00	45.00	
sylvatica heterophylla, Fernlea Form with beautifully deep-cu	t leaves	- 30-00 1t. Wonderful as	a specime	n lawn tree
zom with scauming deep ed	6-8 ft.	15.00	и врестие	i iawn cicc.
FORSYTHIA, Forsythia.				
intermedia, Border Forsythia.	10-15 ft.	April-May.		
Glossy green foliage and bright	1-2 ft.	owers.	4.50	39.00
	2-3 ft	75	6.75	
	4-5 ft.	2.00	18.00	
intermedia spectabilis, Showy	Border F	orsythia. 6	-10 ft.	
intermedia spectabilis, Showy An improved form of the bo flowers.	rder Fors	ythia, larger	more brill	ant yellow
nowers.	3-4 ft.	1.25	11.25	102.00
	4-5 ft.	2.00	18.00	102.00
ovata. 4-6 ft.				
A new, distinct, and handsome		rom Korea, t	he earliest	to bloom.
avanance Washing Forevehic	6-12 in.	1.50	13.50	
suspensa, Weeping Forsythia. Shrub with slender very pendu	lous branc	ipin-may. hes: masses (of golden ve	llow flowers
in early Spring.	2-3 ft.	.75	6.75	
<u> </u>	3-4 ft.	1.25	$\substack{6.75\\11.25}$	
	4-5 ft.	2.00	18.00	
suspensa fortunei, Fortune Fo	rsytnia. 8	5-12 It.		
Upright habit with finely arch	1-2 ft.	. <u>50</u>	4.50	39.00
	2-3 ft.	.75	6.75	60.00
	4-5 ft.	2.00	18.00	
	5-6 ft.	3.00	27.00	

HARLAN P. KELSEY, EAST BOXFORD, MASSACHUSETTS

Low growing form, with slender pendulous branches often trailing the ground 2-3 ft. 75 6 6.75 3-4 ft. 1.00 9.00 GAYLUSSACIA, Huckleberry. baccata, Black Huckleberry. 2-3 ft. Reddish. May-June. Erect shrub with sweet black fruit; good ground cover for sandy soils. 1-2 ft50 4.50 39.00 2-3 ft75 6.75 GLEDITSIA, Honeylocust. triacanthos, Common Honeylocust. 40-140 ft. May-June. A thorny tree with large pinnate leaves. The 9 to 18 inch fruit pods hang or into the winter. GYMNOCLADUS. dioica, Kentucky Coffeetree. 40-100 ft. June. Very ornamental tree with large foliage pink when unfolding, turning clear yellow in Autumn. Showy white flowers in long terminal panicles. 6-12 in50 4.50 1-2 ft75 6.75 HALESIA, Silverbell. tetraptera, Great Silverbell. 15-40 ft. Dainty drooping white bell-shaped flowers in May. A very showy small tree 1-2 ft75 6.75 2-3 ft. 1.25 11.25 3-4 ft. 2.00 18.00 HAMAMELIS, Witchhazel. vernalis, Vernal Witchhazel. 4-6 ft. January-March. A most attractive shrub blooming in late Winter or earliest Spring. The flowers are delightfully fragrant with bright yellow petals and sepals darl red inside. 1-2 ft. 2.00 18.00 virginiana, Common Witchhazel. 4-25 ft. 2.00 18.00 1-2 ft50 4.50 39.00 2-3 ft3.00 27.00 virginiana, Common Witchhazel. 8-25 ft. September-October. Petals bright yellow blooming in late Autumn; fine undershrub. 1-2 ft50 4.50 39.00 2-3 ft80 7.20 63.00 HYDRANGEA, Hydrangea. arborescens, Smooth Hydrangea. 4-8 ft. June-July. Very suitable in a shady undershrub planting. 1-2 ft50 4.50 39.00 2-3 ft75 6.75 60.00 3-4 ft. 1.00 9.00 Arborescens grandiflora, Snowhill. 3-6 ft. A form with all flowers sterile and very showy; a striking and useful plan for underplanting and borders. 1-2 ft75 6.75 60.00 paniculata, Panicle Hydrangea. 1-2 ft75 6.75 60.00 2-3 ft100 9.00 81.00 3-4 ft. 1.50 9.00 81.00	FORSYTHIA, Continued suspensa sieboldi, Siebold Fors	vthie 4.6	Each	10	100
34 ft. 1.00 9.00 AYLUSSACIA, Huckleberry. 4-5 ft. 2.00 18.00 Erect shrub with sweet black fruit; good ground cover for sandy soils. Erect shrub with sweet black fruit; good ground cover for sandy soils. 1-2 ft50 4.50 39.00 3. 39.00 3. 39.00 3. 39.00 3. 4. 50 39.00 3. 4. 50 39.00 3. 50 3. 50 3. 6. 75 6.75 3. 6. 75 4. 6. 75 4. 6. 75 4. 6. 75 4. 6. 75 4. 6. 75 4. 6. 75 4. 6. 75 6		pendulous	branches of		the ground.
AYLUSSACIA, Huckleberry. baccata, Black Huckleberry. 2-3 ft. Reddish. May-June. Ereet shrub with sweet black fruit; good ground cover for sandy soils. 1-2 ft		2-3 It. 3-4 ft			
AYLUSSACIA, Huckleberry. 2-3 ft. Reddish. May-June. Ereet shrub with sweet black fruit; good ground cover for sandy soils. 1-2 ft					
baccata, Black Huckleberry. 2-3 ft. Reddish. May-June. Erect shrub with sweet black fruit; good ground cover for sandy soils. 1-2 ft	GAYLUSSACIA, Huckleberry.				
ELDITSIA, Honeylocust. triacanthos, Common Honeylocust. 40-140 ft. May-June. A thorny tree with large pinnate leaves. The 9 to 18 inch fruit pods hang or into the winter. 1-2 ft40 3.60 3.60 3.60 3.60 3.60 3.60 3.60 3.60 3.60 3.60 4.50	haccata Black Hucklaharry 9.	3 ft. Reddi	sh. May-Ju	ine.	
SLEDITSIA, Honeylocust. triacanthos, Common Honeylocust. 40-140 ft. May-June. A thorny tree with large pinnate leaves. The 9 to 18 inch fruit pods hang or into the winter. 1-2 ft40 3.60 4.50 4.50	Erect shrub with sweet black f	ruit; good	ground cov	er for sand	y soils.
ELEDITSIA, Honeylocust. triacanthos, Common Honeylocust. 40-140 ft. May-June. A thorny tree with large pinnate leaves. The 9 to 18 inch fruit pods hang or into the winter. 1-2 ft40 3.60 3.60 3.7MNOCLADUS. dioica, Kentucky Coffeetree. 40-100 ft. June. Very ornamental tree with large foliage pink when unfolding, turning clear yellow in Autumn. Showy white flowers in long terminal panieles. 6-12 in50 4.50 1-2 ft75 6.75 4.50 1-2 ft75 6.75 1-3 ft. 1.25 11.25 1-2 3ft. 1.25 11.25 1-2 11.2		1-2 it.	. 50	4.50	39.00
triacanthos, Common Honeylocust. 40-140 ft. May-June. A thorny tree with large pinnate leaves. The 9 to 18 inch fruit pods hang or into the winter. 1-2 ft40 3.60 3.60 3.60 3.60 3.60 3.60 3.60 3.60	CLEDITSIA. Honeylocust.	2-3 11.	. 13	0.75	
A thorny tree with large pinnate leaves. The 9 to 18 inch fruit pods hang or into the winter. 1-2 ft. 40 3.60 3.60 (1974)	triacanthos, Common Honeylo	ocust. 40-1	140 ft. May	v-June.	
GYMNOCLADUS. dioica, Kentucky Coffeetree. 40-100 ft. June. Very ornamental tree with large foliage pink when unfolding, turning clear yellow in Autumn. Showy white flowers in long terminal panicles. 6-12 in	A thorny tree with large pinnar	te leaves. T	'he 9 to 18 i	nch fruit po	ods hang or
dioica, Kentucky Coffeetree. 40-100 ft. June. Very ornamental tree with large foliage pink when unfolding, turning clear yellow in Autumn. Showy white flowers in long terminal panicles. 6-12 in 50 4.50 1-2 ft 75 6.75 4.10 HALESIA, Silverbell. tetraptera, Great Silverbell. 15-40 ft. Dainty drooping white bell-shaped flowers in May. A very showy small tree 1-2 ft 75 6.75 2-3 ft 1.25 11.25 HAMAMELIS, Witchhazel. 4-6 ft. January-March. A most attractive shrub blooming in late Winter or earliest Spring. The flowers are delightfully fragrant with bright yellow petals and sepals dark red inside. 2-3 ft. 3.00 27.00 virginiana, Common Witchhazel. 8-25 ft. September-October. Petals bright yellow blooming in late Autumn; fine undershrub. 1-2 ft 50 4.50 39.00 4YDRANGEA, Hydrangea. arborescens, Smooth Hydrangea. 4-8 ft. June-July. Very suitable in a shady undershrub planting. Very suitable in a shady undershrub planting. Very suitable in a shady undershrub planting. 2-3 ft 75 6.75 60.00 arborescens grandiflora, Snowhill. 3-6 ft. A form with all flowers sterile and very showy; a striking and useful plan for underplanting and borders. 1-2 ft 75 6.75 60.00 paniculata, Panicle Hydrangea. 6-30 ft. Whitish. August-September. Shrub or small tree rarely attaining 30 feet; large panicles much more grace ful than the Peegee Hydrangea. 2-3 ft. 1.00 9.00 paniculata grandiflora, Peegee Hydrangea. The common variety with large trusses of white flowers, changing to pink shades. 1-2 ft 60 5.40 48.00 HYPERICUM, St. Johnswort. 2-3 ft 60 5.40 48.00 HYPERICUM, St. Johnswort. 2-3 ft 60 5.40 48.00 EYPERICUM, St. Johnswort. 2-3 ft 60 5.40 48.00 HYPERICUM, St. Johnswort. 2-3 ft 60 5.40 48.00 EYPERICUM, St. Johnswort. 2-3 ft 60 5.40 48	into the winter.	1-2 ft.	.40	3.60	
Very ornamental tree with large foliage pink when unfolding, turning clear yellow in Autumn. Showy white flowers in long terminal panicles. 6-12 in. 50 4.50 1-2 ft. 75 6.75 ALESIA, Silverbell. 1-2 ft. 75 6.75 2-3 ft. 1.25 11.25 3-4 ft. 2.00 18.00 HAMAMELIS, Witchhazel. Vernalis, Vernal Witchhazel. 4-6 ft. January-March. A most attractive shrub blooming in late Winter or earliest Spring. The flowers are delightfully fragrant with bright yellow petals and sepals darlered inside. 1-2 ft. 2.00 18.00 2-3 ft. 3.00 27.00 Virginiana, Common Witchhazel. 8-25 ft. September-October. Petals bright yellow blooming in late Autumn; fine undershrub. 1-2 ft50 4.50 39.00 4*YDRANGEA, Hydrangea. 2-3 ft80, 7.20 63.00 4*YDRANGEA, Hydrangea. 4-8 ft. June-July. Very suitable in a shady undershrub planting. 2-3 ft75 6.75 60.00 3-4 ft. 1.00 9.00 arborescens grandiflora, Snowhill. 3-6 ft. A form with all flowers sterile and very showy; a striking and useful plan for underplanting and borders. 1-2 ft. 75 6.75 60.00 2-3 ft. 1.00 9.00 paniculata, Panicle Hydrangea. 6-30 ft. Whitish. August-September. Shrub or small tree rarely attaining 30 feet; large panicles much more grace ful than the Peegee Hydrangea. The common variety with large trusses of white flowers, changing to pinl shades. HYPERICUM, St. Johnswort. 2-3 ft. 1.00 9.00 81.00 2-3 ft. 1.00 19.00 81.00 3-4 ft. 1.50 13.50 paniculata grandiflora, Peegee Hydrangea. The common variety with large trusses of white flowers, changing to pinl shades. 18-24 in. 60 5.40 48.00 Folia filaments at center; blooms July-August. 1-2 ft. 60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft. 60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft. 60 5.40 6.75 Golden yellow. July-September. 2-3 ft75 6.75 4.50 6.75	JYMNOCLADUS.	100 ft T.			
yellow in Autumn. Showy white flowers in long terminal panieles. 6-12 in 50	Vory ornamental tree with lare	re foliage n	ine.	infolding to	uning alon
6-12 in50	vellow in Autumn. Showy whi	te flowers i	n long tern	ninal nanicl	arming clea.
HALESIA, Silverbell. tetraptera, Great Silverbell. 15-40 ft. Dainty drooping white bell-shaped flowers in May. A very showy small tree 1-2 ft75 6.75 2-3 ft. 1.25 11.25 HAMAMELIS, Witchhazel. 4-6 ft. January-March. A most attractive shrub blooming in late Winter or earliest Spring. The flowers are delightfully fragrant with bright yellow petals and sepals dark red inside. 1-2 ft. 2.00 18.00 1-2 ft. 2.00 18.00 2-3 ft. 3.00 27.00 virginiana, Common Witchhazel. 8-25 ft. September-October. Petals bright yellow blooming in late Autumn, fine undershrub. 1-2 ft. 50 4.50 39.00 HYDRANGEA, Hydrangea. arborescens, Smooth Hydrangea. 4-8 ft. June-July. Very suitable in a shady undershrub planting. 1-2 ft. 50 4.50 39.00 HYDRANGEA, Hydrangea. 1-2 ft. 50 4.50 39.00 A-4 ft. 1.00 9.00 arborescens grandiflora, Snowhill. 3-6 ft. A form with all flowers sterile and very showy; a striking and useful plan for underplanting and borders. 1-2 ft75 6.75 60.00 paniculata, Panicle Hydrangea. 6-30 ft. Whitish. August-September. Shrub or small tree rarely attaining 30 feet; large panicles much more grace ful than the Peegee Hydrangea. 1-2 ft75 6.75 60.00 2-3 ft. 1.00 9.00 1-2 ft75 6.75 60.00 2-3 ft. 1.00 9.00 3-4 ft. 1.00 9.00 1-2 ft75 6.75 60.00 2-3 ft. 1.00 9.00 2-3 ft. 1.00 9.00 3-4 ft. 1.50 13.50 paniculata grandiflora, Peegee Hydrangea. The common variety with large trusses of white flowers, changing to pind shades. 1-2 ft60 5.40 48.00 HYPERICUM, St. Johnswort. 2-3 ft60 5.40 48.00 Folificum, Shrubby St. Johnswort. 2-3 ft60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5	your in made and see it was	6-12 in.	. 50	4.50	CD.
tetraptera, Great Silverbell. 15-40 ft. Dainty drooping white bell-shaped flowers in May. A very showy small tree 1-2 ft. 75 6.75 6.75 11.25 3-4 ft. 1.25 11.25 3-4 ft. 2.00 18.00		1-2 ft.			
Dainty drooping white bell-shaped flowers in May. A very showy small tree 1-2 ft. 1.25 f. 6.75 6.75 2-3 ft. 1.25 11.25 3-4 ft. 2.00 18.00 HAMAMELIS, Witchhazel. 4-6 ft. January-March. A most attractive shrub blooming in late Winter or earliest Spring. The flowers are delightfully fragrant with bright yellow petals and sepals darl red inside. 2-3 ft. 3.00 27.00 virginiana, Common Witchhazel. 8-25 ft. September-October. Petals bright yellow blooming in late Autumn; fine undershrub. 1-2 ft. 50 4.50 39.00 2-3 ft. 3.00 27.00 virginiana, Common Witchhazel. 8-25 ft. September-October. Petals bright yellow blooming in late Autumn; fine undershrub. 1-2 ft. 50 4.50 39.00 2-3 ft. 7.5 6.75 60.00 ATORANGEA, Hydrangea. 4-8 ft. June-July. Very suitable in a shady undershrub planting. 1-2 ft. 75 6.75 60.00 3-4 ft. 1.00 9.00 arborescens grandiflora, Snowhill. 3-6 ft. A form with all flowers sterile and very showy; a striking and useful plan for underplanting and borders. 1-2 ft. 75 6.75 60.00 paniculata, Panicle Hydrangea. 6-30 ft. Whitish. August-September. Shrub or small tree rarely attaining 30 feet; large panicles much more grace ful than the Peegee Hydrangea. 1-2 ft. 7.5 6.75 60.00 paniculata grandiflora, Peegee Hydrangea. 1-2 ft. 1.00 9.00 81.00 paniculata grandiflora, Peegee Hydrangea. 1-2 ft. 1.50 13.50 paniculata grandiflora, Peegee Hydrangea. 1-2 ft. 1.00 9.00 81.00 3-4 ft. 1.50 13.50 paniculata grandiflora peegee Hydrangea. 1-2 ft. 6.0 5.40 48.00 HYPERICUM, St. Johnswort. 2-3 ft. 1.00 5.40 48.00 Experience of the service of	IALESIA, Silverbell.	10.0			
1-2 ft75	tetraptera, Great Silverbell. 15	-40 It.	:- M A		11 4
AMAMELIS, Witchhazel. vernalis, Vernal Witchhazel. 4-6 ft. January-March. A most attractive shrub blooming in late Winter or earliest Spring. The flowers are delightfully fragrant with bright yellow petals and sepals darl red inside. 2-3 ft. 3.00 27.00 virginiana, Common Witchhazel. 8-25 ft. September-October. Petals bright yellow blooming in late Autumn; fine undershrub. 1-2 ft. 50 4.50 39.00 4**Typanagea. 1-2 ft. 50 4.50 39.00 4**Typanagea. 1-2 ft. 50 4.50 39.00 4**Typanagea. 1-2 ft. 50 4.50 39.00 3-3 ft. 1.00 9.00 3-4 ft. 1.00 9.00 1-2 ft. 75 6.75 60.00 3-4 ft. 1.00 9.00 1-2 ft. 75 6.75 60.00 2-3 ft. 1.00 9.00 3-4 ft. 1.50 13.50 3-4 ft. 1.50 13.50 2-3 ft. 1.00 9.00 3-4 ft. 1.50 13.50 3-5 ft. 6.75 6.75 3-75	Dainty drooping white bell-sha	1-2 ft	лимау. А 75	6 75	sman tree
HAMAMELIS, Witchhazel. vernalis, Vernal Witchhazel. 4-6 ft. January-March. A most attractive shrub blooming in late Winter or earliest Spring. Th flowers are delightfully fragrant with bright yellow petals and sepals dark red inside. 1-2 ft. 2.00 18.00 virginiana, Common Witchhazel. 8-25 ft. September-October. Petals bright yellow blooming in late Autumn; fine undershrub. 1-2 ft. 50 4.50 39.00 4YDRANGEA, Hydrangea. arborescens, Smooth Hydrangea. 4-8 ft. June-July. Very suitable in a shady undershrub planting. 1-2 ft. 50 4.50 39.00 4YDRANGEA, Hydrangea. arborescens, Smooth Hydrangea. 4-8 ft. June-July. Very suitable in a shady undershrub planting. 1-2 ft50 4.50 39.00 2-3 ft75 6.75 60.00 arborescens grandiflora, Snowhill. 3-6 ft. A form with all flowers sterile and very showy; a striking and useful plan for underplanting and borders. 1-2 ft75 6.75 60.00 paniculata, Panicle Hydrangea. 6-30 ft. Whitish. August-September. Shrub or small tree rarely attaining 30 feet; large panicless much more grace ful than the Peegee Hydrangea. 1-2 ft75 6.75 60.00 2-3 ft. 1.00 9.00 81.00 2-3 ft. 1.00 9.00 81.00 3-4 ft. 1.50 13.50 paniculata grandiflora, Peegee Hydrangea. The common variety with large trusses of white flowers, changing to pin shades. 18-24 in60 5.40 48.00 HYPERICUM, St. Johnswort. aureum, Golden St. Johnswort. 2-3 ft. Large bright yellow flowers to 2 inches in diameter, with mass of golde filaments at center; blooms July-August. 1-2 ft60 5.40 mixed varieties. Splendid for ground cover in open moist situations. 2-3 ft60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft. Golden yellow. July-September. 2-3 ft75 6.75 (Bolden yellow. July-September. 2-3 ft75 6.75		2-3 ft.	1.25		
vernalis, Vernal Witchhazel. 4-6 ft. January-March. A most attractive shrub blooming in late Winter or earliest Spring. The flowers are delightfully fragrant with bright yellow petals and sepals dark red inside. 1-2 ft. 2.00 18.00 2-3 ft. 3.00 27.00 virginiana, Common Witchhazel. 8-25 ft. September-October. Petals bright yellow blooming in late Autumn; fine undershrub. 1-2 ft. 50 4.50 39.00 2-3 ft. 80, 7.20 63.00 HYDRANGEA, Hydrangea. arborescens, Smooth Hydrangea. 4-8 ft. June-July. Very suitable in a shady undershrub planting. 1-2 ft. 50 4.50 39.00 2-3 ft. 75 6.75 60.00 3-4 ft. 1.00 9.00 arborescens grandiflora, Snowhill. 3-6 ft. A form with all flowers sterile and very showy; a striking and useful plan for underplanting and borders. 1-2 ft. 75 6.75 60.00 2-3 ft. 1.00 9.00 paniculata, Panicle Hydrangea. 6-30 ft. Whitish. August-September. Shrub or small tree rarely attaining 30 feet; large panicles much more grace ful than the Peegee Hydrangea. 1-2 ft. 75 6.75 60.00 3-4 ft. 1.50 13.50 paniculata grandiflora, Peegee Hydrangea. The common variety with large trusses of white flowers, changing to pind shades. 18-24 in. 60 5.40 48.00 HYPERICUM, St. Johnswort. aureum, Golden St. Johnswort. 2-3 ft. Large bright yellow flowers to 2 inches in diameter, with mass of golder filaments at center; blooms July-August. 1-2 ft. 60 5.40 HYPERICUM, St. Johnswort. aureum, Golden St. Johnswort. 2-3 ft. Golden yellow. July-September. 2-3 ft60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft. Golden yellow. July-September. 2-3 ft75 6.75 Golden yellow. July-September. 2-3 ft75 6.75 Golden yellow. July-September. 2-3 ft75 6.75 HEX, Holly. monticola, Mountain Winterberry. 10-40 ft. May. Brilliant scarlet fruit on fertile plants. Very desirable. 1-2 ft60 5.40 48.00 2-3 ft75 6.75 From the destance of the best hardy berry-bearing shrubs. 6-12 in50 4.50 39.00		3-4 ft.			
flowers are delightfully fragrant with bright yellow petals and sepals dark red inside. 1-2 ft. 2.00 18.00 2-3 ft. 3.00 27.00 virginiana, Common Witchhazel. 8-25 ft. September-October. Petals bright yellow blooming in late Autumn; fine undershrub. 1-2 ft50 4.50 39.00 2-3 ft80, 7.20 63.00 HYDRANGEA, Hydrangea. arborescens, Smooth Hydrangea. 4-8 ft. June-July. Very suitable in a shady undershrub planting. 1-2 ft50 4.50 39.00 2-3 ft75 6.75 60.00 3-4 ft. 1.00 9.00 arborescens grandiflora, Snowhill. 3-6 ft. A form with all flowers sterile and very showy; a striking and useful plan for underplanting and borders. 1-2 ft75 6.75 60.00 arborescens grandiflora, Snowhill. 3-6 ft. A form with all flowers sterile and very showy; a striking and useful plan for underplanting and borders. 1-2 ft75 6.75 60.00 paniculata, Panicle Hydrangea. 6-30 ft. Whitish. August-September. Shrub or small tree rarely attaining 30 feet; large panicles much more grace ful than the Peegee Hydrangea. 1-2 ft75 6.75 60.00 2-3 ft. 1.00 9.00 81.00 2-3 ft. 1.00 9.00 81.00 paniculata grandiflora, Peegee Hydrangea. The common variety with large trusses of white flowers, changing to pin shades. HYPERICUM, St. Johnswort. aureum, Golden St. Johnswort. 2-3 ft. Large bright yellow flowers to 2 inches in diameter, with mass of golder filaments at center; blooms July-August. 1-2 ft60 5.40 mixed varieties. Splendid for ground cover in open mosts situations. 2-3 ft60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft. Golden yellow. July-September. 2-3 ft75 6.75 (ELEX, Holly. monticola, Mountain Winterberry. 10-40 ft. May. Brilliant scarlet fruit on fertile plants. Very desirable. 1-2 ft60 5.40 48.00 2-3 ft75 6.75 verticillata, Common Winterberry. 4-10 ft. June-July. Thick-growing shrub with brilliant bright red fruit remaining until mid winter. One of the best hardy berry-bearing shrubs.	HAMAMELIS, Witchhazel.				
flowers are delightfully fragrant with bright yellow petals and sepals dark red inside. 1-2 ft. 2.00 18.00 2-3 ft. 3.00 27.00 virginiana, Common Witchhazel. 8-25 ft. September-October. Petals bright yellow blooming in late Autumn; fine undershrub. 1-2 ft50 4.50 39.00 2-3 ft80 7.20 63.00 HYDRANGEA, Hydrangea. arborescens, Smooth Hydrangea. 4-8 ft. June-July. Very suitable in a shady undershrub planting. 1-2 ft50 4.50 39.00 2-3 ft75 6.75 60.00 3-4 ft. 1.00 9.00 arborescens grandiflora, Snowhill. 3-6 ft. A form with all flowers sterile and very showy; a striking and useful plan for underplanting and borders. 1-2 ft75 6.75 60.00 paniculata, Panicle Hydrangea. 6-30 ft. Whitish. August-September. Shrub or small tree rarely attaining 30 feet; large panicles much more grace ful than the Peegee Hydrangea. 1-2 ft75 6.75 60.00 2-3 ft. 1.00 9.00 81.00 2-3 ft. 1.00 9.00 81.00 3-4 ft. 1.50 13.50 paniculata grandiflora, Peegee Hydrangea. The common variety with large trusses of white flowers, changing to pin shades. HYPERICUM, St. Johnswort. 3-4 ft. 1.50 5.40 48.00 HYPERICUM, St. Johnswort. 2-3 ft. Large bright yellow flowers to 2 inches in diameter, with mass of golder filaments at center; blooms July-August. 1-2 ft60 5.40 mixed varieties. Splendid for ground cover in open moist situations. 2-3 ft60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft. Golden yellow. July-September. 2-3 ft75 6.75 (ELEX, Holly. monticola, Mountain Winterberry. 10-40 ft. May. Brilliant scarlet fruit on fertile plants. Very desirable. 1-2 ft60 5.40 48.00 2-3 ft75 6.75 verticillata, Common Winterberry. 4-10 ft. June-July. Thick-growing shrub with brilliant bright red fruit remaining until mid winter. One of the best hardy berry-bearing shrubs.	vernalis, Vernal Witchhazel. 4	-6 ft. Janu	ary-March.	1	
virginiana, Common Witchhazel. 8-25 ft. September-October. Petals bright yellow blooming in late Autumn; fine undershrub. 1-2 ft. 50 4.50 39.00 4YDRANGEA, Hydrangea. 2-3 ft. 80, 7.20 63.00 4YDRANGEA, Hydrangea. arborescens, Smooth Hydrangea. 4-8 ft. June-July. Very suitable in a shady undershrub planting. 1-2 ft. 50 4.50 39.00 2-3 ft. 75 6.75 6.00 3-4 ft. 1.00 9.00 arborescens grandiflora, Snowhill. 3-6 ft. A form with all flowers sterile and very showy; a striking and useful plan for underplanting and borders. 1-2 ft. 75 6.75 60.00 2-3 ft. 1.00 9.00 paniculata, Panicle Hydrangea. 6-30 ft. Whitish. August-September. Shrub or small tree rarely attaining 30 feet; large panicles much more grace ful than the Peegee Hydrangea. 1-2 ft. 75 6.75 60.00 2-3 ft. 1.00 9.00 81.00 2-3 ft. 1.00 9.00 81.00 2-3 ft. 1.50 13.50 paniculata grandiflora, Peegee Hydrangea. The common variety with large trusses of white flowers, changing to pin shades. 18-24 in. 60 5.40 48.00 48.00 4YPERICUM, St. Johnswort. aureum, Golden St. Johnswort. 2-3 ft. Large bright yellow flowers to 2 inches in diameter, with mass of golde filaments at center; blooms July-August. 1-2 ft. 60 5.40 mixed varieties. Splendid for ground cover in open moist situations. 2-3 ft. 60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft. Golden yellow. July-September. 2-3 ft. 75 6.75 (LEX, Holly. monticola, Mountain Winterberry. 10-40 ft. May. Brilliant scarlet fruit on fertile plants. Very desirable. 1-2 ft. 60 5.40 48.00 2-3 ft. 75 6.75 verticillata, Common Winterberry. 4-10 ft. June-July. Thick-growing shrub with brilliant bright red fruit remaining until mic winter. One of the best hardy berry-bearing shrubs.	A most attractive shrub bloom	ming in lai	te Winter o	or earliest a	Spring. The
virginiana, Common Witchhazel. 8-25 ft. September-October. Petals bright yellow blooming in late Autumn; fine undershrub. 1-2 ft. 50 4.50 39.00 4YDRANGEA, Hydrangea. 2-3 ft. 80, 7.20 63.00 4YDRANGEA, Hydrangea. arborescens, Smooth Hydrangea. 4-8 ft. June-July. Very suitable in a shady undershrub planting. 1-2 ft. 50 4.50 39.00 2-3 ft. 75 6.75 6.00 3-4 ft. 1.00 9.00 arborescens grandiflora, Snowhill. 3-6 ft. A form with all flowers sterile and very showy; a striking and useful plan for underplanting and borders. 1-2 ft. 75 6.75 60.00 2-3 ft. 1.00 9.00 paniculata, Panicle Hydrangea. 6-30 ft. Whitish. August-September. Shrub or small tree rarely attaining 30 feet; large panicles much more grace ful than the Peegee Hydrangea. 1-2 ft. 75 6.75 60.00 2-3 ft. 1.00 9.00 81.00 2-3 ft. 1.00 9.00 81.00 2-3 ft. 1.50 13.50 paniculata grandiflora, Peegee Hydrangea. The common variety with large trusses of white flowers, changing to pin shades. 18-24 in. 60 5.40 48.00 48.00 4YPERICUM, St. Johnswort. aureum, Golden St. Johnswort. 2-3 ft. Large bright yellow flowers to 2 inches in diameter, with mass of golde filaments at center; blooms July-August. 1-2 ft. 60 5.40 mixed varieties. Splendid for ground cover in open moist situations. 2-3 ft. 60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft. Golden yellow. July-September. 2-3 ft. 75 6.75 (LEX, Holly. monticola, Mountain Winterberry. 10-40 ft. May. Brilliant scarlet fruit on fertile plants. Very desirable. 1-2 ft. 60 5.40 48.00 2-3 ft. 75 6.75 verticillata, Common Winterberry. 4-10 ft. June-July. Thick-growing shrub with brilliant bright red fruit remaining until mic winter. One of the best hardy berry-bearing shrubs.	red inside	1-2 ft.	2 OO	18 00	sepais dar
virginiana, Common Witchhazel. 8-25 ft. September-October. Petals bright yellow blooming in late Autumn; fine undershrub. 1-2 ft	rea marae.	2-3 ft.	3.00	27.00	
Petals bright yellow blooming in late Autumn; fine undershrub. 1-2 ft 50	virginiana, Common Witchhaz				
4YDRANGEA, Hydrangea. arborescens, Smooth Hydrangea. 4-8 ft. June-July. Very suitable in a shady undershrub planting. 1-2 ft		in late Aut	umn; fine		
Arborascens, Smooth Hydrangea. 4-8 ft. June-July. Very suitable in a shady undershrub planting. 1-2 ft50					
1-2 ft.	HYDRANGEA, Hydrangea. arborescens, Smooth Hydrang	ea. 4-8 ft.	June-July.	7,20	03.00
arborescens grandiflora, Snowhill. 3-6 ft. A form with all flowers sterile and very showy; a striking and useful plan for underplanting and borders. 1-2 ft75 6.75 60.00 2-3 ft. 1.00 9.00 paniculata, Panicle Hydrangea. 6-30 ft. Whitish. August-September. Shrub or small tree rarely attaining 30 feet; large panicles much more grace ful than the Peegee Hydrangea. 1-2 ft75 6.75 60.00 2-3 ft. 1.00 9.00 81.00 3-4 ft. 1.50 13.50 paniculata grandiflora, Peegee Hydrangea. The common variety with large trusses of white flowers, changing to pinl shades. 18-24 in60 5.40 48.00 HYPERICUM, St. Johnswort. aureum, Golden St. Johnswort. 2-3 ft. Large bright yellow flowers to 2 inches in diameter, with mass of golder filaments at center; blooms July-August. 1-2 ft60 5.40 mixed varieties. Splendid for ground cover in open moist situations. 2-3 ft60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft. Golden yellow. July-September. 2-3 ft75 6.75 (LEX, Holly. monticola, Mountain Winterberry. 10-40 ft. May. Brilliant scarlet fruit on fertile plants. Very desirable. 1-2 ft60 5.40 48.00 2-3 ft75 6.75 verticillata, Common Winterberry. 4-10 ft. June-July. Thick-growing shrub with brilliant bright red fruit remaining until mid winter. One of the best hardy berry-bearing shrubs.	very suitable in a shady under	1-2 ft.	. 50	4.50	39 00
arborescens grandiflora, Snowhill. 3-6 ft. A form with all flowers sterile and very showy; a striking and useful plan for underplanting and borders. 1-2 ft75 6.75 60.00 2-3 ft. 1.00 9.00 paniculata, Panicle Hydrangea. 6-30 ft. Whitish. August-September. Shrub or small tree rarely attaining 30 feet; large panicles much more grace ful than the Peegee Hydrangea. 1-2 ft75 6.75 60.00 2-3 ft. 1.00 9.00 81.00 3-4 ft. 1.50 13.50 paniculata grandiflora, Peegee Hydrangea. The common variety with large trusses of white flowers, changing to pind shades. 18-24 in60 5.40 48.00 HYPERICUM, St. Johnswort. aureum, Golden St. Johnswort. 2-3 ft. Large bright yellow flowers to 2 inches in diameter, with mass of golder filaments at center; blooms July-August. 1-2 ft60 5.40 mixed varieties. Splendid for ground cover in open moist situations. 2-3 ft60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft. Golden yellow. July-September. 2-3 ft75 6.75 (LEX, Holly. monticola, Mountain Winterberry. 10-40 ft. May. Brilliant scarlet fruit on fertile plants. Very desirable. 1-2 ft60 5.40 48.00 2-3 ft75 6.75 verticillata, Common Winterberry. 4-10 ft. June-July. Thick-growing shrub with brilliant bright red fruit remaining until mid winter. One of the best hardy berry-bearing shrubs.		2-3 ft.		6.75	60.00
A form with all flowers sterile and very showy; a striking and useful plan for underplanting and borders. 1-2 ft. 75 6.75 6.000 2-3 ft. 1.00 9.00 paniculata, Panicle Hydrangea. 6-30 ft. Whitish. August-September. Shrub or small tree rarely attaining 30 feet; large panicles much more grace ful than the Peegee Hydrangea. 1-2 ft75 6.75 60.00 2-3 ft. 1.00 9.00 81.00 3-4 ft. 1.50 13.50 paniculata grandiflora, Peegee Hydrangea. The common variety with large trusses of white flowers, changing to pind shades. 18-24 in60 5.40 48.00 HYPERICUM, St. Johnswort. aureum, Golden St. Johnswort. 2-3 ft. Large bright yellow flowers to 2 inches in diameter, with mass of golder filaments at center; blooms July-August. 1-2 ft60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft75 6.75 LLEX, Holly. monticola, Mountain Winterberry. 10-40 ft. May. Brilliant scarlet fruit on fertile plants. Very desirable. 1-2 ft60 5.40 48.00 2-3 ft75 6.75 verticillata, Common Winterberry. 4-10 ft. June-July. Thick-growing shrub with brilliant bright red fruit remaining until mid winter. One of the best hardy berry-bearing shrubs. 6-12 in50 4.50 39.00		3-4 ft.	1.00		
paniculata, Panicle Hydrangea. 6-30 ft. Whitish. August-September. Shrub or small tree rarely attaining 30 feet; large panicles much more grace ful than the Peegee Hydrangea. 1-2 ft75 6.75 60.00 3-4 ft. 1.00 9.00 81.00 3-4 ft. 1.50 13.50 paniculata grandiflora, Peegee Hydrangea. The common variety with large trusses of white flowers, changing to pinl shades. 18-24 in60 5.40 48.00 HYPERICUM, St. Johnswort. aureum, Golden St. Johnswort. 2-3 ft. Large bright yellow flowers to 2 inches in diameter, with mass of golder filaments at center; blooms July-August. mixed varieties. Splendid for ground cover in open moist situations. 2-3 ft60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft. Golden yellow. July-September. 2-3 ft75 6.75 ILEX, Holly. monticola, Mountain Winterberry. 10-40 ft. May. Brilliant scarlet fruit on fertile plants. Very desirable. 1-2 ft60 5.40 48.00 2-3 ft75 6.75 verticillata, Common Winterberry. 4-10 ft. June-July. Thick-growing shrub with brilliant bright red fruit remaining until mid winter. One of the best hardy berry-bearing shrubs. 6-12 in50 4.50 39.00	arborescens grandiflora, Snowl	ոill ւ 3-6 ft.			
paniculata, Panicle Hydrangea. 6-30 ft. Whitish. August-September. Shrub or small tree rarely attaining 30 feet; large panicles much more grace ful than the Peegee Hydrangea. 1-2 ft75 6.75 60.00 3-4 ft. 1.00 9.00 81.00 3-4 ft. 1.50 13.50 paniculata grandiflora, Peegee Hydrangea. The common variety with large trusses of white flowers, changing to pinl shades. 18-24 in60 5.40 48.00 HYPERICUM, St. Johnswort. aureum, Golden St. Johnswort. 2-3 ft. Large bright yellow flowers to 2 inches in diameter, with mass of golder filaments at center; blooms July-August. mixed varieties. Splendid for ground cover in open moist situations. 2-3 ft60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft. Golden yellow. July-September. 2-3 ft75 6.75 ILEX, Holly. monticola, Mountain Winterberry. 10-40 ft. May. Brilliant scarlet fruit on fertile plants. Very desirable. 1-2 ft60 5.40 48.00 2-3 ft75 6.75 verticillata, Common Winterberry. 4-10 ft. June-July. Thick-growing shrub with brilliant bright red fruit remaining until mid winter. One of the best hardy berry-bearing shrubs. 6-12 in50 4.50 39.00	A form with all flowers sterile	and very s	showy; a st	riking and	usetul plan
paniculata, Panicle Hydrangea. 6-30 ft. Whitish. August-September. Shrub or small tree rarely attaining 30 feet; large panicles much more grace ful than the Peegee Hydrangea. 1-2 ft. 75 6.75 60.00 2-3 ft. 1.00 9.00 81.00 3-4 ft. 1.50 13.50 paniculata grandiflora, Peegee Hydrangea. The common variety with large trusses of white flowers, changing to pind shades. 18-24 in. 60 5.40 48.00 HYPERICUM, St. Johnswort. 2-3 ft. Large bright yellow flowers to 2 inches in diameter, with mass of golder filaments at center; blooms July-August. 1-2 ft. 60 5.40 mixed varieties. Splendid for ground cover in open most situations. 2-3 ft. 60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft. Golden yellow. July-September. 2-3 ft. 75 6.75 ILEX, Holly. monticola, Mountain Winterberry. 10-40 ft. May. Brilliant scarlet fruit on fertile plants. Very desirable. 1-2 ft. 60 5.40 48.00 2-3 ft. 75 6.75 verticillata, Common Winterberry. 4-10 ft. June-July. Thick-growing shrub with brilliant bright red fruit remaining until mid winter. One of the best hardy berry-bearing shrubs.	for underplanting and borders.	2-3 ft	1.00	9.73	00.00
Shrub or small tree rarely attaining 30 feet; large panicles much more grace ful than the Peegee Hydrangea. 1-2 ft75 6.75 60.00 81.00 3-4 ft. 1.00 9.00 81.00 3-4 ft. 1.50 13.50 paniculata grandiflora, Peegee Hydrangea. The common variety with large trusses of white flowers, changing to pind shades. 18-24 in60 5.40 48.00 HYPERICUM, St. Johnswort. 2-3 ft. Large bright yellow flowers to 2 inches in diameter, with mass of golder filaments at center; blooms July-August. 1-2 ft60 5.40 mixed varieties. Splendid for ground cover in open moist situations. 2-3 ft60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft75 6.75 (ILEX, Holly. monticola, Mountain Winterberry. 10-40 ft. May. Brilliant scarlet fruit on fertile plants. Very desirable. 1-2 ft60 5.40 48.00 48.00 48.00 5.3 ft75 6.75 (1.50 6.75 6.75 6.75 6.75 6.75 6.75 6.75 6.75	naniculata. Panicle Hydrangea	ı. 6-30 ft. V	Vhitish. Au	gust-Septer	nber.
ful than the Peegee Hydrangea. 1-2 ft75 6.75 60.00 2-3 ft. 1.00 9.00 81.00 paniculata grandiflora, Peegee Hydrangea. The common variety with large trusses of white flowers, changing to pinl shades. 18-24 in60 5.40 48.00 HYPERICUM, St. Johnswort. aureum, Golden St. Johnswort. 2-3 ft. Large bright yellow flowers to 2 inches in diameter, with mass of golder filaments at center; blooms July-August. 1-2 ft60 5.40 mixed varieties. Splendid for ground cover in open moist situations. 2-3 ft60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft. Golden yellow. July-September. 2-3 ft. T.5 6.75 ILEX, Holly. monticola, Mountain Winterberry. 10-40 ft. May. Brilliant scarlet fruit on fertile plants. Very desirable. 1-2 ft60 5.40 48.00 2-3 ft75 6.75 verticillata, Common Winterberry. 4-10 ft. June-July. Thick-growing shrub with brilliant bright red fruit remaining until mid winter. One of the best hardy berry-bearing shrubs.	Shrub or small tree rarely attai	ining 30 fee	et; large par	nicles much	more grace
3-4 ft. 1.50 13.50 paniculata grandiflora, Peegee Hydrangea. The common variety with large trusses of white flowers, changing to pind shades. 18-24 in60 5.40 48.00 HYPERICUM, St. Johnswort. aureum, Golden St. Johnswort. 2-3 ft. Large bright yellow flowers to 2 inches in diameter, with mass of golder filaments at center; blooms July-August. 1-2 ft60 5.40 mixed varieties. Splendid for ground cover in open moist situations. 2-3 ft60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft. Golden yellow. July-September. 2-3 ft75 6.75 ILEX, Holly. monticola, Mountain Winterberry. 10-40 ft. May. Brilliant scarlet fruit on fertile plants. Very desirable. 1-2 ft60 5.40 48.00 2-3 ft75 6.75 verticillata, Common Winterberry. 4-10 ft. June-July. Thick-growing shrub with brilliant bright red fruit remaining until mid winter. One of the best hardy berry-bearing shrubs.		. 1-2 ft.	.75	6.75	60.00
paniculata grandiflora, Peegee Hydrangea. The common variety with large trusses of white flowers, changing to pinishades. 18-24 in. 60 5.40 48.00 HYPERICUM, St. Johnswort. aureum, Golden St. Johnswort. 2-3 ft. Large bright yellow flowers to 2 inches in diameter, with mass of golder filaments at center; blooms July-August. 1-2 ft. 60 5.40 mixed varieties. Splendid for ground cover in open moist situations. 2-3 ft. 60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft. Golden yellow. July-September. 2-3 ft. (Folly. Mountain Winterberry. 10-40 ft. May. Brilliant scarlet fruit on fertile plants. Very desirable. 1-2 ft. 60 5.40 48.00 2-3 ft. 75 6.75 Werticillata, Common Winterberry. 4-10 ft. June-July. Thick-growing shrub with brilliant bright red fruit remaining until mid winter. One of the best hardy berry-bearing shrubs.		2-3 ft.		-9.00	81.00
The common variety with large trusses of white flowers, changing to pin shades. 18-24 in60 5.40 48.00 48.00 HYPERICUM, St. Johnswort. 2-3 ft. Large bright yellow flowers to 2 inches in diameter, with mass of golder filaments at center; blooms July-August. 1-2 ft60 5.40 1.2 ft. mixed varieties. Splendid for ground cover in open moist situations. 2-3 ft60 5.40 48.00 1.2 ft. Golden yellow. July-September. 2-3 ft75 6.75 1.2 ft. Willex, Holly. monticola, Mountain Winterberry. 10-40 ft. May. Brilliant scarlet fruit on fertile plants. Very desirable. 1-2 ft60 5.40 48.00 2-3 ft. 75 6.75 1.2 ft. verticillata, Common Winterberry. 4-10 ft. June-July. Thick-growing shrub with brilliant bright red fruit remaining until mid winter. One of the best hardy berry-bearing shrubs.				13.50	
shades. 18-24 in60 5.40 48.00 HYPERICUM, St. Johnswort. aureum, Golden St. Johnswort. 2-3 ft. Large bright yellow flowers to 2 inches in diameter, with mass of golder filaments at center; blooms July-August. 1-2 ft60 5.40 mixed varieties. Splendid for ground cover in open moist situations. 2-3 ft60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft. Golden yellow. July-September. 2-3 ft75 6.75 ILEX, Holly. monticola, Mountain Winterberry. 10-40 ft. May. Brilliant scarlet fruit on fertile plants. Very desirable. 1-2 ft60 5.40 48.00 2-3 ft75 6.75 verticillata, Common Winterberry. 4-10 ft. June-July. Thick-growing shrub with brilliant bright red fruit remaining until mid winter. One of the best hardy berry-bearing shrubs. 6-12 in50 4.50 39.00	The common variety with lar	nyurange	a. of white flo	wers chanc	ring to ninl
HYPERICUM, St. Johnswort. aureum, Golden St. Johnswort. 2-3 ft. Large bright yellow flowers to 2 inches in diameter, with mass of golder filaments at center; blooms July-August. 1-2 ft60	shades	18-24 in.		5.40	48.00
mixed varieties. Splendid for ground cover in open moist situations. 2-3 ft60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft. Golden yellow. July-September. 2-3 ft75 6.75 ILEX, Holly. monticola, Mountain Winterberry. 10-40 ft. May. Brilliant scarlet fruit on fertile plants. Very desirable. 1-2 ft60 5.40 48.00 2-3 ft75 6.75 verticillata, Common Winterberry. 4-10 ft. June-July. Thick-growing shrub with brilliant bright red fruit remaining until mid winter. One of the best hardy berry-bearing shrubs.	HVPERICUM, St. Johnswort,				
Splendid for ground cover in open moist situations. 2-3 ft. 60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft. Golden yellow. July-September. 2-3 ft75 6.75 ILEX, Holly. monticola, Mountain Winterberry. 10-40 ft. May. Brilliant scarlet fruit on fertile plants. Very desirable. 1-2 ft60 5.40 48.00 2-3 ft75 6.75 verticillata, Common Winterberry. 4-10 ft. June-July. Thick-growing shrub with brilliant bright red fruit remaining until mid winter. One of the best hardy berry-bearing shrubs.	filaments at center; blooms Ju	ny-August.			ss or gorde.
2-3 ft60 5.40 48.00 prolificum, Shrubby St. Johnswort. 3-5 ft. Golden yellow. July-September. 2-3 ft75 6.75 ILEX, Holly. monticola, Mountain Winterberry. 10-40 ft. May. Brilliant scarlet fruit on fertile plants. Very desirable. 1-2 ft60 5.40 48.00 2-3 ft75 6.75 verticillata, Common Winterberry. 4-10 ft. June-July. Thick-growing shrub with brilliant bright red fruit remaining until mid winter. One of the best hardy berry-bearing shrubs. 6-12 in50 4.50 39.00	mixed varieties.				
prolificum, Shrubby St. Johnswort. 3-5 ft. Golden yellow. July-September. 2-3 ft75 6.75 ILEX, Holly. monticola, Mountain Winterberry. 10-40 ft. May. Brilliant scarlet fruit on fertile plants. Very desirable. 1-2 ft60 5.40 48.00 2-3 ft75 6.75 verticillata, Common Winterberry. 4-10 ft. June-July. Thick-growing shrub with brilliant bright red fruit remaining until mid winter. One of the best hardy berry-bearing shrubs. 6-12 in50 4.50 39.00	Splendid for ground cover in o	oen moist s	ituations.		
Golden yellow. July-September. 2-3 ft75 6.75 ILEX, Holly. monticola, Mountain Winterberry. 10-40 ft. May. Brilliant searlet fruit on fertile plants. Very desirable. 1-2 ft60 5.40 48.00 2-3 ft75 6.75 verticillata, Common Winterberry. 4-10 ft. June-July. Thick-growing shrub with brilliant bright red fruit remaining until mid winter. One of the best hardy berry-bearing shrubs. 6-12 in50 4.50 39.00	110 01 11 01 11		. 60	5.40	48.00
ILEX, Holly. monticola, Mountain Winterberry. 10-40 ft. May. Brilliant scarlet fruit on fertile plants. Very desirable. 1-2 ft60	prolificum, Shrubby St. Johns	wort. 3-5	IU. 75	6 75	
monticola, Mountain Winterberry. 10-40 ft. May. Brilliant scarlet fruit on fertile plants. Very desirable. 1-2 ft60		. 2-5 10.	. 10	0.75	
Brilliant scarlet fruit on fertile plants. Very desirable. 1-2 ft 60 5.40 48.00 2-3 ft 75 6.75 verticillata, Common Winterberry. 4-10 ft. June-July. Thick-growing shrub with brilliant bright red fruit remaining until mid winter. One of the best hardy berry-bearing shrubs. 6-12 in 50 4.50 39.00	monticola, Mountain Winterb	erry. 10-4	0 ft, Mav.		
1-2 ft60 5.40 48.00 2-3 ft75 6.75 verticillata, Common Winterberry. 4-10 ft. June-July. Thick-growing shrub with brilliant bright red fruit remaining until mid winter. One of the best hardy berry-bearing shrubs. 6-12 in50 4.50 39.00	Brilliant scarlet fruit on fertile	plants. Ver	y desirable	•	
verticillata, Common Winterberry. 4-10 ft. June-July. Thick-growing shrub with brilliant bright red fruit remaining until mid winter. One of the best hardy berry-bearing shrubs. 6-12 in50 4 .50 39 .00		1-2 ft.	. 60	5.40	48.00
6-12 in, .50 4.50 39.00		2-3 ft.		6.75	
6-12 in, .50 4.50 39.00	verticillata, Common Winterb	erry. 4-10	it. June-Ju	uy. t romaini	· until
6-12 in, .50 4.50 39.00	Thick-growing shrub with br	mant brig	nı rea irul	ı remamng	g until mic
1-2 ft75 6.75 60.00	winter. One of the best hardy	6-12 in	. 50	4.50	39.00
			.75		

ITEA, Sweetspire.		Each	10	100
ITEA, Sweetspire. 2-6 ft. June	July.			
An upright shrub with dense grow The flowers are white and very fr	th, leaves agrant in 1-2 ft.	turning br upright de .60	illiant red : nse raceme 5.40	in Autumn. es. Moist or
KOLKWITZIA amabilis, Beautybus	h. 4-6 ft.			
One of Dr. E. H. Wilson's and the ductions from China. Dr. Wilson	ne Arnold	Arboretum	's choicest	new intro-
ductions from China. Dr. Wilson	says of it:	: "Most clo	sely relate	d to Abelia
and Diervilla, it is hardier than e both. It has successfully withstoo	od the va	in elegand	severities	of the New
England climate, and each season	n for a nu	mber of ye	ears past h	as flowered
freely in the Arnold Arboretum. C	our best pl	ant is abou	ıt 6 feet tal	l and 5 feet
through, and in early June is a ma	ss of archi	ng sprays o	of blossom.	1
"The flowers are in pairs, and rounded cymose clusters which to rent season's shoots, each from 3	rom 20-c	he short l	or them a	re porne in
rent season's shoots, each from 3	inches to	4 inches le	ong. The fl	ower-stalk.
ovary and calyx-tube, are densely	y clad wit	h white spi	reading str	igose hairs,
and the spreading acuminate cal	lyx lobes :	are pinkish	and pers	istent. The
corolla is pale pink, deeper in the an inch long, sharply constricted	l in the l	nar and np ower fourtl	peu, sugnt	iy iess than
across the mouth; it is translucent	and the th	roat on the	e lower side	e is bearded
and pleasingly mottled with oran	nge.			
"On account of its peculiar cha	rm and fa	scination I	suggest as	a common
name for this shrub that of Beaut	ybush. 3-9 in.	1.00	9.00	81.00
9-	12 in. 18 in.	1.50	13.50	120.00
12-	18 in.	2.50	22.50	204.00
	24 in.	3.50	31.50	
ARIX, Larch. dahurica, Dahurian Larch. 45-80	ft.			
Rare rapid-growing species from	Eastern Si	iberia.		
6-	12 in.	.25	2.25	21.00
	-2 ft. 2-3 ft.	$\begin{array}{c} .50 \\ 1.25 \end{array}$	$rac{4.50}{11.25}$	39.00
3	3-4 ft.	$\frac{1.25}{1.75}$	$11.25 \\ 15.75$	102.00
dahurica, var. principes rupprech	iti.			
Variety with larger cones from Ko	rea and N	orth China		20.00
0-, 1	12 in. -2 ft.	$\substack{ .50 \\ 1.00 }$	$\frac{4.50}{9.00}$	39.00
eurolepis, Dunkeld Larch. 35-75 ft	2 10.	1.00	9.00	
Variety differing from the Japane	ese in shoi	ter and na	rrower lea	ves. Rapid
	-4 ft.	1.50	13.50	
leptolepis, Japanese Larch. 45-80 Very handsome as a lawn specime	it.	ranid grow	th	
6-	12 in.	.50	4.50	39.00
1	-2 ft.	.75	6.75	60.00
CUCOTHOE, Leucothoe. racemosa, Sweetbells. 4-10 ft. Apr	.:1 T			
A handsome ericaceous shrub with	n-June. th conspic	uous panie	eles of whi	te hell-like
flowers. 6-:	12 in.	.50	4.50	39.00
GUSTRUM, Privet.				
acuminatum. 5-6 ft. June.	hanh with	amall alua	tora of wh	to domona
Shining black fruit. A spreading s	2 ft.	.50	4.50 wn	39.00
2	2-3 ft.	.75	6.75	•0.00
acuminatum macrocarpum, Bigh	erry Priv	et. 6-8 ft.		
More upright than acuminatum a	nd larger i 2 ft.	ruit. . 40	3.60	33.00
	2-3 ft.	.60	5.40	48.00
amurense, Amur Privet. 4-8 ft. Jur			0.10	10.00
The "North" or hardy strain with	n growth s	imilar to C	California I	Privet. The
latter is not hardy in this latitude	-2 ft.	.30	2.70	21 00
2	-2 ft. 3-3 ft.	.40	$\frac{2.70}{3.60}$	$\frac{21.00}{33.00}$
	-4 ft.	. 60	5.40	48.00
Ibolium Flivet, 4-0 16.	-5 ft.	.80	7.20	63.00
Upright hardy form; very useful i	instead of	the tender	· California	Privet.
6-1	12 in.	.25	1.80	15.00
2	-2 ft. -3 ft.	.30 .50	$\frac{2.70}{4.50}$	$\begin{array}{c} 21.00 \\ 39.00 \end{array}$
3-	-4 ft.	.75	$\substack{4.50 \\ 6.75}$	60.00
ibota, Ibota Privet. 6-10 ft. June-Ju	ıly.			
Very hardy shrub with spreading	branches.	One of the	e best Priv	ets.
1 9	-2 ft. -3 ft.	.40	$\begin{array}{c} 3.60 \\ 5.40 \end{array}$	$\frac{33.00}{48.00}$
-	3		5.20	10.00

LIGUSTRUM, Continued	Each	10	100
ibota regelianum, Regel Privet. 3-8 f			
Low dense shrub with horizontal spr	eading branc		
1-2 ft	75	6.75	60.00
Lodense Privet. 1-2 ft.			1 1
Variety said to be very dwarf and red	quiring little	trimming to i	
hedge. 9-12 ir 12-18 ir		$\substack{4.50 \\ 6.75}$	39.00
vulgare, European Privet. 6-15 ft. June		0.75	
Fine dark green foliage and panicles o		ruit through t	he Winter:
one of the best. 1-2 f	30	2.70	21.00
2-3 ft	40	3.60	30.00
LIRIODENDRON tulipifera, Tuliptree.	60-150 ft.		
Rapid growing soft-wooded ornament	al tree of gr	eat beauty. I	arge tulip-
like yellow flowers in May and June.			
1-2 ft	. 1.00	9.00	
LONICERA, Honeysuckle. chrysantha, Coralline Honeysuckle.	5 19 ft Max	Tuno	
Flowers yellowish-white changing to			end fruit in
Autumn. 6-12 in	40	3.60	33.00
fragrantissima, Winter Honeysuckle.	5-8 ft. March	-May.	00.00
Very early sweet-scented flowers. Alm	ost evergreei	n foliage.	
1-2 ft	75	6.75	60.00
2-3 ft	. 1.00	9.00	81.00
maacki, Amur Honeysuckle. 12-18 ft.			
Corolla white changing to yellow, f variety. 4-5 ft	ragrant. Fru	it dark red.	A splendid
variety. 4-5 ii	2.50	22.50	
maximowiczi sachalinensis. 10 ft. Dark purple conspicuous flowers and	zory ottroctiv	o: no fruit A	now intro-
duction. 6-12 in	1.25	11.25	new intito-
1-2 ft	2.50	$\frac{11.20}{22.50}$	
morrowi, Morrow Honeysuckle. 5-6 ft			
Pure white flowers and blood-red fruit			
1-2 ft	60	5.40	48.00
2-3 f	. 1.00	9.00	
morrowi, prostrate form, 2-3 ft.	1		
Very useful where low effects are desir	red.	6 75	60.00
2-3 ft 3-4 ft		$\substack{6.75\\9.00}$	60.00
ruprechtiana, Manchurian Honeysuc		3.00	
White changing to yellow. Fruit coral		l. A fine specie	s.
2-3 f		13.50	
ruprechtiana calvescens. 10 ft.			
Handsome in bloom and fruit, the latt		l red.	
1-2 ft	2.50		
ruprechtiana xanthocarpa. 8-10 ft. Variety with yellow fruit. 2-3 ft	. 3.00	27.00	
Variety with yellow fruit. 2-3 ft syringantha, Lilac Honeysuckle. 6-8 ft		21.00	
A splendid upright slender-branched sl	rub The fra	grant flowers	re ninkish-
white to rosy-lilac. 6-12 in	1.00	9.00	81.00
1-2 ft	. 2.00	18.00	
tatarica alba, White Tatarian Honeys	uckle. 6-10 f	t. May-June.	
Similar to Red Tatarian but with pure			
1-2 ft	$\cdot \cdot $	$\frac{3.60}{6.75}$	co oo
2-3 ft 3-4 ft		$\substack{6.75\\9.00}$	60.00
tatarica rosea, Rosy Tatarian Honeys		t.	
Variety with rosy-pink flowers and re- 2-3 ft	1 iruit.	9.00	
tatarica siberica, Red Tatarian Hone	ysuckle. 6-1	U ft.	
Flowers deep pink; fruit bright red.	50	4.50	20.00
1-2 ft 2-3 ft		$\frac{4.50}{6.75}$	$\frac{39.00}{60.00}$
3-4 f	$\begin{array}{ccc} . & .75 \\ . & 1.25 \end{array}$	$\substack{6.75\\11.25}$	00.00
4-5 f		18.00	
trichosantha, Slender Honeysuckle.			
A charming variety of recent introd	uction from	West China	and Tibet:
yellowish flowers and bright red fruit.			
6-12 ir	ı. 1.50	13.50	
1-2 ft	. 2.00		
White Belle Honeysuckle (bella albida)	. May-June.		
White flowers and red fruit. Hybrid m	orrowi x tata:	rica.	
3-4 ft	. 1.00	9.00	81.00
4-5 ft	1.25	11.25	

Malus, The Flowering Crab

THE Flowering Crabs have few rivals among gorgeous Spring flowering trees and shrubs. At the Arnold Arboretum one of the important events of the year is the blooming of the Crabs, followed

by the showy fruit.

They are of easy culture, and whether planted singly or in masses, give remarkable and quick results. Not only are the Flowering Crabs beautiful on the lawn, but they are used to the greatest advantage on a large scale in woodland and other mass plantings, as are Dogwoods and Hawthorns. No group of plants have greater value for enlivening open forest parks and the country roadside. They present striking effects when planted on parking strips of boulevards and wide city streets.

As soon as the ground can be worked in Spring is an ideal time for planting, and again in Fall after foliage is well ripened. Give rich soil and mulch heavily. Use all the water the soil will take in planting.

Description of species and varieties for the most part are made up

from Arnold Arboretum Bulletins.

Prices of Flowering Crabs unless otherwise noted

Under 1 ft\$.60 each	\$ 5.40 per 10	\$ 48.00 per 100
1-2 ft	7.20 per 10	63.00 per 100
2-3 ft 1.00 each		81.00 per 100
3-4 ft 1.50 each	13.50 per 10	120.00 per 100
4-5 ft 2.00 each	18.00 per 10	162.00 per 100
5-6 ft 3.00 each	27.00 per 10	
6-7 ft 4.00 each	36.00 per 10	

The sizes we can supply follow the description of each variety.

MALUS, Crab.

augustifolia rosea.

A new pink form of the sweet-scented Southern Crab. Sizes, 1-2 ft. at \$1.00 each, 4-5 ft., at \$3.00 each.

arnoldiana, Arnold Crab. 8-15 ft.

One of the most beautiful varieties, originating at the Arnold Arboretum. Very large rose-colored flowers, turning to white. Sizes, 1-2 ft., 2-3 ft., and

atrosanguinea, Carmine Crab. 15-20 ft.

Much like floribunda, but with brilliant carmine flowers. Sizes, 1-2 ft., 2-3

ft., 3-4 ft., 4-5 ft., and 5-6 ft. baccata, Siberian Crab. 30-45 ft.

Very hardy and among the earliest to flower. Pure white blossoms in great profusion, followed by small green or reddish fruit. Sizes, 1-2 ft., and 2-3 ft. baccata mandshurica, Manchurian Crab. 12-15 ft.

Early. From China and Japan; its large pure white flowers quite fragrant, dark scarlet fruit hangs on long stems. Sizes, 2-3 ft., and 3-4 ft.

baccata, yellow fruited form. Size, 1-2 ft. at \$1.50 each. coronaria, Wild Sweet Crab. 10-30 ft.

White and pink flowers, delightfully fragrant. Native American species. Sizes, 1-2 ft., 2-3 ft., 3-4 ft., 4-5 ft., and 5-6 ft.

Dolga (Hansen Red Crab). 12-15 ft.

A new distinctive Crab with brilliant red, edible fruit in great profusion. Sizes, 3-4 ft., 4-5 ft., and 5-6 ft. Double Pink Chinese Crab. (Malus spectabilis riversi rosea plena).

One of the few double forms of Crab and of great beauty. Size, 9-12 in.

Eley Flowering Crab (Malus purpurea eleyi).

A new variety resembling floribunda but with larger and better colored flowers and a more profuse bloomer. Size, 3-4 ft. at \$2.00 each. floribunda, Japanese Flowering Crab. 15-30 ft.

One of the handsomest, bright pink flower buds, white flowers. Small yellowish fruit much liked by birds. Sizes, 1-2 ft., 2-3 ft., 3-4 ft., 4-5 ft., and 5-6 ft.

HARLAN P. KELSEY, EAST BOXFORD, MASSACHUSETTS

MALUS, Continued Each 10 100

halliana parkmani, Parkman Crab. 15-20 ft.

Bright rose-red, double flowers hang on long slender stems. A favorite in Japanese gardens. Sizes, 1-2 ft., 2-3 ft., 3-4 ft., 4-5 ft., and 5-6 ft. Hopa Redflowering Crab. 12-15 ft.

A remarkable tree which is entirely covered with rose-colored blossoms in May. Fruit is red inside and out, adding to its attractiveness. Very hardy. Sizes, 3-4 ft., 4-5 ft., and 5-6 ft.

Sizes, 3-4 ft., 4-5 ft., and 3-0 ft.
ioensis, Prairie Crab. 20-30 ft.
The wild Crab of the Middle Western States, with large white or rose flowers often two inches in diameter and fragrant. Sizes, 1-2 ft., and 2-3 ft.

ioensis plena, Bechtel Crab. 12-15 ft.

Double pink flowers like small clustered roses. Sizes, 1-2 ft., 2-3 ft., 3-4 ft., and 4-5 ft.

Mathew Crab. 20-30 ft.

Single flowers in clusters, rose-pink in color and very fragrant. An American variety, but may be a hybrid. Fruit edible. Sizes, 2-3 ft., 3-4 ft., and 4-5 ft. micromalus, Midget Crab.

A handsome small tree with upright habit and showy pink flowers. Sizes,

1-2 ft., at \$1.00 each, and 5-6 ft., at \$4.00 each. niedzwetzkyana, Redvein Crab. 15-20 ft.

Early. A Russian Turkestan species, remarkable for the red color of flowers, branches, leaves, and fruit. Sizes, 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft., and 6-7 ft. prunifolia rinki (ringo), Chinese Apple. 15-18 ft.

Large white flowers, and red, yellow or green fruit. 11/2 inches in diameter. Cultivated for its fruit in China. Sizes, 1-2 ft., 2-3 ft., and 3-4 ft.

purpurea, Purple Crab. 15-20 ft.

A form of the Japanese Flowering Crab with rich red flowers and foliage.

Sizes, 4-5 ft., and 5-6 ft.
robusta, Cherry Crab. 15-30 ft.
Very early. Large white fragrant flowers and a handsome tree. Dull red fruit 1 inch in diameter. Sizes, 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft., and 6-7 ft.

sargenti, Sargent Crab. 4-6 ft.

Very dwarf spreading Japanese variety. Pure white flowers with bright yellow anthers. Scarlet fruit hanging till Spring. Sizes, 1-2 ft., 2-3 ft., 3-4 ft., and 4-5 ft.

scheideckeri, Scheidecker Crab, 15-20 ft.

Early. Small tree of pyramidal habit with small bright rose-colored flowers in great profusion. Sizes, 4-5 ft., at \$2.50 each, and 5-6 ft., at \$3.50 each.

sieboldi, Toringo Crab. 6-10 ft.

A dense low shrub and one of the last of the Asiatic species to flower. Dark rose-colored buds contrast beautifully with the white petals of the full-blown flowers. Sizes, 1-2 ft., 2-3 ft., 3-4 ft., 4-5 ft., and 5-6 ft. sieboldi arborescens. 20-30 ft.

The white flowers are small but produced in immense quantities followed

by minute red or yellow fruit. Sizes, 2-3 ft., 3-4 ft., and 4-5 ft. spectabilis riversi, Pink Chinese Flowering Crab. 20 ft. Variety with bright pink double flowers. Sizes, 3-4 ft., at \$2.00 each, and

4-5 ft., at \$3.00 each. theifera, Tea Crab. 20-25 ft.

Bears numerous clusters of flowers rose-red in the bud and pale or almost white when expanded. Sizes, 3-4 ft., at \$2.00 each, and 4-5 ft., at \$3.00 each. toringoides, Cutleaf Crab. 15-25 ft.

A small tree with gracefully drooping branches, white flowers and small, pear-shaped red fruit. Size, 6-12 in.

tschonoski. 30-40 ft.

Handsome tree of pyramidal habit, the leaves turning orange and scarlet. white flowers, greenish fruit with purple cheek. Sizes, 1-2 ft., 2-3 ft., and 3-4 ft.

zumi, Zumi Crab.

Small tree of pyramidal habit, flowers pink in bud becoming white and red fruit. Sizes, 6-12 in., and 1-2 ft.

zumi calocarpa. 8-10 ft.

"One of the handsomest (Crabs) in the Arboretum, both in Spring and Autumn." Large pink and white flowers, brilliant scarlet fruit, half-inch in diameter. Sizes, 1-2 ft., 2-3 ft., and 3-4 ft.

MYRICA, Bayberry.


carolinensis, Northern Bayberry. 3-10 ft. Fine spreading undershrub. Curious white fruit used for making the famous Bayberry Candles. 6-12 in. \$.40 \$3.60 \$33.00 1-2 ft. .75 6.7560.00

gale, Sweetgale. 2-5 ft. Covered with golden-yellow catkins in April. Very useful in bog planting. $\frac{.60}{1.00}$ 1-2 ft. 5.402-3 ft. 9.00

NYSSA sylvatica, Tupelo. 20-60	ft. May-June.	\mathbf{Each}	10	100	
Tree with very picturesqu	e growth. Auti	ımn colorin	g very brill	iant shades	
of red.	6-12 in.	1.00	4.50	39.00	
OVERDENDRUM 1	1-2 ft.	1.00	9.00	81.00	
OXYDENDRUM arboreum, S	ourwood. 10-6	O it. June-A	Lugust.	11	
A very handsome medium under 20 feet; flowers whe	1-sized tree occ	asionally to	bu feet, m	ore usually	
under 20 teet; nowers whe	n a rew reet nig	n, a mass o	wnite now	ers in Sum-	
mer and handsome foliage	, turning scarie	40 Autun	3.60		
	2-3 ft.	.60	5.40		
	3-4 ft.	1.00	9.00		
	4-5 ft.	2.00	18.00		
	5-6 ft.	4.00	36.00		
	6-8 ft.	6.00	54.00		
PHELLODENDRON, Corktree					
chinense, Chinese Corktre	e. 20-30 ft.				
Grayish-brown bark. A ve	ry interesting	small round	-headed tre	e; cork-like	
and handsome foliage turn		utumn.			
	2-3 ft.	.75	6.75		
	3-4 ft.	1.25	11.25	,	
4.1	4-5 ft.	2.00	18.00		
chinense glabriusculum.	l				
Variety with leaves smoot		75	e 75		
	1-2 ft. 2-3 ft.	.75	$\substack{6.75\\9.00}$		
sachalinense, Sakhalin Cor	2-5 16. ktrop 25-50 ft	1.00	9.00		
Dark brown trunk, bros			t. hardiest	enecies in	
cultivation.	1-2 ft.	. 50	4.50	39.00	
carry auton.	2-3 ft.	.75	6.75	60.00	
	4-5 ft.	1.50	13.50	120.00	
	5-6 ft.	2.00	18.00	120.00	
	6-8 ft.	3.00	27.00		
PHILADELPHUS, Mockorang Avalanche. 5-6 ft.	e.				
Avalanche. 5-6 ft.					
Graceful shrub. One of th	ie best hybrids	, with fragi	ant flowers	in greatest	
profusion.	1-2 ft.	.75	6.75	60.00	
coronarius, Sweet Mockor	ange. 10 ft. N	Iay-June.			
White or creamy fragrant	flowers.				
	1-2 ft.	.40	3.60		
	2-3 ft.	. 60	5.40		
	3-4 ft.	1.00	9.00		
	4-6 ft.	2.00	18.00		
coronarius grandiflorus, B		ge.			
Garden form of large vigo	2-3 ft.	.75	6.75	60.00	
	3-4 ft.	1.25	11.25	00.00	
grandiflorus, Big Scentless					
Very hardy and attractive	with large flo	wers in grea	t masses		
very hardy and accraemy	1-2 ft.	.40	3.60	33.00	
	2-3 ft.	.60	5.40	48.00	
	3-4 ft.	1.00	9.00		
	4-6 ft.	2.00	18.00		
lemoinei, Lemoine Mocko	range.				
Dense racemes of white flo	wers with delic	eate perfum			
A.	6-12 in.	.40	3.60	33.00	
*** . * * * * * *	1-2 ft.	.75	6.75		
Virginal Mockorange.	11. 0	~ + ~ a.			
Very conspicuous semi-do	uble flowers in	1.00	wered racei		
the best hybrids.	1-2 ft.		9.00	81.00	
Zavban Maakananda (saukan	2-3 ft.	1.50	13.50		
Zeyher Mockorange (zeyher Hybrid of uncertain origin	t). 4-0 It. June.	nogrant wh	ito flowers		
Trybrid of uncertain origin	2-3 ft.	.60	5.40		
	3-4 ft.	1.00	9.00		
DIJOTINIA Disasteria	4-6 ft.	2.00	18.00		
PHOTINIA, Photinia.		00	20.00		
villosa. 6-15 ft. White. June	chrub the b	ight rad fr	uit nereieti	ng into the	
A beautiful berry-bearing winter. Leaves turn red in	, surub, the bi	ignt red If	ure persisti	ng muo me	
winter. Deaves turn red in	1-2 ft.	.75	6.75		
	2-3 ft.	1.50	13.50		
PIERIS.	2010.	1.00	20.00		
mariana, Staggerbush. 2-4 ft. April-June.					
Nodding flowers in auxiliary clusters; white or pale pink. An acid soil plant.					
	6-12 in.	. 50	4.50	39.00	
	12-18 in.	.75	6.75		

A NEW INTRODUCTION OF

Kelsey-Highlands Nursery



KOREAN CHRYSANTHEMUM

(Chrysanthemum coreanum)

A REMARKABLE new perennial of iron-clad hardiness from Korea, forming fine large clumps 2 to 3 feet in both height and diameter. The large white flowers have golden centers, resembling a glorified Oxeye Daisy, the petals often turning to a light claret pink.

It blooms in the greatest profusion October to early December, when autumn leaves are falling, and thus it keeps the garden bright and cheerful till the early snow flies. Of easiest possible culture, thriving in any good garden soil.

	Each	Per 10	Per 100
Strong Plants	\$.35	\$2.70	\$21.00
Same Delivered Free	.55	3.30	24.00
Clumps	.75	6.00	54.00
Same Delivered Free	1.00	7.00	57.00


8

HARLAN P. KELSEY

EAST BOXFORD • MASSACHUSETTS

"Hardy New England Grown — Best by Test"

Kelsey-Highlands Nursery



JAPANESE IRIS (Iris kaempferi)

IN FINEST MIXED COLORS

Our Japanese Iris are grown from selected strains imported directly from Japan. They are *mixed* and come in the greatest variety of shades and colors.

Many might well be taken for gorgeous Orchids.

	Each	Per 10	Per 100
Strong Plants	\$.30	\$2.40	\$18.00
Same Delivered Free	.50	3.00	21.00
Clumps	.60	5.40	45.00
Same Delivered Free	.80	6.20	48.00

~

HARLAN P. KELSEY EAST BOXFORD • MASSACHUSETTS

Send for Catalog of Finest Grown Nursery Stock



O 1928 by Harlan P. Kelsey

KOLKWITZIA AMABILIS (Beautybush) 4-6 ft.

One of the most beautiful of the Arnold Arboretum introductions. In early June a mass of pink flowers $\frac{3}{4}$ in. across the mouth on arching sprays. Very hardy.

Prices of Strong Plants, delivery charges not prepaid.

6-9 inches, \$1.00 each; \$9.00 per 10; \$81.00 per 100

9-12 inches, 1.50 each; 13.50 per 10; 120.00 per 100

12-18 inches, 2.50 each; 22.50 per 10; 204.00 per 100

18-24 inches, 3.50 each; 31.50 per 10.

HARLAN P. KELSEY, East Boxford, Massachusetts

"THE MOST BEAUTIFUL AMERICAN CONIFER"



© 1928 by Harlan P. Kelsey

CAROLINA HEMLOCK (Tsuga caroliniana) 30-70 ft.

 $A\ Kelsey-Highlands\ Nursery\ introduction.$

Unique in habit, with sweeping pendulous branches. Very hardy with dark green tufted foliage resembling the Japanese type of Evergreen. We offer several thousand perfect specimens lifting with large balls, up to 8 feet in height.

```
2-3 ft. Ball and Burlap, $5.00 each; $45.00 per 10; $405.00 per 100 3-4 ft. Ball and Burlap, 7.00 each; 63.00 per 10; 567.00 per 100 4-5 ft. Ball and Burlap, 12.00 each; 108.00 per 10; 972.00 per 100 5-6 ft. Ball and Burlap, 20.00 each; 180.00 per 10; 1620.00 per 100
```

6-7 ft. Ball and Burlap, **30.00** each; **270.00** per 10. 7-8 ft. Ball and Burlap, **40.00** each; **360.00** per 10.

HARLAN P. KELSEY, East Boxford, Massachusetts

POPULUS, Poplar.	Each	10	100
nigra italica, Lombardy Poplar. 40-60 ft. The well-known tall, narrow form useful	in restricte	d areas but	short-lived.
4-5 ft.	. 50	4.50	39.00
5-6 ft.	$\substack{.75 \\ 1.00}$	6.75	60.00
6-8 ft.	1.00	9.00	
simoni, Simon Poplar. 40 ft.	2.00	18.00	
A handsome tree with small bright green 6-8 ft.	leaves. Rar 1.50	oid growth. 13.50	
8-10 ft.	2.00	18.00	
simoni fastigiata, Narrow Simon Poplar. A narrow pyramidal tree probably longe 1-2 ft.	40-45 ft. r lived tha . 50	n Lombardy	y Poplar. 39.00
OTENTILLA, Cinquefoil.		1.00	30.00
fruticosa, Shrubby Cinquefoil. 1-4 ft. Jun	ne-August.		
Showy bright yellow flowers throughout	the Summe	r.	40.00
1-2 ft.	. 60	5.40	48.00
2-3 ft.	.80	7.20	
PRUNUS, Plum, Cherry. americana, American Plum. 10-20 ft. W	hite		
A tree with great variations, rarely reach	ing 20 feet	Parent of	most of the
cultivated native plums. 1-2 ft.	.25	2.25	21.00
2-4 ft.	. 50	$\frac{2.20}{4.50}$	39.00
4-6 ft.	1.00	9.00	81.00
6-8 ft.	1.50	13.50	
besseyi, Bessey Cherry. 4-8 ft. May.	,	1 11 1	, , , ,
A fine spreading shrub with showy white fl	owers and p	ourple-black	sweet fruit
6-12 in.	. 25	2.25	21.00
1-2 ft.	. 50	4.50	39.00
Double Pinkflowering Almond. 5-6 ft. M Horticultural variety of Prunus glandule of deep pink flowers covering the bush.	lay. osa, very o	rnamental v	vith masse
1-2 ft.	1.00	9.00	
2-3 ft.	1.50	13.50	
3-4 ft.	2.00	18.00	
Double Redflowering Almond, 3-6 ft. Ma		=0.00	
More recent form with deep red flowers.			
$2-2\frac{1}{2}$ ft.	1.25	11.25	102.00
Double Whiteflowering Almond. 3-6 ft.	May		
Similar to preceding but with white flower			
2-3 ft.	1.50	13.50	
		10.00	
hortulana, Hortulan Plum. 15-20 ft. Whi	te.		
A useful native species for wild plantings.			
3-4 ft. 4-6 ft.	1.75	6.75	
4-6 it.	1.25	11.25	
6-8 ft.	1.50	13.50	
lannesiana, Hitoye Cherry. 30-40 ft.			
An interesting Japanese tree, probably	the parent	of most of	the double
flowering cherries. Fragrant mostly pink: 6-12 in. Sdl.	flowers.		
6-12 in. Šdl.	. 60	5.40	48.00
maritima, Beach Plum. 3-6 ft. May-June. Important dwarf variety native to New	England o	onet A ben	utiful orna
mental with white masses of flowers foll	owed by d	ull nurnle f	ruit Make
fine jam and jelly. 6-12 in.	.50 a	4.50	iuit. Make
1-2 ft.	.75	$\frac{4.50}{6.75}$	
munsoniana, Wildgoose Plum. 15-25 ft. A splendid wild-wood bush or small tre	April-May	· ,	
A splendid wild-wood bush or small tre	e known t	o our childl	nood for it
masses of white flowers and its delicious 1-2 ft.	red or yello	w truit.	
1-2 ft.			
6-8 ft.	1.50	13.50	
orthosepala. 4-8 ft.		1 6	- 1:1-1 - 6:4
Spreading bush; white flowers and red fr 4-5 ft.	uit. Hybric 1.00	9.00	earnie iruit
4-5 It. 6-8 ft.	$\frac{1.00}{1.50}$	$\frac{9.00}{13.50}$	
0-8 10.	1.00	10.00	
pumila, Sand Cherry. 4-8 ft. White.			
Dwarf or prostrate, rarely growing 5 fe	et or over	in hight: f	ruit purple
Dwarf or prostrate, rarely growing 5 fe black, scarcely edible. 1-2 ft.	.40	3.60	33.00
2-3 ft.	.75	6.75	
2-0 16.	.10	0.10	

PRUNUS, Continued	Each	10	100
serrulata sachalinensis, Yama Cherry. A very beautiful and hardy Cherry of profusion of rose-pink or nearly white Sargent Cherry; the Arnold Arboretum which the double-flowered forms can be	great or	amental va	lue bearing a
profusion of rose-pink or nearly white	flowers:	sometimes	known as the
Sargent Cherry; the Arnold Arboretum	says it "s	supplies the	best stock on
which the double-flowered forms can be	e worked.'	,	
3-4 ft. 4-5 ft.	1.50	13.50	
4-5 10. 5-6 ft	2.00	$\frac{18.00}{27.00}$	
5-6 ft. tomentosa, Nanking Cherry. 10 ft. Whi	ite, pinkisl	ı. March-Aı	oril.
very hardy variety producing remarkat	niv snowv	nowers and	trillt of finest
flavor. For jams and preserves it is unex	celled. The	fruit must	not be treated
as grapes sometimes are for it would th 6-12 in.	en produc 25.	2.25	1010us wine. 21.00
1-2 ft.	.40	$\frac{2.20}{3.60}$	33.00
2-3 ft.	. 60	5.40	48.00
3-4 ft.	1.00	9.00	
triloba, Flowering Plum. 16 ft.	aloon nink	flowers	
Very desirable low shrub with a mass of	.60	5.40	48.00
1-2 ft. 2-3 ft.	.80	7.20	63.00
3-4 ft.	1.25	11.25	
virginiana, Common Chokecherry. 10-	30 ft.	, ,	
Dense racemes of white flowers, follow brownish purple fruit. 1-2 ft.	ed by clu.	sters of red 4.50	i, finally dark
2.00	.75	6.75	
QUERCUS, Oak. 2-3 1t. coccinea, Scarlet Oak. 75-160 ft.		00	
A clean growing tree fine for lawn or st	reet. Leav	es turn brill	iant scarlet in
Fall. 1-2 ft.	. 50 1.00	4.50	
2-3 ft.		9.00	
3-4 ft.	1.50	13.50	
rubra, Common Red Oak. 60-100 ft. One of the best shade and avenue tre	es with cl	ean vigorou	s growth the
foliage turning dark red in Autumn.	CB WITH CI	can vigorou	s growin, the
1-2 ft.	.75	6.75	
2-3 ft.	1.00	9.00	
RHAMNUS, Buckthorn. caroliniana, Carolina Buckthorn. 8-30	ft Morr I		
A shrubby tree with handsome leaves to			mn. The small
round fruit changes from red to black.			
2-3 ft.	.40	3.60	
3-4 ft.	. 50	4.50	
4-6 ft. cathartica, Common Buckthorn. 8-1	0 ft Va	9.00	n. May-June.
Shrub with black fruit in greatest abun	dance: an	old hedge r	olant.
2-3 ft.	. 50	4.50	39.00
3-4 ft.	. 60	5.40	
3-4 ft.	. 60	5.40 6.75	n May Juna
3-4 ft.	.60 .75 o ft. Ye et. larger f	5.40 6.75 llowish-gree ruit than C	n. May-June.
3-4 ft. 4-6 ft. dahurica, Dahurian Buckthorn. 20-3 Large spreading shrub or tree to 30 fee Buckthorn. 1-2 ft.	.60 .75 o ft. Ye et. larger f	6.75 llowish-gree ruit than C 4.50	n. May-June. ommon 39.00
3-4 ft. 4-6 ft. dahurica, Dahurian Buckthorn. 20-3 Large spreading shrub or tree to 30 fee Buckthorn. 1-2 ft. 2-3 ft.	. 60 . 75 60 ft. Ye et, larger f . 50 . 75	6.75 llowish-gree ruit than C 4.50 6.75	n. May-June. ommon 39.00
3-4 ft. 4-6 ft. dahurica, Dahurian Buckthorn. 20-3 Large spreading shrub or tree to 30 fee Buckthorn. 1-2 ft. 2-3 ft. RHODORA canadensis. Rhodora. 2-3 ft.	. 60 . 75 60 ft. Ye et, larger f . 50 . 75 April-May	6.75 llowish-gree ruit than C 4.50 6.75	39.00
3-4 ft. 4-6 ft. dahurica, Dahurian Buckthorn. 20-3 Large spreading shrub or tree to 30 fee Buckthorn. 1-2 ft. 2-3 ft. RHODORA canadensis. Rhodora. 2-3 ft.	. 60 . 75 60 ft. Ye et, larger f . 50 . 75 April-May	6.75 llowish-gree ruit than C 4.50 6.75	39.00
3-4 ft. 4-6 ft. dahurica, Dahurian Buckthorn. 20-3 Large spreading shrub or tree to 30 fee Buckthorn. 1-2 ft. 2-3 ft. RHODORA canadensis. Rhodora. 2-3 ft. Really an Azalea with gorgeous purple in acid soil	.60 .75 .60 ft. Ye et, larger f .50 .75 April-May flowers in	6.75 llowish-gree ruit than C 4.50 6.75	39.00
3-4 ft. 4-6 ft. dahurica, Dahurian Buckthorn. 20-3 Large spreading shrub or tree to 30 fee Buckthorn. 2-3 ft. RHODORA canadensis. Rhodora. 2-3 ft. Really an Azalea with gorgeous purple in acid soil. 1-2 ft. Clumps 2-3 ft. Clumps RHODOTYPOS kerrioides. Jetbead. 3-5 ft	. 60 . 75 60 ft. Ye et, larger f . 50 . 75 April-May flowers in s 2.00 s 3.00 . May-Jur	6.75 A very early 18.00 27.00 at.	39.00 Spring. Plant
3-4 ft. 4-6 ft. dahurica, Dahurian Buckthorn. 20-3 Large spreading shrub or tree to 30 fee Buckthorn. 1-2 ft. 2-3 ft. RHODORA canadensis. Rhodora. 2-3 ft. Really an Azalea with gorgeous purple in acid soil. 1-2 ft. Clumps RHODOTYPOS kerrioides. Jetbead. 3-5 ft Handsome and distinct shrub with br	.60 .75 .60 ft. Ye et, larger f .50 .75 April-May flowers ir s 2.00 s 3.00 . May-Jur ight greer	6.75 flowish-gree ruit than C 4.50 6.75 favery early 18.00 27.00 ae.	39.00 Spring. Plant d conspicuous
3-4 ft. 4-6 ft. dahurica, Dahurian Buckthorn. 20-3 Large spreading shrub or tree to 30 fee Buckthorn. 1-2 ft. 2-3 ft. RHODORA canadensis. Rhodora. 2-3 ft. Really an Azalea with gorgeous purple in acid soil. 1-2 ft. Clumps 2-3 ft. Clumps RHODOTYPOS kerrioides. Jetbead. 3-5 ft Handsome and distinct shrub with br white flowers in Spring and remarkably	.60 .75 .60 ft. Ye et, larger f .50 April-May flowers ir s 2.00 s 3.00 . May-Jur right greer	6.75 4.50 6.75 6.75 6.75 7. 7. 8.00 27.00 18.00 19. 9. 10. 10. 10. 10. 10. 10. 10. 10. 10. 10	39.00 Spring. Plant d conspicuous
3-4 ft. 4-6 ft. dahurica, Dahurian Buckthorn. 20-3 Large spreading shrub or tree to 30 fee Buckthorn. 1-2 ft. RHODORA canadensis. Rhodora. 2-3 ft. Really an Azalea with gorgeous purple in acid soil. 1-2 ft. Clumps 2-3 ft. Clumps RHODOTYPOS kerrioides. Jetbead. 3-5 ft Handsome and distinct shrub with br white flowers in Spring and remarkably 12-18 in.	.60 .75 .60 ft. Ye et, larger f .50 .75 April-May flowers ir s 2.00 s 3.00 . May-Jur ight greer	6.75 flowish-gree ruit than C 4.50 6.75 favery early 18.00 27.00 ae.	39.00 Spring. Plant d conspicuous
3-4 ft. 4-6 ft. dahurica, Dahurian Buckthorn. 20-3 Large spreading shrub or tree to 30 fee Buckthorn. 1-2 ft. 2-3 ft. RHODORA canadensis. Rhodora. 2-3 ft. Really an Azalea with gorgeous purple in acid soil. 1-2 ft. Clumps 2-3 ft. Clumps 2-3 ft. Clumps RHODOTYPOS kerrioides. Jetbead. 3-5 ft Handsome and distinct shrub with br white flowers in Spring and remarkably 12-18 in. RHUS, Sumac. copallina, Shining Sumac. 5-30 ft. Gre	.60 .75 0 ft. Ye et, larger f .50 April-May flowers ir s 2.00 s 3.00 . May-Jur right greer shiny fru .50 enish. July	6.75 Illowish-gree ruit than C 4.50 6.75 I very early 18.00 27.00 te. n foliage an it in Autum 4.50	39.00 Spring. Plant d conspicuous n and Winter.
3-4 ft. 4-6 ft. dahurica, Dahurian Buckthorn. 20-3 Large spreading shrub or tree to 30 fee Buckthorn. 1-2 ft. 2-3 ft. RHODORA canadensis. Rhodora. 2-3 ft. Really an Azalea with gorgeous purple in acid soil. 1-2 ft. Clumps 2-3 ft. Clumps 2-3 ft. Clumps RHODOTYPOS kerrioides. Jetbead. 3-5 ft Handsome and distinct shrub with br white flowers in Spring and remarkably and the street of the spring shrub with sin. RHUS, Sumac. copallina, Shining Sumac. 5-30 ft. Gree Shrub usually quite dwarf with crims	.60 .75 .75 .60 ft. Ye et, larger f .50 .75 April-May flowers in s 2.00 s 3.00 s May-Jur cight greer shiny fru .50 enish. July	6.75 Illowish-gree ruit than C 4.50 6.75 very early 18.00 27.00 te. a foliage an it in Autum 4.50 7-August. I fruit; darl	39.00 Spring. Plant d conspicuous n and Winter.
3-4 ft. 4-6 ft. dahurica, Dahurian Buckthorn. 20-3 Large spreading shrub or tree to 30 fee Buckthorn. 21-2 ft. 2-3 ft. RHODORA canadensis. Rhodora. 2-3 ft. Really an Azalea with gorgeous purple in acid soil. 1-2 ft. Clumps 2-3 ft. Clumps 2-3 ft. Clumps Prince of the Clumps 2-3 ft. Clumps 3-5 ft. Clumps 4-7 ft. Clumps 1-2 ft. Clumps 2-3 ft. Clumps 1-2 ft. Clumps 2-3 ft. Clumps 1-2 ft. Clumps 2-3 ft. Clumps 3-4 ft. Clumps 1-2 ft. Clumps 1-	.60 .75 0 ft. Ye et, larger f .50 April-May flowers ir s 2.00 s 3.00 . May-Jur ight greer shiny fru .50 enish. July n-panicles	6.75 Ilowish-gree ruit than C 4.50 6.75 a very early 18.00 27.00 ac a foliage an it in Autum 4.50 7-August. rlets in Aut	39.00 Spring. Plant d conspicuous n and Winter. k green glossy umn.
3-4 ft. 4-6 ft. dahurica, Dahurian Buckthorn. 20-3 Large spreading shrub or tree to 30 fee Buckthorn. 21-2 ft. 2-3 ft. RHODORA canadensis. Rhodora. 2-3 ft. Really an Azalea with gorgeous purple in acid soil. 1-2 ft. Clumps 2-3 ft. Clumps 2-3 ft. Clumps Prince of the Clumps 2-3 ft. Clumps 3-5 ft. Clumps 4-7 ft. Clumps 1-2 ft. Clumps 2-3 ft. Clumps 1-2 ft. Clumps 2-3 ft. Clumps 1-2 ft. Clumps 2-3 ft. Clumps 3-4 ft. Clumps 1-2 ft. Clumps 1-	.60 .75 0 ft. Ye et, larger f .50 April-May flowers ir s 2.00 s 3.00 . May-Jur ight greer shiny fru .50 enish. July n-panicles	6.75 Illowish-gree ruit than C 4.50 6.75 . 1 very early 18.00 27.00 it in Autum 4.50 7-August. I fruit; darlrlets in Aut 2.70	39.00 Spring. Plant d conspicuous n and Winter. k green glossy umn. 21.00
3-4 ft. 4-6 ft. dahurica, Dahurian Buckthorn. 20-3 Large spreading shrub or tree to 30 fee Buckthorn. 2-3 ft. 2-3 ft. RHODORA canadensis. Rhodora 2-3 ft. Really an Azalea with gorgeous purple in acid soil. 1-2 ft. Clumps 2-3 ft. Clumps 2-3 ft. Clumps 4-2 ft. Clumps 4-3 ft. Clumps 4-3 ft. Clumps 4-4 ft. Clumps 4-5 ft. Clumps 4-6 ft. Clumps 4-7 ft. Cl	.60 .75 .0 ft. Ye tt, larger f .75 April-May flowers ir s 2.00 . May-Jur ight greer r shiny fru .50 enish. July on-panicle cilliant sea .30 .50	downsh-gree ruit than C 4.50 6.75 6.75 7. 18.00 27.00 18. 00 18. 00 19. 14.50 7-August 1 fruit; darlrlets in Autur 2.70 4.50	39.00 Spring. Plant d conspicuous n and Winter. k green glossy umn. 21.00 39.00
3-4 ft. 4-6 ft. dahurica, Dahurian Buckthorn. 20-3 Large spreading shrub or tree to 30 fee Buckthorn. 2-3 ft. RHODORA canadensis. Rhodora. 2-3 ft. Really an Azalea with gorgeous purple in acid soil. 1-2 ft. Clumps 2-3 ft. Clumps 2-3 ft. Clumps RHODOTYPOS kerrioides. Jetbead. 3-5 ft Handsome and distinct shrub with br white flowers in Spring and remarkably 12-18 in. RHUS, Sumac. copallina, Shining Sumac. 5-30 ft. Gre Shrub usually quite dwarf with crimss foliage; is very handsome and colors br 6-12 in. 1-2 ft. cotinus, Common Smoketree. 5-15 ft. Shrub greatly admired for its masses of	.60 .75 .75 .76 .77 .77 .77 .77 .77 .77 .77 .77 .77	downsh-gree ruit than C 4.50 6.75 6.75 7. 18.00 27.00 18. 00 18. 00 19. 14.50 7-August 1 fruit; darlrlets in Autur 2.70 4.50	39.00 Spring. Plant d conspicuous n and Winter. k green glossy umn. 21.00 39.00
3-4 ft. 4-6 ft. dahurica, Dahurian Buckthorn. 20-3 Large spreading shrub or tree to 30 fee Buckthorn. 1-2 ft. 2-3 ft. RHODORA canadensis. Rhodora. 2-3 ft. Really an Azalea with gorgeous purple in acid soil. 1-2 ft. Clumps RHODOTYPOS kerrioides. Jetbead. 3-5 ft. Handsome and distinct shrub with browhite flowers in Spring and remarkably 12-18 in. RHUS, Sumac. copallina, Shining Sumac. 5-30 ft. Gree Shrub usually quite dwarf with crimss foliage; is very handsome and colors brown 6-12 in. 1-2 ft. cotinus, Common Smoketree. 5-15 ft. Shrub greatly admired for its masses of yellow and purple Autumn tints of the	.60 .75 .75 .76 .77 .77 .77 .78 .79 .79 .79 .79 .79 .79 .79 .79 .79 .79	16.75 Illowish-gree ruit than C 4.50 6.75 A very early 18.00 27.00 In foliage an it in Autum 4.50 7-August. I fruit; darlrlets in Aut 2.70 4.50 Imple fruiting	39.00 Spring. Plant d conspicuous n and Winter. k green glossy umn. 21.00 39.00
3-4 ft. 4-6 ft. dahurica, Dahurian Buckthorn. 20-3 Large spreading shrub or tree to 30 fee Buckthorn. 1-2 ft. 2-3 ft. RHODORA canadensis. Rhodora. 2-3 ft. Really an Azalea with gorgeous purple in acid soil. 1-2 ft. Clumps 2-3 ft. Clumps 2-3 ft. Clumps 2-3 ft. Clumps RHODOTYPOS kerrioides. Jetbead. 3-5 ft Handsome and distinct shrub with bread with gorgeous purples. RHUS, Sumac. 12-18 in. RHUS, Sumac. copallina, Shining Sumac. 5-30 ft. Gree Shrub usually quite dwarf with crimss foliage; is very handsome and colors bread foliage.	.60 .75 .0 ft. Ye tt, larger f .75 April-May flowers ir s 2.00 s 3.00 . May-Jur ight greer r shiny fru .50 enish. July on-panicle rilliant sca .30 .50 of filmy pu leaves. 1.50	18.00 a. very early 18.00 a. very early 18.00 a. very early 18.00 a. foliage an it in Autum 4.50 a. August. 1 fruit; darlrlets in Autum 2.70 4.50 arple fruitin, 13.50	39.00 Spring. Plant d conspicuous n and Winter. k green glossy umn. 21.00 39.00
3-4 ft. 4-6 ft. dahurica, Dahurian Buckthorn. 20-3 Large spreading shrub or tree to 30 fee Buckthorn. 2-3 ft. RHODORA canadensis. Rhodora. 2-3 ft. Really an Azalea with gorgeous purple in acid soil. 1-2 ft. Clumps 2-3 ft. Clumps 2-3 ft. Clumps RHODOTYPOS kerrioides. Jetbead. 3-5 ft Handsome and distinct shrub with br white flowers in Spring and remarkably 12-18 in. RHUS, Sumac. copallina, Shining Sumac. 5-30 ft. Gree Shrub usually quite dwarf with crimss foliage; is very handsome and colors br 6-12 in. 1-2 ft. cotinus, Common Smoketree. 5-15 ft. Shrub greatly admired for its masses yellow and purple Autumn tints of the glabra, Smooth Sumac. 4-15 ft. Greenis	.60 .75 .75 .76 .77 .77 .77 .78 .79 .79 .79 .79 .79 .79 .79 .79 .79 .79	18.00 a. 18.	39.00 Spring. Plant d conspicuous n and Winter. k green glossy umn. 21.00 39.00
3-4 ft. 4-6 ft. dahurica, Dahurian Buckthorn. 20-3 Large spreading shrub or tree to 30 fee Buckthorn. 2-3 ft. Property of the street of the st	.60 .75 .0 ft. Ye tt, larger f .75 .75 .75 .75 .75 .75 .75 .75 .75 .75	6.75 10 wish-gree ruit than C 4.50 6.75 1 very early 18.00 27.00 10 it in Autum 4.50 7-August 1 fruit; darlrlets 1 nut; darlrlets 1 nut; 1 nut	39.00 Spring. Plant d conspicuous n and Winter. k green glossy umn. 21.00 39.00 g panicles and
3-4 ft. 4-6 ft. dahurica, Dahurian Buckthorn. 20-3 Large spreading shrub or tree to 30 fee Buckthorn. 1-2 ft. RHODORA canadensis. Rhodora. 2-3 ft. Really an Azalea with gorgeous purple in acid soil. 1-2 ft. Clumps 2-3 ft. Clumps 2-3 ft. Clumps RHODOTYPOS kerrioides. Jetbead. 3-5 ft Handsome and distinct shrub with br white flowers in Spring and remarkably RHUS, Sumac. copallina, Shining Sumac. 5-30 ft. Gree Shrub usually quite dwarf with crimss foliage; is very handsome and colors br 6-12 in. 1-2 ft. cotinus, Common Smoketree. 5-15 ft. Shrub greatly admired for its masses c yellow and purple Autumn tints of the glabra, Smooth Sumac. 4-15 ft. Greenis Very handsome with its deeply and fine 1-2 ft. 2-3 ft.	.60 .75 .75 .76 .77 .77 .77 .78 .79 .79 .79 .79 .79 .79 .79 .79 .79 .79	6.75 Illowish-gree ruit than C 4.50 6.75 4 very early 18.00 27.00 te. a foliage an it in Autum 4.50 7-August. d fruit; darl rlets in Aut 2.70 4.50 trple fruitin gust. 7es. 3.60 5.40	39.00 Spring. Plant d conspicuous n and Winter. k green glossy umn. 21.00 39.00 g panicles and
3-4 ft. 4-6 ft. dahurica, Dahurian Buckthorn. 20-3 Large spreading shrub or tree to 30 fee Buckthorn. 2-3 ft. Property of the street of the st	.60 .75 .0 ft. Ye tt, larger f .75 .75 .75 .75 .75 .75 .75 .75 .75 .75	6.75 10 wish-gree ruit than C 4.50 6.75 1 very early 18.00 27.00 10 it in Autum 4.50 7-August 1 fruit; darlrlets 1 nut; darlrlets 1 nut; 1 nut	39.00 Spring. Plant d conspicuous n and Winter. k green glossy umn. 21.00 39.00 g panicles and

RHUS, Continued Each 10 typhina, Staghorn Sumac. 6-30 ft. Greenish. June-July. Vigorous shrub with showy pinnate leaves and crimson fruit clu	100 sters. Au-
tumn coloring is yellow and purple. 2-4 ft60 5.40	48.00
4-6 ft75 6.75	10.00
ROBINIA, Locust. hispida, Roseacacia. 1-3 ft. May-June. Shrub with bristly branches and bright rose-colored flowers. 1-2 ft35 3.00	
kelseyi, Kelsey Locust. 4-8 ft. May-June. Very handsome and graceful with brilliant rose-colored flowers a fruits. From 4 in. pots 1.00 9.00 ROSA, Rose.	nd purple
acicularis, Prickly Rose. 3 ft. May-June. Low species with solitary deep-rose single flowers, 2 inches across	, fragrant.
6-12 in40 3.60 1-2 ft60 5.40	$\frac{33.00}{48.00}$
blanda, Meadow Rose. 3-5 ft. May-June. Slender low shrub with delicate pink flowers 2-2½ inches across. 6-12 in 40 3.60	33.00
1-2 ft60 5.40	48.00
canina, Dogbrier. 5-10 ft. June.	
Orange-red or scarlet fruits; single light pink flowers.	
2-3 ft40 3.60 3-4 ft60 5.40	
Greville. (Hybrid Multiflora.) 1-2 ft75 6.75	
hugonis, Hugonis Rose, 6 ft. May-June.	
Brilliant yellow flowers, 2½ inches across; very handsome free Rose; perfectly hardy and one of the best of Yellows.	-flowering
Rose; perfectly hardy and one of the best of Yellows. 6-12 in. 50 4.50	39.00
1-2 ft75 6.75	60.00
humilis, Pasture Rose. 1-3 ft. June.	00.00
Dwarf variety with large single dainty pink flowers.	
6-12 in50 4.50 Jupiter.	39.00
A variety of the Scotch Rose. 1-2 ft75 6.75	
2-3 ft. 1.00 9.00	
Katharina Zeimet. (Dwarf Polyantha.) Double white flowers; of the Baby Rambler group. Strong .60 5.40	
lucida, Virginia Rose. 2-4 ft. June-July.	
A dwarf form adapted for borders or shrubberies; handsome is with its shining foliage and bright pink flowers. 6-12 in35 3.00	Summer 27.00
1-2 ft50 4 .50	39.00
Mme. Plantier. Small pure white flowers in greatest profusion. A large bush Rose Strong 1.00 9.00	
multiflora, Japanese Rose. 3-8 ft. June. Shrub with recurving or climbing branches. Small white flowers	in masses.
A good permanent border shrub. 3-4 ft	33.00
Branches covered with numerous reddish bristles, fine single redd	ish flowers
1-2 inches across. 6-12 in40 3.60	33.00
1-2 ft60 5.40	48.00
pendulina, Pyrenees Rose. 3-6 ft. Rose or purple single flowers and conspicuous large fruit. 2-3 ft. 1.00 9.00	
rubiginosa, Sweetbrier. 4-8 ft. June. An old-fashioned dense shrub with large bright pink flowers a scarlet cups. Very aromatic bright green foliage.	nd showy
6-12 in40 3.60	33.00
1-2 ft60 5.40	48.00
rugosa, Rugosa Rose. 6 ft. May-September. Upright shrub with large single purple flowers and brilliant, large fruit. Good hedge plant if kept cut back.	brick-red
6-12 in. $.30 2.70$	$\frac{21.00}{20.00}$
12-18 in 50 4 . 50	39.00
rugosa alba, White Rugosa Rose. Pure white flowers. 6-12 in. .50 4.50 1-2 ft. .75 6.75	$\frac{39.00}{60.00}$

ROSA, Continued	Each	10	100
rugosa hybrids. A group of very fine har			
shrubbery plantings. Strong No. 1	rdy roses ver .75	6.75	ior general
Blanc Double de Coubert. No. 1.	•••	00	
Paper white semi-double flowers.			
Conrad Ferdinand Meyer. No. 1.			
Deliciously fragrant, clear silvery	pink. Free-fle	owering and	d double.
F. J. Grootendorst. Blooms all summer. Small bright r	ed flowers in	orgo elusto	no Fine for
hedges.	ed nowers in	arge cruste	is. Fine for
Hansa. No. 1.			
Large double red flowers.			
New Century. No. 1.			
Reddish carmine, double. Nova Zembla. No. 1.			
Double, pure white and free-flow	aring		
Rose a Parfum de l'Hay. No. 1.	cring.		
Double dark crimson, shaded car	mine, very fr	agrant. Ver	ry hardy.
Roseraie de l'Hay. No. 1.			
Dark red, double fragrant, very	igorous and	hardy.	
Sir Thomas Lipton. No. 1.	20		
Pure white, double and long sten setigera, Prairie Rose. 6-10 ft. June-July.	15.		
Attains a hight of 6 feet or more, flowers	deep rose, sir	gle.	
6-12 in. 2-3 ft.	.40	3.60	33.00
2-3 ft.	.60	$\substack{5.40 \\ 6.75}$	48.00
3-4 ft.	.75	6.75	60.00
spinosissima, Scotch Rose. 3-4 ft. May- Branches covered with bristles; numerous	June. Realitery flow	ore nenelly	fine wellows
one of the best single varieties.	sontary now	ers usuarry	nne yenow,
6-12 in.	.40	3.60	33.00
1-2 ft.	. 75	6.75	60.00
White Virginia Rose (virginiana alba). 2-4			
Dwarf form with green stems and white		6 75	60.00
1-2 ft. 2-3 ft.	$\substack{.75\\1.25}$	6.75	60.00
For CLIMBING ROSES see under CLIMBER	lS.		
RUBUS lacinatus, Cutleaf Blackberry. Wh Very ornamental cut-leaved foliage. Goo beries. Prostrate vine. 2-3 ft.	ite or blush. J	une-July.	
Very ornamental cut-leaved foliage. Goo	od for <u>ro</u> ck b	anks and	wild shrub-
beries. Prostrate vine. 2-3 ft.	. 10	6.75	
odoratus, Flowering Raspberry. 3-6 ft. F One of the best undershrubs especially fo	r moist locati	ons Very	rnamental
1-2 ft.	. 50	4.50	mamentai.
1-2 ft. 2-3 ft.	.50 .75	$\frac{4.50}{6.75}$	mamentai.
1-2 ft. 2-3 ft.	. 50	4.50	mamental.
SALIX, Willow. 2-3 ft. salba, White Willow. 50-75 ft. April.	. 50 . 75	4.50	namental.
SALIX, Willow. 2-3 ft. SALIX, Willow. alba, White Willow. 50-75 ft. April. One of the most satisfactory of the larger	. 50 . 75 r willows.	$\frac{4.50}{6.75}$	
1-2 ft. 2-3 ft. SALIX, Willow. alba, White Willow. 50-75 ft. April. One of the most satisfactory of the large: 2-3 ft. 3-4 ft	.50 .75 r willows. .40	4.50 6.75	33.00
1-2 ft. 2-3 ft. SALIX, Willow. alba, White Willow. 50-75 ft. April. One of the most satisfactory of the large: 2-3 ft. 3-4 ft	.50 .75 r willows. .40	$\frac{4.50}{6.75}$	
SALIX, Willow. alba, White Willow. 50-75 ft. April. One of the most satisfactory of the larger 2-3 ft. 3-4 ft. babylonica, Babylon Weeping Willow. 50-8 ft. 6-8 ft. 6-8 ft.	.50 .75 r willows. .40	4.50 6.75	33.00
SALIX, Willow. alba, White Willow. 50-75 ft. April. One of the most satisfactory of the larger 2-3 ft. 3-4 ft. babylonica, Babylon Weeping Willow. 3 The best Weeping Willow. 6-8 ft. caprea, Goat Willow. 12-25 ft.	.50 .75 r willows. .40	4.50 6.75 3.60 5.40	33.00
SALIX, Willow. alba, White Willow. 50-75 ft. April. One of the most satisfactory of the large: 2-3 ft. 3-4 ft. babylonica, Babylon Weeping Willow. The best Weeping Willow. Caprea, Goat Willow. 12-25 ft. Small tree with large showy catkins.	. 50 . 75 r willows. . 40 . 60 30-40 ft. 1.00	4.50 6.75 3.60 5.40 9.00	33.00 48.00
SALIX, Willow. alba, White Willow. 50-75 ft. April. One of the most satisfactory of the large: 2-3 ft. 3-4 ft. babylonica, Babylon Weeping Willow. The best Weeping Willow. Caprea, Goat Willow. 12-25 ft. Small tree with large showy catkins. 2-4 ft. 4-6 ft.	.50 .75 r willows. .40 .60 30-40 ft. 1.00	4.50 6.75 3.60 5.40 9.00	33.00
SALIX, Willow. alba, White Willow. 50-75 ft. April. One of the most satisfactory of the larger 2-3 ft. 3-4 ft. babylonica, Babylon Weeping Willow. The best Weeping Willow. Caprea, Goat Willow. 12-25 ft. Small tree with large showy catkins. 2-4 ft. 4-6 ft. 8-10 ft.	.50 .75 r willows. .40 .60 30-40 ft. 1.00 1.00	4.50 6.75 3.60 5.40 9.00	33.00 48.00
SALIX, Willow. alba, White Willow. 50-75 ft. April. One of the most satisfactory of the larger 2-3 ft. 3-4 ft. babylonica, Babylon Weeping Willow. 6-8 ft. caprea, Goat Willow. 12-25 ft. Small tree with large showy catkins. 2-4 ft. 4-6 ft. 8-10 ft. elegantissima, Thurlow Weeping Willow.	.50 .75 r willows. .40 .60 30-40 ft. 1.00 1.50 w. 60-70 ft.	4.50 6.75 3.60 5.40 9.00 5.40 9.00 13.50	33.00 48.00
1-2 ft. 2-3 ft. SALIX, Willow. alba, White Willow. 50-75 ft. April. One of the most satisfactory of the large: 2-3 ft. 3-4 ft. babylonica, Babylon Weeping Willow. The best Weeping Willow. 6-8 ft. caprea, Goat Willow. 12-25 ft. Small tree with large showy catkins. 2-4 ft. 4-6 ft. 8-10 ft. elegantissima, Thurlow Weeping Willow. Rapid-growing weeper, but with very br	.50 .75 r willows. .40 .60 30-40 ft. 1.00 .60 1.50 w. 60-70 ft. rittle branchle	4.50 6.75 3.60 5.40 9.00 5.40 9.00 13.50	33.00 48.00
1-2 ft. 2-3 ft. SALIX, Willow. alba, White Willow. 50-75 ft. April. One of the most satisfactory of the larger 2-3 ft. 3-4 ft. babylonica, Babylon Weeping Willow. The best Weeping Willow. Caprea, Goat Willow. 12-25 ft. Small tree with large showy catkins. 2-4 ft. 4-6 ft. 8-10 ft. elegantissima, Thurlow Weeping Willow Rapid-growing weeper, but with very bt. 4-6 ft.	.50 .75 r willows. .40 .60 30-40 ft. 1.00 1.50 w. 60-70 ft. rittle branchle	4.50 6.75 3.60 5.40 9.00 5.40 9.00 13.50	33.00 48.00 48.00
1-2 ft. 2-3 ft. SALIX, Willow. alba, White Willow. 50-75 ft. April. One of the most satisfactory of the larger 2-3 ft. 3-4 ft. babylonica, Babylon Weeping Willow. 6-8 ft. caprea, Goat Willow. 12-25 ft. Small tree with large showy catkins. 2-4 ft. 4-6 ft. 8-10 ft. elegantissima, Thurlow Weeping Willow Rapid-growing weeper, but with very by 4-6 ft. 6-8 ft. 6-8 ft.	.50 .75 r willows. .40 .60 30-40 ft. 1.00 1.50 w. 60-70 ft. cittle branchle .50	4.50 6.75 3.60 5.40 9.00 13.50 ets, 4.50 6.75	33.00 48.00 48.00
1-2 ft. 2-3 ft. SALIX, Willow. alba, White Willow. 50-75 ft. April. One of the most satisfactory of the larger 2-3 ft. 3-4 ft. babylonica, Babylon Weeping Willow. The best Weeping Willow. Caprea, Goat Willow. 12-25 ft. Small tree with large showy catkins. 2-4 ft. 4-6 ft. 8-10 ft. elegantissima, Thurlow Weeping Willow Rapid-growing weeper, but with very bt. 4-6 ft.	.50 .75 r willows. .40 .60 30-40 ft. 1.00 1.50 w. 60-70 ft. rittle branchle	4.50 6.75 3.60 5.40 9.00 5.40 9.00 13.50	33.00 48.00 48.00
1-2 ft. 2-3 ft. SALIX, Willow. alba, White Willow. 50-75 ft. April. One of the most satisfactory of the large: 2-3 ft. 3-4 ft. babylonica, Babylon Weeping Willow. The best Weeping Willow. 6-8 ft. caprea, Goat Willow. 12-25 ft. Small tree with large showy catkins. 2-4 ft. 4-6 ft. 8-10 ft. elegantissima, Thurlow Weeping Willow. Rapid-growing weeper, but with very br 4-6 ft. 6-8 ft. 6-8 ft. pentandra, Laurel Willow. 50-60 ft. This species has conspicuous lustrous de	.50 .75 r willows. .40 .60 30-40 ft. 1.00 1.50 w. 60-70 ft. rittle branchle .50 .75 1.25	4.50 6.75 3.60 5.40 9.00 5.40 9.00 13.50 ets, 4.50 6.75 11.25 res. Nearly	33.00 48.00 48.00 39.00 60.00 all willows
SALIX, Willow. alba, White Willow. 50-75 ft. April. One of the most satisfactory of the large: 2-3 ft. 3-4 ft. babylonica, Babylon Weeping Willow. The best Weeping Willow. 6-8 ft. caprea, Goat Willow. 12-25 ft. Small tree with large showy catkins. 2-4 ft. 4-6 ft. 8-10 ft. elegantissima, Thurlow Weeping Willow Rapid-growing weeper, but with very by 4-6 ft. 6-8 ft. 8-10 ft. pentandra, Laurel Willow. 50-60 ft. This species has conspicuous lustrous da make suitable hedge plants. 1-2 ft.	.50 .75 r willows. .40 .60 30-40 ft. 1.00 1.50 w. 60-70 ft. rittle branchle .50 .75 1.25 ark green leav	4.50 6.75 3.60 5.40 9.00 5.40 9.00 13.50 ets, 4.50 6.75 11.25 ves. Nearly 2.25	33.00 48.00 48.00 39.00 60.00
SALIX, Willow. alba, White Willow. 50-75 ft. April. One of the most satisfactory of the larger 2-3 ft. 3-4 ft. babylonica, Babylon Weeping Willow. 5-8 ft. caprea, Goat Willow. 12-25 ft. Small tree with large showy catkins. 2-4 ft. 4-6 ft. 8-10 ft. elegantissima, Thurlow Weeping Willow Rapid-growing weeper, but with very br 4-6 ft. 6-8 ft. 5-10 ft. pentandra, Laurel Willow. 50-60 ft. This species has conspicuous lustrous de make suitable hedge plants. 1-2 ft. 2-3 ft.	.50 .75 r willows. .40 .60 30-40 ft. 1.00 1.50 w. 60-70 ft. rittle branchle .50 .75 1.25	4.50 6.75 3.60 5.40 9.00 5.40 9.00 13.50 ets, 4.50 6.75 11.25 res. Nearly	33.00 48.00 48.00 39.00 60.00 all willows
SALIX, Willow. alba, White Willow. 50-75 ft. April. One of the most satisfactory of the large: 2-3 ft. 3-4 ft. babylonica, Babylon Weeping Willow. The best Weeping Willow. 6-8 ft. caprea, Goat Willow. 12-25 ft. Small tree with large showy catkins. 2-4 ft. 4-6 ft. 8-10 ft. elegantissima, Thurlow Weeping Willo Rapid-growing weeper, but with very by 4-6 ft. 6-8 ft. 8-10 ft. pentandra, Laurel Willow. 50-60 ft. This species has conspicuous lustrous de make suitable hedge plants. 1-2 ft. SAMBUCUS, Elder.	.50 .75 r willows. .40 .60 30-40 ft. 1.00 1.50 w. 60-70 ft. rittle branchle .50 .75 1.25 ark green leav	4.50 6.75 3.60 5.40 9.00 5.40 9.00 13.50 ets, 4.50 6.75 11.25 ves. Nearly 2.25	33.00 48.00 48.00 39.00 60.00 all willows
SALIX, Willow. alba, White Willow. 50-75 ft. April. One of the most satisfactory of the large: 2-3 ft. 3-4 ft. babylonica, Babylon Weeping Willow. The best Weeping Willow. Small tree with large showy catkins. 2-4 ft. 4-6 ft. 4-6 ft. 8-10 ft. 6-8 ft. 8-10 ft. 6-8 ft. 8-10 ft. 1-2 ft. Pentandra, Laurel Willow. 50-60 ft. This species has conspicuous lustrous de make suitable hedge plants. 1-2 ft. 2-3 ft. SAMBUCUS, Elder. canadensis, American Elder. 8-12 ft.	.50 .75 r willows. .40 .60 30-40 ft. 1.00 1.50 w. 60-70 ft. cittle branchle .50 .75 1.25 ark green leav .25 .40	4.50 6.75 3.60 5.40 9.00 5.40 9.00 13.50 ets, 4.50 6.75 11.25 ves. Nearly 2.25 3.60	33.00 48.00 48.00 39.00 60.00 all willows
SALIX, Willow. alba, White Willow. 50-75 ft. April. One of the most satisfactory of the large: 2-3 ft. 3-4 ft. babylonica, Babylon Weeping Willow. The best Weeping Willow. 6-8 ft. caprea, Goat Willow. 12-25 ft. Small tree with large showy catkins. 2-4 ft. 4-6 ft. 8-10 ft. elegantissima, Thurlow Weeping Willow Rapid-growing weeper, but with very br 4-6 ft. 6-8 ft. 8-10 ft. pentandra, Laurel Willow. 50-60 ft. This species has conspicuous lustrous de make suitable hedge plants. 1-2 ft. 2-3 ft. SAMBUCUS, Elder. canadensis, American Elder. 8-12 ft. Cymes of white flowers 10 inches across i	.50 .75 r willows. .40 .60 30-40 ft. 1.00 1.50 w. 60-70 ft. cittle branchle .50 .75 1.25 ark green leav .25 .40	4.50 6.75 3.60 5.40 9.00 5.40 9.00 13.50 ets, 4.50 6.75 11.25 ves. Nearly 2.25 3.60	33.00 48.00 48.00 39.00 60.00 all willows 21.00
SALIX, Willow. alba, White Willow. 50-75 ft. April. One of the most satisfactory of the large: 2-3 ft. 3-4 ft. babylonica, Babylon Weeping Willow. The best Weeping Willow. 6-8 ft. caprea, Goat Willow. 12-25 ft. Small tree with large showy catkins. 2-4 ft. 4-6 ft. 8-10 ft. elegantissima, Thurlow Weeping Willow Rapid-growing weeper, but with very br 6-8 ft. 8-10 ft. 6-8 ft. 8-10 ft. 1-2 ft. 2-3 ft. SAMBUCUS, Elder. canadensis, American Elder. 8-12 ft. Cymes of white flowers 10 inches across i 1-2 ft. 2-3 ft.	.50 .75 r willows. .40 .60 30-40 ft. 1.00 1.50 w. 60-70 ft. cittle branchle .50 .75 1.25 ark green leav .25 .40	4.50 6.75 3.60 5.40 9.00 5.40 9.00 13.50 ets, 4.50 6.75 11.25 ves. Nearly 2.25 3.60 y. 4.50 5.40	33.00 48.00 48.00 39.00 60.00 all willows 21.00
SALIX, Willow. alba, White Willow. 50-75 ft. April. One of the most satisfactory of the large: 2-3 ft. 3-4 ft. babylonica, Babylon Weeping Willow. The best Weeping Willow. 6-8 ft. caprea, Goat Willow. 12-25 ft. Small tree with large showy catkins. 2-4 ft. 4-6 ft. 8-10 ft. elegantissima, Thurlow Weeping Willow. Rapid-growing weeper, but with very br 4-6 ft. 6-8 ft. 8-10 ft. pentandra, Laurel Willow. 50-60 ft. This species has conspicuous lustrous de make suitable hedge plants. 1-2 ft. 2-3 ft. SAMBUCUS, Elder. canadensis, American Elder. 8-12 ft. Cymes of white flowers 10 inches across i 1-2 ft. 2-3 ft. 3-4 ft.	.50 .75 r willows. .40 .60 30-40 ft. 1.00 1.50 w. 60-70 ft. rittle branchle .50 .75 1.25 ark green leav .25 .40 n June or Jul. .50 .60	4.50 6.75 3.60 5.40 9.00 5.40 9.00 13.50 ets, 4.50 6.75 11.25 ves. Nearly 2.25 3.60 y.	33.00 48.00 48.00 39.00 60.00 all willows 21.00
SALIX, Willow. alba, White Willow. 50-75 ft. April. One of the most satisfactory of the large: 2-3 ft. 3-4 ft. babylonica, Babylon Weeping Willow. The best Weeping Willow. 6-8 ft. caprea, Goat Willow. 12-25 ft. Small tree with large showy catkins. 2-4 ft. 4-6 ft. 8-10 ft. elegantissima, Thurlow Weeping Willow Rapid-growing weeper, but with very by 4-6 ft. 6-8 ft. 8-10 ft. pentandra, Laurel Willow. 50-60 ft. This species has conspicuous lustrous da make suitable hedge plants. 1-2 ft. 2-3 ft. SAMBUCUS, Elder. canadensis, American Elder. 8-12 ft. Cymes of white flowers 10 inches across i 1-2 ft. 2-3 ft. 3-4 ft. racemosa, European Red Elder. 6-12 ft.	.50 .75 r willows. .40 .60 30-40 ft. 1.00 1.50 w. 60-70 ft. rittle branchle .50 .75 1.25 ark green leav .25 .40 n June or Jul. .60 1.00 April-May.	4.50 6.75 3.60 5.40 9.00 5.40 9.00 13.50 ets, 4.50 6.75 11.25 ves. Nearly 2.25 3.60 y.	33.00 48.00 48.00 39.00 60.00 all willows 21.00
SALIX, Willow. alba, White Willow. 50-75 ft. April. One of the most satisfactory of the large: 2-3 ft. 3-4 ft. babylonica, Babylon Weeping Willow. The best Weeping Willow. 6-8 ft. caprea, Goat Willow. 12-25 ft. Small tree with large showy catkins. 2-4 ft. 4-6 ft. 8-10 ft. elegantissima, Thurlow Weeping Willow Rapid-growing weeper, but with very br 4-6 ft. 6-8 ft. 8-10 ft. pentandra, Laurel Willow. 50-60 ft. This species has conspicuous lustrous de make suitable hedge plants. 1-2 ft. 2-3 ft. Cymes of white flowers 10 inches across i 1-2 ft. 2-3 ft. 3-4 ft. racemosa, European Red Elder. 6-12 ft. Very attractive with its panicles of y	.50 .75 r willows. .40 .60 30-40 ft. 1.00 1.50 w. 60-70 ft. ittle branchle .50 .75 1.25 ark green leav .25 .40 n June or Jul. .50 .60 1.00 April-May.	4.50 6.75 3.60 5.40 9.00 13.50 ets, 4.50 6.75 11.25 ves. Nearly 2.25 3.60 y. 4.50 9.00	33.00 48.00 48.00 39.00 60.00 all willows 21.00
SALIX, Willow. alba, White Willow. 50-75 ft. April. One of the most satisfactory of the large: 2-3 ft. 3-4 ft. babylonica, Babylon Weeping Willow. The best Weeping Willow. 6-8 ft. caprea, Goat Willow. 12-25 ft. Small tree with large showy catkins. 2-4 ft. 4-6 ft. 8-10 ft. elegantissima, Thurlow Weeping Willow Rapid-growing weeper, but with very by 4-6 ft. 6-8 ft. 8-10 ft. pentandra, Laurel Willow. 50-60 ft. This species has conspicuous lustrous da make suitable hedge plants. 1-2 ft. 2-3 ft. SAMBUCUS, Elder. canadensis, American Elder. 8-12 ft. Cymes of white flowers 10 inches across i 1-2 ft. 2-3 ft. 3-4 ft. racemosa, European Red Elder. 6-12 ft.	.50 .75 r willows. .40 .60 30-40 ft. 1.00 1.50 w. 60-70 ft. rittle branchle .50 .75 1.25 ark green leav .25 .40 n June or Jul. .60 1.00 April-May.	4.50 6.75 3.60 5.40 9.00 5.40 9.00 13.50 ets, 4.50 6.75 11.25 ves. Nearly 2.25 3.60 y.	33.00 48.00 48.00 39.00 60.00 all willows 21.00

SORBUS, Mountainash. americana, American Mountaina	e h 15-30	Each	10	100
Brilliant bright red fruit in large of our most beautiful small trees.	clusters	hanging l	ate in the s	season. One
2	2-3 ft. 3-4 ft.	$\frac{.50}{.75}$	$\substack{4.50\\6.75}$	$\frac{36.00}{51.00}$
4	l-5 ft.	1.00	9.00	75.00
aucuparia, European Mountainas Larger fruit than American Moun	s h. 20-65 t tainash. le	ft. White. eaves not s	May-June. so finely ser	rate.
2	2-3 ft.	. 50	4.50	39.00
	3-4 ft. I-5 ft.	$\substack{.75\\1.00}$	$\substack{6.75\\9.00}$	$\frac{51.00}{75.00}$
	5-6 ft.	1.50	13.50	120.00
8-	5-8 ft. 10 ft.	$\frac{2.00}{2.50}$	$\substack{18.00 \\ 22.50}$	162.00
10- commixta, Japanese Mountainas	12 ft. h. 30 ft	3.00	27.00	
A handsome tree with smaller lea	ves than t			ainash.
	5-6 ft. 3-8 ft.	$\frac{2.00}{3.00}$	$\frac{18.00}{27.00}$	
mougeoti. 20-65 ft. Small-leaved species with bright r	ed edible	fruit		
	l-2 ft.	.75	6.75	
SPIRAEA, Spirea.	2-3 ft.	1.00	9.00	
Anthony Waterer. 2-4 ft.				
Low shrub, very free-flowering, b	orignt erin l-2 ft.	nson. . 60	5.40	48.00
billiardi, Billiard Spirea. 5-7 ft.	2-3 ft.	.75	6.75	
An old variety, bright rose.	-4 ft.	.75	6.75	
bumalda, Bumalda Spirea. 2 ft. Flowers deep pink in Mid-summe	July-Augu r and Aut	st. umn and	one of the b	est dwarfs.
2-3 ft. 1		1.25	11.25	
douglasi, Douglas Spirea. 5-7 ft. July-August. Deep rose. japonica ovalifolia, White Japane	-2 ft.	. 50	4.50	39.00
japonica ovalifolia, White Japane White flowers.	ese Spirez l-2 ft.	1. 3-4 ft. .60	5.40	
2	2-3 ft.	1.00	9.00	
prunifolia plena, Double Bridalw Small very double white flowers	clustered	along the	stem givin	ng an effect
of long garlands. sargentiana. 4-6 ft. June.	3-4 ft.	1.00	9.00	
A graceful shrub with slender spr	eading bra	anches. Fl	owers crear	ny-white in
dense corymbs. A new W. China	2-3 ft.	1.50	13.50	
thunbergi, Thunberg Spirea. 3-4 Low shrub with slender arching by	it. Pure v	Vhite. Apr	ril-May. a feathery b	right green
foliage. Very showy in flowers but	apparentl	\mathbf{y} not long	g-lived.	
	l-2 ft. 2-3 ft.	. 50 . 80	$\frac{4.50}{7.20}$	$\frac{39.00}{63.00}$
tomentosa, Hardhack. 3 ft. July-S A thick dwarf native shrub with b			ine for dam	n locations
2	2-3 ft.	.50	4.50	39.00
trichocarpa. 4-6 ft. Handsome species from Korea int	roduced b	y Arnold	Arboretum	. Abundant
large white flowers in umbel-like r	acemes. 12 in.	.75	6.75	
1	-2 ft.	2.00	18.00	
vanhouttei, Vanhoutte Spirea. 4-		na Sniros	attainina	6 foot and
One of the most beautiful of ear quite hardy. A mass of white flow	ers in May	y or June.		
	l-2 ft. 2-3 ft.	. 40 . 50	$\frac{3.60}{4.50}$	$33.00 \\ 39.00$
8	3-4 ft.	.75	6.75	00100
veitchi, Veitch Spirea. 4-10 ft. A handsome shrub covered with v		ers in Jun	e and July.	
2	2-3 ft. 3-4 ft.	$\frac{1.50}{2.00}$	$13.50 \\ 18.00$	
SYMPHORICARPOS, Snowberry.		2.00	10.00	
chenaulti. A lovely hybrid originating in the	Arnold A	rboretum	. The small	fruit is red
with minute pale dots, or one side	whitish wi 12 in.	ith red dot . 50	ts. 4.50	39.00
1	-2 ft.	1.00	9.00	81.00

KELSEY'S HARDY AMERICAN PLANTS

SYMPHORICARPOS, Continued mollis, Spreading Snowberry. J Diffuse shrub of great value for	low planting	Each	10 white fruit.	100
	2-3 ft.	.75	6.75	
racemosus, Common Snowberry Very showy in Autumn and Wi racemes.	y. 3-5 ft. Ju nter with s 1-2 ft.	une-Septem snow-white . 30	ber. fruit in lo 2,70	ng recurved 21.00
racemosus laevigatus, Garden S				
Variety with larger fruit and fr	uit cluster	s.		
	6-12 in.	. 30	2.70	21.00
	1-2 ft.	. 50	4.50	
vulgaris, Coralberry. 3-6 ft. July	. ,			
Shrub with slender branches	covered w	ith purplis	h-red frui	
Winter.	6-12 in. 1-2 ft.	$\begin{array}{c} .25 \\ .40 \end{array}$	$\frac{2.25}{2.60}$	$\frac{21.00}{22.00}$
	2-3 ft.	.60	$\frac{3.60}{5.40}$	$\frac{33.00}{48.00}$
SYMPLOCOS paniculata, Asiatic S				
A beautiful shrub or small tree	conspicuo	us for its b	rilliant tur	quoise fruit
in Autumn.	1-2 ft.	1.50	13.50	quoibe iruit
SYRINGA, Lilac.				
We offer a fine collection of the	e better hy	brids. The	hybrids ar	e marked x
fair, xx good, xxx very good, xxx				C. Wistar's
check list. Those not marked he	considers	of ordinary	value.	
Alphonse Lavallee.	0.944	1 50	19.50	
Bluish-lilac, double.	2-3 ft.	1.50	13.50	
Semi-double, clear mauve. x. 1	8-24 in	1.25	11.25	
Charles Joly.	0 21 111.	1.20	11.20	
Double, dark violet-purple, silv	erv reverse	. x.	σ	
1	8-24 in.	1.00	9.00	
	2-3 ft.	1.50	13.50	
Charles the Tenth.				
Dark lilac-red, single. x.	1-2 ft.	1.25	11.25	
shimomoio Chimoso Lilaa 9 10 ft	2-3 ft.	1.75	15.75	
chinensis, Chinese Lilac. 8-10 ft. Flowers usually purple-lilac in l		nanialas		
Flowers usually purple-mac in i	1-2 ft.	.75	6.75	
	2-3 ft.	1.25	11.25	
	3-4 ft.	1.75	15.75	
Claude Bernard.				
Semi-double, bright mauve lilac	. X.			
	1-2 ft.	$\frac{1.25}{7.5}$	11.25	
De Jussieu.	2-3 ft.	1.75	15.75	
Double,	1-2 ft.	1.50	13.50	
Bousie,	2-3 ft.	$\frac{1.00}{2.00}$ -	18.00	
Desfontaines.				
Double blue. 1	8-24 in.	1.25	11.25	
Emile Gentil.			10.50	
Double, bright cobalt-blue. xxx.	1-2 it.	1.50	13.50	
Georges Bellair. Double red, late. x.	1-2 ft.	1.50	13.50	
Great White (alba grandiflora).	1 2 10.	1.00	10.00	
Fine single variety.	1-2 ft.	1.00	9.00	
	2-3 ft.	1.50		
Hugh Koster.				
Single, reddish-lilac. Very fine.		1.50	19.50	
La aguas Callat	1-2 ft.	1.50	13.50	
Jacques Callot. Single, rosy-pink. xxxx.	1-2 ft.	2.00	18.00	
Jan van Tol.	1 2 10.	2.00	10.00	
Single nurest white free flow	ering with	immense t	russes. A	magnificent
Single, purest white, free flow new variety. japonica, Japanese Tree Lilac. ? Flowers yellowish-white in larg desirable.	1-2 ft.	2.50	22.50	
japonica, Japanese Tree Lilac.	20-30 ft. Ju	ine-July.	,	1 77
Flowers yellowish-white in larg	ge panicles	often 1 for	ot or more	long. Very
destrable.	1-2 ft. 2-3 ft.	1.25	11.25	
	3-4 ft.	$\begin{array}{c} .75 \\ 1.25 \\ 1.75 \end{array}$	15.75	
Jean Mace.	3 110.	1.10	10.10	
Double, large clusters, bluish m	auve. xx.			
, , ,	1-2 ft.	1.50	13.50	
josikaea, Hungarian Lilac. 12-1	5 ft.			
Very valuable as it blooms late	in season. l			100
-	3-4 ft.	1.50	13.50	120.00
	4-5 ft.	2.00	18.00	

SYRINGA, Continued Lamarck.		Each	10	100
Double, rosy-lilac. x. Larmartine.	1-2 ft.	1.25	11.25	
Single, rosy mauve. Large tru	sses. xx. 1-2 ft.	1.50	13.50	
La Tour d' Auvergne. Double purple.	1-2 ft,	1.00	9.00	
Le Printemps. Double pink. x.	1-2 ft.	1.25	11.25	
Ludwig Spaeth. Large panicles of dark red flow	wers. xx.			
	1-2 ft. 2-3 ft. 3-4 ft.	$^{1.25}_{2.00}_{3.00}$	$11.25 \\ 18.00 \\ 27.00$	162.00
Marechal Lannes. Semi-double, bluish violet, inc	dividual flov	vers very la		
Marie Legraye. One of the best single white for	1-2 ft. orms. x.	1.25		
Michel Buchner. Pale lilac, large and very doub	1-2 ft.	1.50	13.50	120.00
	1-2 ft. 2-3 ft.	$\substack{1.25\\2.00}$	$\begin{array}{c} 11.25 \\ 18.00 \end{array}$	
Mirabeau. Single, rosy lavender and ver	y early. xx. 9-18 in.	1.25	11.25	
Mme. Abel Chatenay. Double white, compact panicle Mme. Casimir Perrier.		1.25	11.25	
Double, pure white. A fine va Mme. Lemoine.	riety. Late. 1-2 ft.	x. 1.25	11.25	
Double with very large white Montaigne.	1-2 ft.	1.25	11.25	
Double, pinkish mauve, large Pascal. Single, lilae flowers. x. persica, Persian Lilac. 5-10 ft.	1-2 ft. 1-2 ft.	$\substack{1.50\\1.25}$	$\substack{13.50\\11.25}$	
Slender arching branches. Finches long.	lowers pale 1-2 ft.	-111ac in 100	ose broad :	panicles 3-4
4	2-3 ft. 3-4 ft. 4-5 ft.	$^{1.25}_{1.75}_{2.50}$	$11.25 \\ 15.75 \\ 22.50$	
President Grevy. Double, deep blue with large		2.50	22.50	
Prince de Beauvau.	1-2 ft.	1.25	11.25	
Double blue lilac. Red Marley (<i>Rubra de Marley</i>). Lilac-red, single.	1-2 ft.	1.00	9.00	
Lilac-red, single.	1-2 ft. 2-3 ft.	$\frac{1.00}{1.50}$	$9.00 \\ 13.50$	
Royal Blue. Tournefort.	3-4 ft. 2-3 ft.	$\frac{2.00}{1.00}$	$\frac{18.00}{9.00}$	
Double, very blue lilac.	1-2 ft. 2-3 ft.	$\substack{1.00\\1.50}$	$\begin{smallmatrix} 9.00\\13.50\end{smallmatrix}$	
Vauban. Double, light mauve. x.	18-24 in. 2-3 ft.	$\frac{1.00}{1.50}$	$9.00 \\ 13.50$	
villosa, Late Lilac. 8-12 ft. Pinkish flowers in long broad	panicles in 2-3 ft.	May or Jui	ne. 11.25	
vulgaris, Common Lilac. 6-20 The best known species some flowers in large panicles.		1.75 ning 20 feet .50 .75	15.75 . Lilac-blue 4.50 6.75	or purplish 39.00 60.00
vulgaris alba, Common White Single white and a very vigor	Lilac. 8-30	ft.	00	00.00
,	1-2 ft. 2-3 ft. 3-4 ft.	$\begin{array}{c} .60 \\ 1.00 \\ 1.50 \end{array}$	$5.40 \\ 9.00 \\ 13.50$	$\frac{48.00}{81.00}$

TAMARIX, Tamarix. hispida, Kashgar Tamarix. Augu	ıst; Sept	$\begin{array}{c} { m Each} \\ { m ember.} \end{array}$	10	100
Flowers pink in dense racemes, 2	o mene	o rong in our		les.
	1-2 ft.	. 50	4.50	
m	2-3 ft.	.75	6.75	
TAXODIUM, Baldcypress.	45.1	70 CL 3.5	1 34	
distichum, Common Baldcypre	ss. 45-1	50 ft. Mar	ch-May.	11 1
Light feathery foliage. Pyramida	i nabit.		nentai tree p 9.00	roved nardy
in this vicinity.	2-3 ft. 3-4 ft.	$^{1.00}_{1.50}$	$\frac{9.00}{13.50}$	
TILIA, Linden.	3-4 It.	1.50	13.50	
americana, American Linden. 6	0-125 ft.	July.		
Large tree suitable for avenue				
	1-2 ft.	.40	3.60	33.00
	2-3 ft.	. 60	5.40	48.00
	3-4 ft.	.75	6.75	
*** *****	4-6 ft.	1.50	13.50	
ULMUS, Elm.	20.61			
americana, American Elm. 60-12		r		1
One of the best known America	in trees	for avenue		
	5-6 ft.	.60	$\frac{5.40}{0.00}$	48.00
	6-8 ft. 8-10 ft.	$\substack{1.00 \\ 2.50}$	$\substack{9.00\\22.50}$	$81.00 \\ 204.00$
i	0-10 ft.	$\frac{2.50}{3.50}$	$\frac{22.50}{31.50}$	204.00
Moline. A vase-shaped form useful	for stre	et planting	01.00	
	6-8 ft.	2.50	22.50	
	8-10 ft.	$\frac{1}{3}.50$		
VACCINIUM, Blueberry.				
corymbosum, Highbush Bluebe Fine stock, grown from seed at This is the Blueberry of comme it is one of the finest ornamental	rry. 6-1	0 ft. White	or pinkish.	May.
Fine stock, grown from seed ar	nd cuttir	ngs and tra	nsplanted se	veral times.
This is the Blueberry of comme	rce, but	not the ne	w Coville H	ybrids. Also
it is one of the finest ornamental	ls. A suc	cess comme	rcially only	on acid soils.
1.	2-18 in.	$\frac{.80}{1.00}$	7.20	63.00
Ī.	8-24 in. 2-3 ft.	1.50	$9.00 \\ 13.50$	$81.00 \\ 120.00$
	3-4 ft.	$\frac{1.30}{3.00}$	$\frac{13.30}{27.00}$	120.00
	4-5 ft.	4.00	36.00	
pallidum, Blueridge Blueberry.	3_8 ft			
A very fine variety from the Ca a fine "bloom" when ripe. Fine	rolina N	Iountains.	Large sweet	berries with
a fine "bloom" when ripe. Fine	ornamen	ıtal.	-	
	6-12 in.	. 80	7.20	63.00
	2-18 in.	1.00	9.00	81 00
13	8-24 in.	1.50	13.50	
non-noulronioum Lowbuck Dluc	2-3 ft.	2.00	18.00	Annil Mar
pennsylvanicum, Lowbush Blue One of the best low covers for a	oid soils	making so	did mate of f	, April-May.
cious ornamental fruit and brilli				
clous of namental fruit and offin	3-6 in.	.40	3.60	33.00
stamineum, Deerberry. 3 ft. Ma	v-June.	. 10	0.00	55.00
Very ornamental shrub with lar	ge cluste	rs of droop	ing yellow-w	hite flowers,
followed by green fruit.	1-2 ft.	. 50	4.50	· ·
	2-3 ft.	1.00	9.00	
	3-4 ft.	2.00	18.00	
VIBURNUM, Viburnum.	0 ~ 6			
acerifolium, Mapleleaf Viburnu			desim Autur	
Splendid undershrub, foliage tur	rning ric. 1-2 ft.	n claret sna .60	aes in Autur 5.40	nn.
americanum, American Cranbo	r-2 16.	h 8-19 ft		
Handsome native shrub; very d	ecorativ	e fruit on th	may-sune. ne branches a	and keeps its
bright scarlet color until following	g Spring	: fruit mak	es fine jellies	: far superior
to the European Cranberrybush		,,	•	
•	6-12 in.	. 30	2.70	24.00
	1-2 ft.	. 50	4.50	39.00
	2-3 ft.	.75	6.75	60.00
contest Empty-ut Witnesses 4 5	3-4 ft.	1.00	9.00	
carlesi, Fragrant Viburnum. 4-5 Very distinct new and rare spe	oice Th	n-way.	te or pinkial	fowers are
in dense round-heads and posse	cies. Inc	t delightful	te or pinkisi fragrance	i nowers are
in dense round-neads and posse	2-18 in.	2.00	18.00	
1	8-24 in.	3.00	27.00	
cassinoides, Witherod. 6-15 ft. J				
Fruit pink changing to dark blu	ie: good	shrub for l	orders or sh	rubberies
- ran pink ondiging to dark of	1-2 ft.	.50	4.50	39.00
	2-3 ft.	. 60	5.40	48.00
	3-4 ft.	1.00	9.00	

4 4 - 4 A	Each	10	100
dentatum, Arrowwood. 4-10 ft. May-Jun			
Bushy shrub with conspicuous bluish-bla			
1-2 ft.	.50	4.50	39.00
2-3 ft.	.75	6.75	60.00
3-4 ft.	1.25	11.25	102.00
4-5 ft.	2.00	18.00	162.00
lantana, Wayfaringtree. 10-15 ft. May-J White flowers; bright red fruit changing			
1-2 ft.	.75	6.75	
lentago, Nannyberry. 8-15 ft. May-June. The bluish-black fruit is conspicuous. W			ped cymes
A very handsome shrub or small tree.			
1-2 ft.	.40	3.60	33.00
2-3 ft.	.60	5.40	48.00
3-4 ft.	.80	7.20	63.00
4-5 ft.	1.50	13.50	00.00
		10.00	
molle, Kentucky Viburnum. 8-12 ft. Ju	ne.		11 / 6
This is recognized by its flaky bark and	light gray	young brane	chlets; fru
blue-black. 2-3 ft.	1.00	9.00	
3-4 ft.	1.50	13.50	
		20100	
opulus nanum, Dwarf Cranberrybush.			
Very dwarf, compact, small-leaved form	n; suitable	for rockeries	s, and ver
low hedges. 6-9 in.	. 50	4.50	39.00
9-12 in.	.75	6.75	
		0.10	
opulus sterile, Common Snowball. 5-12	ft.		
All the white flowers are sterile forming	ng a large	dense globul	ar head.
popular plant of old-time gardens.	-0		
2-3 ft.	.75	6.75	
		0.75	
prunifolium, Blackhaw. 10-15 ft. White.	June.		
Large bluish-black fruit in abundance.			
	0.0	F 40	
1-2 ft.	. 60	5.40	
2-3 ft.	1.00	9.00	
3-4 ft.	1.50	13.50	
pubescens, Downy Viburnum. 8-10 ft. Ju		10.00	
This has always vibulitum. 6-10 16, 50	ine-July.	11 0	1.1 1.1
This has clean growth with grayish br			
fruit. 6-12 in.	. 50	4.50	39.00
rhytidophyllum, Leatherleaf Viburnum	2-4 ft Me	v-Inne	
A nomentable energies magnitudes	vrith land	o dank ana	
A remarkable species, nearly evergreen	i with larg	e dark gree	n wrinkie
leaves, woolly underneath. Large heads	of showy	yellowish-wh	ite flower
Fruit red changing to black. 1-2 ft.	1.00	9.00	
		0.00	
sieboldi, Siebold Viburnum. 8-10 ft. Ma			
Large leaves are dark green and shining	above, pale	e beneath: w	hite flower
in broad panicles, fruit changing from pi	nk to bluis	h-black	
1-2 ft.	.75	6.75	
	. 10		
	1 00		
2-3 ft.	1.00	9.00	
2-3 ft.			
2-3 ft. tomentosum plicatum, Japanese Snowh	ball. 10 ft.		
2-3 ft. tomentosum plicatum, Japanese Snowl A showy variety with white sterile flower	ball. 10 ft.	June.	
2-3 ft. tomentosum plicatum, Japanese Snowh	ball. 10 ft.		60.00
2-3 ft. tomentosum plicatum, Japanese Snowl A showy variety with white sterile flower 2-3 ft.	ball. 10 ft.	June. 6.75	60.00
2-3 ft. tomentosum plicatum, Japanese Snowl A showy variety with white sterile flower 2-3 ft. 3-4 ft.	ball. 10 ft.	June.	60.00
2-3 ft. tomentosum plicatum, Japanese Snowl A showy variety with white sterile flower 2-3 ft. 3-4 ft. NCA. (See under Broadleaf Evergreens.)	ball. 10 ft.	June. 6.75	60.00
2-3 ft. tomentosum plicatum, Japanese Snowl A showy variety with white sterile flower 2-3 ft. 3-4 ft. NCA. (See under Broadleaf Evergreens.)	ball. 10 ft.	June. 6.75	60.00
2-3 ft. tomentosum plicatum, Japanese Snowl A showy variety with white sterile flower 2-3 ft. 3-4 ft. NCA. (See under Broadleaf Evergreens.) EIGELA, Weigela.	ball. 10 ft. rs. 	June. 6.75	60.00
2-3 ft. tomentosum plicatum, Japanese Snowl A showy variety with white sterile flower 2-3 ft. 3-4 ft. NCA. (See under Broadleaf Evergreens.) EIGELA, Weigela. amabilis, Rose Weigela. 3-6 ft. May-June	ball. 10 ft. rs. 	June. 6.75	60.00
2-3 ft. tomentosum plicatum, Japanese Snowl A showy variety with white sterile flower 2-3 ft. 3-4 ft. NCA. (See under Broadleaf Evergreens.) EIGELA, Weigela. amabilis, Rose Weigela. 3-6 ft. May-June Masses of deep rose funnel-shaped flower	ball. 10 ft. rs. 	June. 6.75 11.25	60.00
2-3 ft. tomentosum plicatum, Japanese Snowl A showy variety with white sterile flower 2-3 ft. 3-4 ft. NCA. (See under Broadleaf Evergreens.) EIGELA, Weigela. amabilis, Rose Weigela. 3-6 ft. May-June	ball. 10 ft. rs. 	June. 6.75	60.00
2-3 ft. tomentosum plicatum, Japanese Snowl A showy variety with white sterile flower 2-3 ft. 3-4 ft. NCA. (See under Broadleaf Evergreens.) EIGELA, Weigela. amabilis, Rose Weigela. 3-6 ft. May-June Masses of deep rose funnel-shaped flower 1-2 ft.	ball. 10 ft. rs. 	June. 6.75 11.25	60.00
2-3 ft. tomentosum plicatum, Japanese Snowl A showy variety with white sterile flower 2-3 ft. 3-4 ft. NCA. (See under Broadleaf Evergreens.) EIGELA, Weigela. amabilis, Rose Weigela. 3-6 ft. May-June Masses of deep rose funnel-shaped flower 1-2 ft. rosea, Pink Weigela. 4-8 ft. May-June.	ball. 10 ft. rs	June. 6.75 11.25	60.00
2-3 ft. tomentosum plicatum, Japanese Snowl A showy variety with white sterile flower 2-3 ft. 3-4 ft. NCA. (See under Broadleaf Evergreens.) EIGELA, Weigela. amabilis, Rose Weigela. 3-6 ft. May-June Masses of deep rose funnel-shaped flower 1-2 ft. rosea, Pink Weigela. 4-8 ft. May-June Very showy with handsome rose-colored	ball. 10 ft. rs	June. 6.75 11.25	60.00
2-3 ft. tomentosum plicatum, Japanese Snowl A showy variety with white sterile flower 2-3 ft. 3-4 ft. NCA. (See under Broadleaf Evergreens.) EIGELA, Weigela. amabilis, Rose Weigela. 3-6 ft. May-June Masses of deep rose funnel-shaped flower 1-2 ft. rosea, Pink Weigela. 4-8 ft. May-June.	ball. 10 ft. rs	June. 6.75 11.25	60.00
2-3 ft. tomentosum plicatum, Japanese Snowl A showy variety with white sterile flower 2-3 ft. 3-4 ft. INCA. (See under Broadleaf Evergreens.) EIGELA, Weigela. amabilis, Rose Weigela. 3-6 ft. May-June Masses of deep rose funnel-shaped flower 1-2 ft. rosea, Pink Weigela. 4-8 ft. May-June. Very showy with handsome rose-colored 1-2 ft.	ball. 10 ft. rs75 1.2560 flowers60	June. 6.75 11.25 5.40 5.40	
2-3 ft. tomentosum plicatum, Japanese Snowl A showy variety with white sterile flower 2-3 ft. 3-4 ft. INCA. (See under Broadleaf Evergreens.) EIGELA, Weigela. amabilis, Rose Weigela. 3-6 ft. May-June Masses of deep rose funnel-shaped flower 1-2 ft. rosea, Pink Weigela. 4-8 ft. May-June. Very showy with handsome rose-colored 1-2 ft. ANTHORHIZA apiifolia, Yellowroot. 2-4 f	ball. 10 ft. 15. 1.25 1.25 1.26 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0	June. 6.75 11.25 5.40 5.40 purple. Apri	l
2-3 ft. tomentosum plicatum, Japanese Snowl A showy variety with white sterile flower 2-3 ft. 3-4 ft. INCA. (See under Broadleaf Evergreens.) EIGELA, Weigela. amabilis, Rose Weigela. 3-6 ft. May-June Masses of deep rose funnel-shaped flower 1-2 ft. rosea, Pink Weigela. 4-8 ft. May-June. Very showy with handsome rose-colored 1-2 ft.	ball. 10 ft. 15. 1.25 1.25 1.26 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0	June. 6.75 11.25 5.40 5.40 purple. Apri	l.
2-3 ft. tomentosum plicatum, Japanese Snowl A showy variety with white sterile flower 2-3 ft. 3-4 ft. NCA. (See under Broadleaf Evergreens.) EIGELA, Weigela. amabilis, Rose Weigela. 3-6 ft. May-June Masses of deep rose funnel-shaped flower 1-2 ft. rosea, Pink Weigela. 4-8 ft. May-June. Very showy with handsome rose-colored 1-2 ft. ANTHORHIZA apiifolia, Yellowroot. 2-4 ft Cut foliage very handsome, changing to g	ball. 10 ft. 15. 1.25 1.25 1.26 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0	June. 6.75 11.25 5.40 5.40 purple. Apri	l.
2-3 ft. tomentosum plicatum, Japanese Snowl A showy variety with white sterile flower 2-3 ft. 3-4 ft. NCA. (See under Broadleaf Evergreens.) EIGELA, Weigela. amabilis, Rose Weigela. 3-6 ft. May-June Masses of deep rose funnel-shaped flower 1-2 ft. rosea, Pink Weigela. 4-8 ft. May-June. Very showy with handsome rose-colored 1-2 ft. ANTHORHIZA apiifolia, Yellowroot. 2-4 f Cut foliage very handsome, changing to g best border shrubs for any situation.	ball. 10 ft. 1.75 1.25 1.25 60 flowers. 60 t. Dark or golden colo	June. 6.75 11.25 5.40 5.40 purple. Aprir in Autumn	l. ; one of th
2-3 ft. tomentosum plicatum, Japanese Snowl A showy variety with white sterile flower 2-3 ft. 3-4 ft. INCA. (See under Broadleaf Evergreens.) EIGELA, Weigela. amabilis, Rose Weigela. 3-6 ft. May-June Masses of deep rose funnel-shaped flower 1-2 ft. rosea, Pink Weigela. 4-8 ft. May-June. Very showy with handsome rose-colored 1-2 ft. ANTHORHIZA apiifolia, Yellowroot. 2-4 f Cut foliage very handsome, changing to g best border shrubs for any situation. 6-12 in.	ball. 10 ft. rs75 1.2560 flowers60 ft. Dark or golden colo .50	June. 6.75 11.25 5.40 5.40 purple. Apri	l.
2-3 ft. tomentosum plicatum, Japanese Snowl A showy variety with white sterile flower 2-3 ft. 3-4 ft. INCA. (See under Broadleaf Evergreens.) EIGELA, Weigela. amabilis, Rose Weigela. 3-6 ft. May-June Masses of deep rose funnel-shaped flower 1-2 ft. rosea, Pink Weigela. 4-8 ft. May-June. Very showy with handsome rose-colored 1-2 ft. ANTHORHIZA apiifolia, Yellowroot. 2-4 f Cut foliage very handsome, changing to g best border shrubs for any situation. 6-12 in.	ball. 10 ft. rs75 1.2560 flowers60 ft. Dark or golden colo .50	June. 6.75 11.25 5.40 5.40 purple. Aprir in Autumn	l. ; one of th
2-3 ft. tomentosum plicatum, Japanese Snowl A showy variety with white sterile flower 2-3 ft. 3-4 ft. NCA. (See under Broadleaf Evergreens.) EIGELA, Weigela. amabilis, Rose Weigela. 3-6 ft. May-June Masses of deep rose funnel-shaped flower 1-2 ft. rosea, Pink Weigela. 4-8 ft. May-June. Very showy with handsome rose-colored 1-2 ft. ANTHORHIZA apiifolia, Yellowroot. 2-4 ft Cut foliage very handsome, changing to a best border shrubs for any situation. 6-12 in. ELKOVA serrata, Sawleaf Zelkova. 60-90 ft.	ball. 10 ft. s	June. 6.75 11.25 5.40 5.40 purple. Aprir in Autumn 4.50	l. ; one of th 39.00
2-3 ft. tomentosum plicatum, Japanese Snowl A showy variety with white sterile flower 2-3 ft. 3-4 ft. NCA. (See under Broadleaf Evergreens.) EIGELA, Weigela. amabilis, Rose Weigela. 3-6 ft. May-June Masses of deep rose funnel-shaped flower 1-2 ft. rosea, Pink Weigela. 4-8 ft. May-June. Very showy with handsome rose-colored 1-2 ft. ANTHORHIZA apiifolia, Yellowroot. 2-4 f Cut foliage very handsome, changing to g best border shrubs for any situation. 6-12 in. ELKOVA serrata, Sawleaf Zelkova. 60-90 ft. Handsome tree with short trunk dividing	ball. 10 ft. 7.5 1.25 . rs. .60 flowers. .60 t. Dark or golden colo .50 g into man;	June. 6.75 11.25 5.40 5.40 purple. Aprir in Autumn 4.50 y upright ste	l. ; one of th 39.00
2-3 ft. tomentosum plicatum, Japanese Snowl A showy variety with white sterile flower 2-3 ft. 3-4 ft. INCA. (See under Broadleaf Evergreens.) EIGELA, Weigela. amabilis, Rose Weigela. 3-6 ft. May-June Masses of deep rose funnel-shaped flower 1-2 ft. rosea, Pink Weigela. 4-8 ft. May-June. Very showy with handsome rose-colored 1-2 ft. ANTHORHIZA apiifolia, Yellowroot. 2-4 ft Cut foliage very handsome, changing to a best border shrubs for any situation. 6-12 in. ELKOVA serrata, Sawleaf Zelkova. 60-90 ft.	ball. 10 ft. 7.5 1.25 . rs. .60 flowers. .60 t. Dark or golden colo .50 g into man;	June. 6.75 11.25 5.40 5.40 purple. Aprir in Autumn 4.50 y upright ste	l. ; one of th 39.00

"Standardized Plant Names" is authority for all names used in this catalog

Vines, Creepers and Climbers

vines, Greepers	and	CIIII	iner	5
ACTINIDIA, Actinidia.	Ea	ch 1	.0	100
very vigorous Japanese climber wi	ith thick s	shiny leav	es. White	flowers
with purplish centers and large edibl Small potted pla	le fruit. ants \$.7	75 \$6.	.75 \$	60.00
AMPELOPSIS. heterophylla, Porcelain Ampelopsis. Ornamental vine of striking appearal at the same time. 2-3 quinquefolia, Virginia Creeper. 15-5 A good vine for stone walls or on lar	. 15-20 ft. J nce often w ft. 1.0 0 ft. July	July-Augus ith red, bl 00 9	st.	
Stroi quinquefolia engelmanni, Engelman Variety with smaller leaves, more b to walls. Stro	ng . 5 nn Creepe rilliant in i ng . 4	r. 15-50 ft its Autum 40 3	an coloring . 60	39.00 c. Clings 33.00
tricuspidata (veitchi), Japanese Creep As a dense wall vine this has few equ 6-12 in. (als.		-	33.00
ARISTOLOCHIA. sipho, Dutchmans-pipe. 15-50 ft.				
Rapid-growing vine, the very large effect. Curious brownish flowers reservable. Stroi	rounded by	leaves pro ipe. 60 5	oducing a	tropical
grandiflora, Chinese Trumpetcreepe Vigorous climber, climbing to walls flowers with scarlet corrola. 1-2 radicans, Trumpetcreeper. 30 ft. Au	and trees.	Very sho	wy funne .75	l-shaped
Flowers orange with scarlet limb, tendrils.	gust-Septer very consp ft. (mber. picuous. C 60 5	linging by	strong
CELASTRUS, Bittersweet.	ft. 1.0	00 9	.00	
orbiculatus, Oriental Bittersweet. 1. Rapid growing woody vine climbins split disclosing scarlet seeds. 6-12 orbiculatus punctatus, Christmas F. Smaller leaves than preceding. 1-2 2-3.	g by twining	50 - 4 t. 10-30 ft 50 4	. 50 t. . 50	age pods 39.00 39.00 60.00
3-4			. 10	00.00
CLEMATIS, Clematis. ligusticifolia, Western Virgins-bowe An interesting western species, very Strong plan paniculata, Sweet Autumn Clemati One of our most beautiful climbers. in greatest profusion in late Summer	hardy. its 1.0 s. 10-30 ft. . The white	00 9	.00 er. flowers p	oroduced
Stron		50 4	. 50	39.00
virginiana, Virginsbower. 10-35 ft. Finely cut foliage and abundant wh fruit. Stro	ite flowers	in August 50 4	, followed .50	by fluff 39.00
EUONYMUS, Euonymus. Baby Wintercreeper (Euonymus radica Charming variety with very small r be clipped for miniature hedges.	ns minimu otched lea	s; kewensis	lender ster	
1 yr. potted plan				33.00
obovatus, Running Euonymus. 1-2 f Low trailing ground cover. Stro	ong . a		. 50	
radicans, Wintercreeper. 15-20 ft. Ju An evergreen clinging vine of greates Stroi	t value. Sca	arlet fruit. 60 5	. 40	48.00
radicans colorata. 10-20 ft. Larger thin leaves, coloring bright re Smal Stron	11 .2	25 2		21.00 39.00
radicans vegetus, Bigleaf Wintercree Dark green thick leaves. One of the Med	most useful	l Euonymu	ıs. . 50	39.00
HUMULUS, Hop. japonicus, Japanese Hop. 10-20 ft. The Hop is a most useful and beaut	tiful vine fo	or quickly	covering	trellises.
Dies down each year. Strong 2			. 25	21.00

LONICERA, Honeysuckle. 100 Each japonica halliana, Hall Japanese Honeysuckle, 5-20 ft. A strong growing vine, the delightfully fragrant white flowers changing to buff. Strong . 50 sempervirens, Trumpet Honeysuckle. 10-30 ft. May-September.

A half-climbing shrub with dark green foliage. Long tubular flowers orange vellow or scarlet. 2-3 ft. 48.00 . 60 5.40 sempervirens punicea. Variety with orange-red flowers. 1-2 ft. 1.00 9.00 LYCIUM chinense, Chinese Matrimonyvine. 6-18 ft. June-September.
Vigorous woody vine of greatest value for trellises or embankments. Small purple flowers and scarlet or orange-red fruit. 6-12 in. 2.70 24 - 001-2 ft. $\frac{1}{6}$, $\frac{50}{6}$. 50 39.00 2-3 ft. . 75 ROSA, Rose. Climbing Roses. No. 2 60.00 6.75No. 1 9.00 1.00 81.00 American Pillar. Large single, brilliant crimson with white centers. Crimson Rambler. The small flowers are scarlet-red, borne on large sprays. Dorothy Dennison. Large clusters of pale pink flowers. Dorothy Perkins. Rich shell-pink; tiny flowers in large clusters. Excelsa. Similar to Dorothy Perkins but with light crimson flowers. Flower of Fairfield. Hiawatha. Deep scarlet, late blooming. Lady Gay. Same as Dorothy Perkins. Max Graf. A rugosa hybrid; large single pink, Glossy wrinkled foliage. Philadelphia. Large double crimson with light center. Roserie. Large deep pink, frilled petals. Tausendschon. Round, cup-shaped double flowers in large clusters, varying from white to deep pink at the same time. One of the very finest climbing Roses. Thalia. Veilchenblau. Purple-rose. Commonly called the Blue Rose. White Dorothy Small double flowers of pure creamy white in large clusters. wichuriana, Wichurian Rose.
Single white flowers with beautiful glossy green foliage. July-September. SCHIZOPHRAGMA. hydrangeoides, Japanese Hydrangeavine. 20-30 ft. White flowers. July. Very strong climber, clings to walls. Showy dense foliage and interesting flowers like wild Hydrangea. . 60 Strong plants from pots 5.4048.00

.75 1.00 6.7560.00 9.0081.00 3-4 ft. 22.502.50

sinensis alba, White Chinese Wisteria. May-June. This variety is pure white and we suggest planting with the purple Chinese 1-2 ft. 2-3 ft. Wisteria for contrast. 6.75.7560.001.00 9.00 81.00 3-4 ft. 2.00 18.00

Hardy Native American Plants and Specimen Evergreens are Specialties at Kelsey-Highlands Nursery, backed by over thirty years' experience. Many of our choicest American ornamentals have been introduced to cultivation by me, including Carolina Hemlock, Azalea vaseyi, Rhododendron carolinianum, Rhododendron carolinianum album, Lilium grayi, Shortia galacifolia, Robinia kelseyi, Rhododendron catawbiense compacta, and many others.

Hardy Herbaceous Perennials

I N this list will be found a collection of hardy herbaceous perennials that will give a good succession of bloom from early Spring to late Autumn. Nearly all are of easy culture. The usual list of herbaceous perennials offered in American catalogs can be secured and shipped with our stock so that customers may feel safe in ordering and getting full collections, even if not priced below.

Prices of herbaceous perennials, unless otherwise noted: 30c each; \$2.40 per 10; \$21.00 per 100. Approximate hight variety attains is given after the name.

Each 100 ACHILLEA, Pearl. 1-2 ft. Pure white in masses. Fine for cutting. ACONITUM uncinatum, Clambering Monkshood. 3-6 ft. Light blue, very

attractive. June-September.

ALTHAEA rosea, Hollyhock. 4-6 ft. Finest mixed colors.
ALYSSUM saxatile compactum, Dwarf Goldentuft. 9-18 in. Masses of brilliant yellow flowers in early Spring.
ARUNGUS sylvester, Common Goatsbeard. 3-5 ft. May-July. White resem-

bling Spiraea.

ASCLEPIAS tuberosa, Butterflyweed. 1-2 ft. Conspicuous bright orange flowers. 1 year.

ASTER, Aster

Climax. 4-5 ft. Lavender-blue

Mauve Cushion. 6-12 in. Very dwarf, fine for rockeries.

\$.35 \$2.70 \$24.00

novaeangliae, New England Aster. 2-8 ft. Large purple flowers. novaeangliae roseus. Rosy New England Aster. 3-6 ft. A fine rose-colored variety. Hardy native, mixed varieties and colors. tataricus, Tatarian Aster. 6 ft. Blue-violet. Very late. White Climax. 4-5 ft. Large spikes, pure white.

BAPTISIA.

australis, Blue Wild-Indigo. 4-6 ft. Dark blue flowers like Lupines in June. tinctoria. Yellow Wild-Indigo. 1-3 ft. Golden pea-shaped flowers in June. **BOLTONIA**, Boltonia.

asteroides, White Boltonia. 5-7 ft. Autumn. latisquama, Violet Boltonia. 4-5 ft. Autumn.

CALOPOGON pulchellus, Grass-pink Orchid. 6-12 in. Bright purple.

.352.70

CENTAUREA cineraria, Dusty-miller. 12-15 in. Golden-yellow. CHELONE lyoni, Pink Turtlehead. 2-3 ft. July-September. Rose-purple flowers; grows well in moist or dry ground.

CHRYSANTHEMUM, Chrysanthemum.

Alaska, Large variety of Chrysanthemum maximum.

arcticum, Arctic Chrysanthemum. 2-4 ft. September to November. Pure white, flowers 2-2½ inches across.

coreanum, Korean Chrysanthemum. 2-4 ft. October to December. A remarkable new perennial from Korea of ironclad hardiness. Large white flowers with golden center resembling a glorified ox-eye daisy, often turning to a light claret pink. Forms large clumps and blooms in greatest profusion. Our introduction.

.35 Strong Plants 2.7021.00Clumps 6.0054.00

Shasta Daisy. 2-3 ft. Large white flowers all Summer.

CIMICIFUGA, Bugbane.
americana, American Bugbane. 3-5 ft. Wide racemes of showy white blooms.
August-September.

racemosa, Cohosh Bugbane. 3-8 ft. Beautiful foot long racemes of white

fluffy flowers. Shade or open. July-August.

CONVALLARIA majalis, Lily-of-the-Valley. 6-8 in. One of our best ground covers for shady places.

COREOPSIS, Coreopsis.
grandiflora, Big Coreopsis. 1-2 ft. June to Autumn, masses of golden yellow blossoms.

rosea, Rose Coreopsis. 1 ft. Finely cut foliage with dainty rosy-pink blooms.

rosea, Rose Coreopsis. 110. Among CYPRIPEDIUM, Ladyslipper. 12-18 in. Bright yellow. May. spectabile, Showy Ladyslipper. 1-2 ft. White with pink or rose-purple shades. Of remarkable beauty. Plant in damp peat or spagnum bog. May. June. 1-3 Crowns 1.00 9.00

DELPHINIUM, Larkspur. Fine mixed varieties. Each 10 DIANTHUS barbatus, Sweet-william. 1-2 ft. Summer. DICENTRA eximia, Fringed Bleedingheart. 12-18 in. All Summer. Beautifully cut foliage and dainty pink-purple flowers. 100 DIGITALIS purpurea, Common Foxglove. 2-4 ft. Fine mixed varieties. ECHINACEA purpurea, Hedgehog-coneflower. 2-3 ft. Most curious in color and shape. Reddish-purple flowers, cone-shaped center. July-August. EPIGAEA repens, Trailing-arbutus. 3-6 in. April-May. One of our daintiest native flowers, white or pink, delightfully fragrant. Our plants are established native flowers, write or pink, denging in pots and transplant readily. Earliest Spring. EUPATORIUM purpureum, Joepye Weed. 3-6 ft. Splendid purple flowers in late Summer. FERNS. Prices of Ferns unless otherwise noted. .30 2.75 24.00 Adiantum pedatum, American Maidenhair.
Athyrium filixfemina, Lady Fern. 1-3 ft.
Dennstedtia punctilobula, Hayscented Fern. 20-40 in.
Dryopteris (Aspidium), Woodfern.
marginalis, Leather Woodfern. 1-2 ft.
noveboracensis, New York Fern. 1-2 ft.
spinulosa, Toothed Woodfern.
thelypteris, Marshfern.
Onoclea sensibilis, Sensitive Fern. 1-4½ ft.
Osmunda Osmunda. cinnamomea, Cinnamon Fern. 1-5 ft. claytoniana, Interrupted Fern. 2-6 ft. . 40 3.60 33.00 33.00 .40 3.60 3.60regalis, Royal Fern. 2-6 ft. 40 33.00 Polypodium vulgare, Common Polypody. 3-10 in. Polystichum, Hollyfern. acrostichoides, Christmas Fern. munitum, Giant Hollyfern. Pteretis nodulosa, Ostrich Fern. FILIPENDULA camtschatica, Kamchatka Meadowsweet. 2-3 ft. Beautiful white filmy flowers in terminal panicles. June-July.

GALAX aphylla, Galax. Beautiful dwarf evergreen, heart-shaped leaves turn brilliant scarlet shades in the sun. An acid soil plant. Flowers in white spikes, 8-12 in. June. Established Clumps .50 4.50 39.00

GENTIANA andrewsi, Closed Gentian. 6-10 in. The deep blue flowers are tightly closed. A dainty and beautiful native. July-August. GILLENIA trifoliata, Bowmansroot. 2-3 ft. Trifoliate leaves and very attractive white or pink flowers like cut paper. GYPSOPHILA paniculata, Babysbreath. 2-3 ft. Minute white flowers in masses resembling mist. June-July.

HABENARIA ciliaris, Yellow Fringe-orchid. 9-18 in. Striking orange-yellow heads in July and August. HELENIUM autumnale, Common Sneezeweed. 5-6 ft. Masses of golden flowers in late Summer. July-October. HELIANTHUS maximiliana, Maximilian Sunflower. 6-8 ft. A very strong grower with masses of clear yellow flowers in October and November.

HEMEROCALLIS, Daylily.

citrina, Citron Daylily. 2-3 ft. Beautiful lemon or sulphur-yellow and very fragrant June-July.

flava, Lemon Daylily. 2-3 ft. Lemon-yellow. May.

fluva, Tawny Daylily. 2-4 ft. Reddish-orange. May-June.

thunbergi, Japanese Daylily. 12-18 in. Lemon-yellow, fragrant. July-August. HEUCHERA americana. 10-15 in. June-July. Good rock plant with heart-shaped foliage with brown-red marking. HOSTA, Plantainlily. caerulea, Blue Plantainlily. 1-2 ft. Deep or pale blue. July-August. lancifolia, Lanceleaf Plantainlily. 12-18 in. Lilac or pale lavender. July-August. sieboldiana, Cushion Plantainlily. 1-2 ft. Faint lilac. June-July. HOUSTONIA, Houstonia. caerulea, Bluets. 3-5 in April-May. serpyllifolia, Creeping Bluets. 3-5 in. April-May. Forms little tufts with tiny evergreen leaves. Mass of delicate blue and white flowers. $\frac{3}{2}.70$ 24.00 IRIS, Iris. cristata, Crested Iris. 3-6 in. Exquisite dwarf, pale blue. May. Dalmatica (Pallida dalmatica). 2-3 ft. Lavender. dichotoma, Vesper Iris. Leaves in curious fan-shaped clusters. Odd flowers,

41

whitish spotted with lilac-purple. August.

KELSEY'S HARDY AMERICAN PLANTS

-				
IRIS, Continued germanica, German I Caprice. Single rosy	ris, Mixed Varieties	Each . 1-3 ft.	10	100
Iris King. Rich mare	oon bordered yellow.			
Lohengrin. Lilac ro Mrs. Horace Darwi Nibelungen. Fawn	se. n. Pure white. yellow.			
kaempferi, Japanese	Iris, Finest Mixed C	olors. 2-3 f	t. Our Japa	anese Iris
are from selected stra	ins from Japan and a Strong Plants	. 30	2.40	18.00
kaempferi, Japanese I	Clumps ris, Selected Colors.	.60	5.40	45.00
	Strong Plants Clumps	$\begin{smallmatrix} .50\\1.00\end{smallmatrix}$	$\frac{4.50}{9.00}$	$\begin{array}{c} 36.00 \\ 72.00 \end{array}$
pallida, Sweet Iris. La pseudacorus, Yellowfi	ag Iris. 3-4 ft. Bright	yellow. Tal	l conspicuo	us leaves.
Fine for shrubberies. sibirica, Siberian Iris.	May-June. 1-2 ft. Lilac-blue. Sle	nder foliage.		
sibirica, Siberian Iris. verna, Vernal Iris. 3-6 i LAMIUM maculatum, S Summer.	n. A delightful dwarf. Spotted Deadnettle.	Deep violet, 6-8 in. Pu	fragrant. Apropher sple-red, Sp	pril-May. oring and
LILIUM, Lilv.	0 O I : 1	() - T': T :	1	
Double Tiger Lily. 2-5 grayi, Grays Lily. 1-3 f outside. June-July. I	it. Bell-shaped pendul	ous flowers a	ıy. ı deep reddi	sh brown
outside. June-July. I	ntroduced by Harlan	P. Kelsey. .60	5.00	48.00
henryi, Henry Lily. 4- segments. August-Se		ellow with g		
regale, Royal Lily. 4-6	ft. Showy Summer-blo	oming Lily.	The fragra	nt flowers
are 4-0 in. long, white	e inside, lilae and purp 4-5 in. eireum 6-8 in. eireum	1.00 1.50	9.00 13.50	81.00
superbum, American		t. Orange-so	earlet to red	l, spotted
inside. July. tigrinum, Tiger Lily. tigrinum, splendens, (2-5 ft. Orange-red wit	h purple-bla	ack spots. J	une-July.
tigrinum, splendens, (washingtonianum pu	Jiant Tiger Lily. rpureum, Purple W	. 40 ' ashington	3.60 Lily. 2-3	ft. White
or tinged lilac inside,	turning to lilac-purple	, fragrant. J 1.00	une-July. 9.00	81.00
LOBELIA, Lobelia.				
cardinalis, Cardinalflo or gardens. July-Aug	gust.			
siphilitica, Large Blue August-September.	e Lobelia. 3-4 ft. De	nse spikes of	deep-blue	flowers in
LYSIMACHIA nummula yellow flowers. June		in. Fine g	round cover	. Intense
LYTHRUM salicaria, Pu	irple Loosestrife. 2-	3 ft. Show	y for bogs	or along
streams. July-August MONARDA didyma, Ost	wego Beebalm. 1-3	ft. Brillian	t crimson,	fragrant.
June-August. ORCHIS spectabilis, Show	wy Orchis. 6-8 in. Dai	inty and rar	e orchid wi	th bright
pink flowers. May-Ju PAEONIA, Peony. Mixed	ne. varieties of the better	. 50 sorts.	4.50	
PHLOX, Phlox.	$35\mathrm{eyes}$.75	6.75	60.00
amoena, Amoena Phlo	ox. 4-6 in. Bright pink	•		
divaricata, Blue Phlos Atlas.				
ovata, Mountain Phlo stellaria, Mauve Phlos	ox. 1-1½ ft. Rosy-red. K. 6-10 in. Mav. Pale b	June-July. Slue-whitish.		
subulata, Moss Phlox. Moerheim. Dark pi	3-4 in. Bright purple.			
Vivid (subulata varie	ety). 3-4 in. Bright red. ulata alba). 3-4 in. Pure	April-May	Mar	
Hardy decussata and o	ther garden hybrids.	e wmte, Apr	u-may.	
Commander. Crims Deutschland. Rich	son-red, dark eye. scarlet.			
Eclaireur. Carmine, Eiffel Tower. Pink.	salmon center.			
Firebrand. Orange-s	scarlet. • Salmon-rose, dark re	nd ava		
King George. La Vague. Mauve, c	. baimon-rose, dark re	a eye.		
La vague. Mauve, c L'Esperance. Light	armine eye. lavender, pinkish cent	er.		

PHLOX, Continued
Hardy decussata and other garden hybrids-Each 10 100

-Continued. Maid Marian. Soft lavender.

Mai Ruys. Pure white, rather dwarf.
Miss Lingard. White faint blush center.
Mrs. Jenkins (Independence). White

Mrs. Millie von Hoboken. Soft Pink

POLYGONATUM commutatum, Great Solomonseal. 1-3 ft. May-July. Arching spray of foliage hung with white bells.

SALVIA azurea, Azure Sage, 2-3 ft. Sky-blue.

SAXIFRAGA cordifolia, Heartleaf Saxifrage. 12-18 in. Large thick foliage and purple flowers in April-May. For rockeries.

SEDUM lydium, Lydian Stonecrop. 3 in. Rose-colored flowers in August-September. Fine for rockeries. sarmentosum, Stringy Sedum. 3-5 in.

Best for rockeries and stone crevices.

SEMPERVIVUM, Houseleek. arachnoideum, Spiderweb Houseleek. 4-6 in. Bright red. tectorum, Roof Houseleek. 6-9 in. Pale red.

SHORTIA galacifolia. Oconee-bells. 3-9 in. A beautiful dwarf ericaceous plant with evergreen leaves resembling Galax. The exquisite white nodding flowers come in earliest Spring. Introduced by Harlan P. Kelsey. .75 6.75

SILENE virginica. 8-12 in. Firey-red star-like flowers.

SPIGELIA marilandica, Pinkroot. 12-18 in. Brilliant red flowers from June to August.

THERMOPSIS caroliniana, Carolina Thermopsis. 4-6 ft. Long terminal spikes of bright vellow pea-shaped flowers in June or July.

TRADESCANTIA, Spiderwort.

virginiana, Virginia Spiderwort. 1-2 ft. Bright blue flowers through Summer, virginiana alba, White Spiderwort. 1-2 ft. Variety with pure white flowers.

TRILLIUM, Trillium.
erectum, Purple Trillium. 8-16 in. April-May.
grandiflorum, Snow Trillium. 8-18 in. White turning pink.
stylosum, Rose Trillium. 8-12 in. Nodding, light pink.

undulatum, Painted Trillium. 8 in. White painted with purple spots at base.

VERONICA spicata, Spike Speedwell. 12-18 in. Blue spikes in June-July.

VIOLA, Violet.

Jersey Gem. 6-8 in. Clear deep blue, fine long stems. April-August. pedata, Birdsfoot Violet. 3-6 in. Light blue. April-May.

YUCCA filamentosa, Common Yucca. 2-10 ft. A tropical looking plant with narrow evergreen leaves. Immense pyramidal clusters of creamy flowers on tall stalks. June-July.

Landscape Department

Planning and Planting

The successful carrying out of any landscape improvement depends to so great an extent upon the knowledge, skill, and good taste of the one to whom this work is intrusted, that it is supremely important to start right no matter whether the work be large or small.

By the employment of a trained landscape architect expensive experiments may be avoided and successful results insured. This applies to questions both of design and of practical planting.

There are so many well-trained landscape architects today that there is little excuse for anyone not having the joys that come from well-executed

work, based on plans that properly fit each case.

We undertake a limited amount of Landscape work, and are glad to consult with prospective clients. Where it is not feasible for us to undertake a particular job we frankly say so and are always able to recommend a high class Landscape Architect easily available in any part of the United States.

The Successful Rhododendron Bed

By Harlan P. Kelsey

This includes Rhododendrons, Kalmias, Azaleas, Leucothoes, Blueberries and other ericaceous genera and similar native and exotic plants, and often such "fillers" as Ferns, Lilies, etc., which delight in acid soil conditions and which are usually grouped together to make what is termed the "Rhododendron Bed."

Soil. This class of plants is most at home in somewhat shady and damp situations and in a porous soil supplying plenty of humus and always showing more or less acid reaction. Limestone (alkaline) soils must be avoided, as a majority of ericaceous plants (Rhododendrons, Azaleas, Blueberries, etc.) are rarely if ever found growing naturally under such soil conditions. Sandy loam is favorable, and in all cases a continuous supply of humus should be provided.

Creating Necessary "Acid" Conditions. Dr. Coville, United States Botanist of the Department of Agriculture, Washington, D.C., has made some very interesting greenhouse experiments which would seem to prove that acidifying alkaline soils by the application of aluminum sulfate makes it possible to grow these acid soil plants much more successfully.

It must be remembered, however, that application of acids will not take the place of humus. Others claim beneficial results by the application of tannic acid in dilution, but this also needs further experiments before the method can be generally recommended. Hardwood sawdust may be used as a mulch, and also ground peat moss or mull, which is imported from Holland, both having acid reaction.

The above experiments indicate that by suitable treatment, these beautiful ericaceous plants may sometimes be grown successfully on the alliest its affect.

the alkaline soils of the Middle West.

Mulching. This means that the Rhododendron bed should have annually a heavy mulch of hardwood leaves, which is left on the year round to decay. Mulching also keeps the ground cool in summer and warm in winter and protects the fine feeding rootlets of the plants. Removing the mulching in spring to make the beds "look beter" is one of the greatest causes of non-success in growing Rhododendrons and similar plants. No expert gardener would ever think of so doing.

Preparation of Bed. Unless conditions are naturally favorable, excavate two to three feet and fill with woods mold, "Kalmia peat," good loam, rotted field-sods, and perhaps a third in bulk of swamp muck or peat or similar soils. The finely ground imported peat "mull" which comes in bales is excellent for mulching and to work into the soil. It shows a high acid reaction. Make a tenth part of the mixture sharp sand, or more where the soil is very clayey. The center of the bed or plantation may be raised 6 to 12 inches above the surrounding ground, after allowing for natural settling.

Planting. Plant the same depth as before (shown by earth line or "collar" on stem) and firmly press soil around roots with the foot, but don't pack the earth too solid—Rhododendrons are not telegraph poles. "Fillers," including Lilies and other bulbs and smaller ground-covering species, should be planted after the larger plants are all in and properly spaced. Then soak the ground and apply the mulching.

Winter Protection. If convenient, protect them with pine or other evergreen boughs, particularly where exposed to the sun and wind; yet Rhododendrons rarely suffer in the latitude of Boston or Buffalo, if properly planted and mulched. In the latitude of Ottawa and Quebec, Canada, a board fencing may be placed around the edge of the bed and much heavier temporary mulching of straw, etc., filled in almost or quite to the tops of the plants. It is rarely necessary to build a board cover, except on southern exposures to prevent sunburn, or with tender varieties not suitable for general planting and even then evergreen boughs are preferable. Good ventilation must be provided.

Selecting the Location. For the Rhododendron bed a northern exposure is preferable, especially in low elevation in the South, or elsewhere where freezing and thawing is quite continual. A direct winter sun on the frozen leaves of any broadleaf evergreen often kills outright or spoils the foliage. The north side of the building, wall, woods or hill is always preferable, and windswept locations should be avoided unless proper measures are taken to check the heavy winds.

In Limestone Soils. Excavation is imperative, and fresh soil showing acid reaction substituted. This can be successfully done. A striking example is shown in Highland Park, Rochester, N. Y., where one of the most beautiful Rhododendron and Azalea beds in America has been constructed and planted in a location originally of a heavy limestone nature. Blueberry culture is not a success in limestone soils.

Enemies of the Rhododendron. Rhododendrons, Kalmias, and similar plants have few enemies. The only serious one I know is the Lacewing Fly, which is native from New England throughout the Alleghenies, and is found on Kalmia augustifolia, Rhododendron maximum, Kalmia latifolia, and occasionally on almost any broadleaf evergreen or deciduous tree or shrub. This pest appears in early spring on the under side of the leaves and gets its sustenance by sucking the sap. The leaves turn brown, giving the plant a ragged, unkempt appearance. It is easily disposed of by spraying the under side of the leaves, using a very fine nozzle, with an emulsion of ten gallons of whale-oil soap to one hundred gallons of water. While the Lacewing Fly is more at home on Rhododendron maximum, it does not hesitate to attack all other species to a greater or less extent. Plants in the shade are rarely infested to any great degree.

The Use of "Fillers." For the best landscape effects, as well as providing a continual succession of bloom throughout the season and actually protecting the Rhododendrons and supply "feathered" edge to the ground, a large variety of shrubs and plants may be employed with the finest results. In fact, the planting of Rhododendrons without the use of "filler" or "edging" plants may give harsh, formal effects, which are neither desirable nor natural in any way. In the use of "fillers" great care must be taken as to time of blooming and color effects, so they do not clash. It is surprising how many "filler" plants can be used without detracting from the broad evergreen effect, and yet supplying an amazing amount of interesting detail and a continuous show of blossoms against a beautiful Rhododendron leaf background.

interesting detail and a continuous show of blossoms against a beautiful Rhododendron leaf background.

Some of the Best "Fillers" and "Edging" Plants. Andromeda polifolia, Chamaedaphne calyculata (Leatherleaf), Leiophyllum buxifolium, L. prostratum, Ilex glabra (Inkberry), Leucothoe catesbaei, Pieris floribunda, Taxus canadensis (Canada Yew), Galax aphylla, Gaultheria procumbens, Houstonia (Bluets), Mitchella repens (Partridgeberry), Shortia galacifolia (Oconee-bells), Vinca minor (Periwinkle), Zanthorhiza apiifolia (Yellowroot), Lilies, Trilliums, Erythroniums (Troutlily), Ferns in great variety, Violets, Dicentra eximia (Fringed Bleedingheart), Iris in great variety, particularly pseudacorus and Japanese Azaleas in variety, Ilex verticillata, Aronias (Chokberry) in variety, and many other "berry-bearing" shrubs. Jonquils and other spring bulbs may be used freely in the borders of plantations with charming results.



TRANSPLANTING SPECIMEN CONIFERS at Kelsey-Highlands Nursery, East Boxford, Mass




Photo by Herbert W. Gleason

RHODODENDRONS along Bussey Brook in Arnold Arboretum.



Kelsey-Highlands Nursery offers thousands of specimens of the finest varieties. FLOWERING CRABS (Malus) at Arnold Arboretum, Jamaica Plains, Mass.



MOUNTAIN ANDROMEDA (Pieris floribunda) A specialty at Kelsey-Highlands Nursery, East Boxford, Mass



Kelsey-Highlands Nursery offers thousands of perfect specimens up to 8 ft. CAROLINA HEMLOCK in the Winter at Arnold Arboretum



A block of Young Specimen EVERGREENS in Kelsey-Highlands Nursery. East Boxford, Massachusetts



CAROLINA RHODODENDRON
With Allegheny Sandmyrtle (Leiophyllum) at home on Mt.
LeConte, 6000 ft. elevation in the Great Smoky Mountains National Park, (No. Car. - Tenn.)



Photo by Thompson Bros.

The Real Home of the ROSEBAY RHODODENDRON
Rhododendron maximum in the wilderness of the Great Smoky
Mountains National Park.

Instructions for Placing Orders

SHIPPING SEASON begins in Spring, when frost leaves the ground, usually March 15 to June 1st. August planting of Specimen Evergreens—Rhododendrons, Kalmias, Leucothoes, Conifers and many Bulbs and Herbaceous Plants—has proved most successful, general stock going out again from September to December.

Shipping Instructions should be given, otherwise I use my best judgment, but assume no risk. All shipments travel at purchaser's risk and carriers must be held liable for any damage in transit. All stock becomes the property of the purchaser on delivery to transportation company or carrier.

PRICES are made to fit the quality of the stock sent out. Discriminating buyers now realize that the greatest value of nursery stock is underground. Frequent transplanting and handling specimens with adequate burlapped balls, means success and quick results. It costs more, but it is the fixed policy of the Kelsey-Highlands Nursery and "cheap" stock will not be handled or sent out. The best is always the cheapest.

SPECIAL SELECTION. Stock specially selected at Nursery or ordered by mail will be charged at advance prices to fit the value of stock selected. The prices in this catalog cover the average good grades as they run in the nursery row.

TRUCK DELIVERY. Where the size of order warrants, there are distinct advantages in auto-truck delivery for distances up to 30 to 50 miles, and we have made large deliveries up to 200 miles. Stock arrives quickly and just when wanted, and is delivered fresh on the grounds, saving local trucking and unpacking. Charges are made according to size of truck and distance traveled.

PACKING CHARGES. At prices printed in this catalog, boxing, balling or burlapping is free, except where small sizes of deciduous stock is balled and burlapped by special request. In such cases a charge to cover cost is made as follows:

BURLAPPING CHARGES—	Each
Small sizes	\$0.15
2 to 3 ft. clumps and trees	
3 to 4 ft. clumps and trees	25
4 to 6 ft. clumps and trees	
6 to 8 ft. clumps and trees	50

Larger sizes at corresponding rates.

On orders to the Trade, packing cost and B. & B. is always charged.

Larger sizes are billed in proportion. Where large evergreens are shipped on "platforms," a suitable charge will be made to cover cost.

QUARANTINE. The Federal Horticultural Board has proclaimed a practically complete embargo on all Foreign Trees and Shrubs and most Herbaceous Plants. Our Native Trees and Plants are hardier, freer from disease, and more "fitting" in our landscapes. Still the best exotics can and now will be grown in America for Americans.

PLANT INSURANCE: No guarantee—expressed or implied—is made that stock will grow, whether planted by us or not. As we have no control over after-treatment or weather conditions, the purchaser must assume all risks after stock leaves our Nursery in good condition. On request, we insure stock for a specified period at a rate covering estimated hazard.

TERMS. Cash or satisfactory reference from unknown customers. All accounts are due the first of each month, unless by special arrangement. Five at 10 rate, 50 at 100 rate, 500 at 1,000 rate. 5 per cent discount may be deducted only WHEN CASH ACCOMPANIES ORDER. When not taken, extra plants will be sent to cover such discount.

Claims for errors must be made on receipt of goods. If there is any mistake or fault on my part it will be gladly rectified.

HARLAN P. KELSEY KELSEY-HIGHLANDS NURSERY

Post Office, Freight and Telegraph, East Boxford, Mass.

INDEX

INDEX			
Name Page	Name $Page$	Name Page	Name Page
Abies 3	Cotoneaster19	_	Rosa31, 32, 39
Acer	Crab, Flowering 26, 27	Joepye Weed 41 Juniper 4, 5	Rose
Achillea40	Cranberrybush36, 37	Juniperus	Roseacacia31
Aconitum40	Crataegus20	Kalmia12	Rubus32
Actinidia38	Creepers38	Kolkwitzia24	Sage
Almond29	Cydonia 21	Ladyslipper 40	Salix32
Althaea40	Cypress 4	Lamium	Salvia43
Alyssum40	Cypripedium40	Larch 24	Sambucus32
Amelanchier15	Cytisus21	Larix24	Sandmyrtle12
Amorpha	Daphne11	Larkspur41	Savin 4
Ampelopsis38	Daylily	Leatherleaf11	Saxifraga 43
Andromeda12	Deadnettle42	Leiophyllum	Saxifrage43
Apple, Chinese27	Deerberry36 Delphinium41	Leucothoe 12, 24	Schizophragma39
Aralia	Deutzia21	Ligustrum24, 25 Lilac34, 35	Sedum
Arctostaphylos11	Devils-walkingstick. 16	Lilium	Shadblow15
Aristolochia38	Dianthus41	Lily	Shortia14, 43
Aronia	Dicentra 41	Lily-of-the-Valley 40	Silene
Arrowwood37	Diervilla21	Linden36	Silverbell23
Artemisia16	Digitalis41	Liriodendron25	Smoketree30
Aruncus40	Dogbrier31	Lobelia42	$Sneezeweed \dots 41$
Asclepias40	Dogwood19	Locust	Snowball37
Aster40	Douglasfir 7	$\begin{array}{lll} \text{Lonicera} & \dots & 25,39 \\ \text{Loosestrife} & \dots & 42 \end{array}$	Snowberry34
Azalea	Dutchmans-pipe 38	Loosestrife42	Snowflake
Babysbreath41	Dusty-milier40	Lycium39	Solomonseal43
Baldcypress	Echinacea41	Lysimachia42	Sorbus
Baptisia40	Elder32	Lythrum	Sourwood28
Barberry3, 17 Bayberry27	Elm	Mahonia	Speedwell
Bearberry 10, 11	Enkianthus21	Maidenhair (Amer.) 41 Malus26, 27	Spigelia43
Beautybush24	Epigaea41	Maple	Spiraea33
Beebalm42	Erica11	Matrimonyvine39	Spirea33
Beech22	Euonymus 22, 38	Meadowsweet 41	Spruce
Berberis	Eupatorium41	Mockorange28	St. Johnswort 23
Betula18	Exochorda 22	Monarda42	Staggerbush28
Bignonia38	Fagus22	Moneywort 42	Stonecrop43
Birch18	False-indigo15	Monkshood40	Sumac30
Bittersweet	Ferns 41 Filipendula 41	Mountainash33	Summersweet 18
Blackberry32	Filipendula41	Mountainlaurel 12	Sunflower41
Blackhaw37	Fir3	Myrica	Sweetbrier31
Bleedingheart 41	Forsythia22 Foxgiove41	Nannyberry 37	Sweetgale27
Blueberry	Fringe-orchid41	Nyssa	Sweetleaf
Boltonia40	Fringetree18	Oconee-bells14, 43	Sweetspire24
Bowmansroot41	Galax 12.41	Orchid40	Sweet-william 41
Boxelder15	Galax	Orchis42	Symphoricarpos33, 34
Bridalwreath33	Gentian41	Oxydendrum28	Symplocos34
Broom 21	Gentiana41	Pachistima12	Syringa34, 35
Buckthorn30	Gillenia41	Pachysandra12	Tamarix
Bugbane40	Gleditsia23 Goatsbeard40	Paeonia42	Taxodium36
Burningbush22	Goatsbeard40	Pearlbush	$\begin{array}{cccc} Taxus$
Bushhoneysuckle21	Goldentuft40	Pea-shrub18	Tennessee-indigo15
Butterflyweed 40	Gymnocladus23	Peatree	Thermopsis43
Calluna11	Gypsophila41 Habenaria41	Peony	Thorn
Calopogon40 Calycanthus18	Halesia	Phellodendron 28	Tilia36
Caragana18	Hamamelis	Philadelphus28	Tradescantia43
Cardinalflower42	Hardhack33	Phloy 42 43	Trailing-arbutus 41
Carpinus18	Hawthorn20	Photinia	Trillium43
Castanea18	Hazelnut19	Picea	Trumpetcreeper38
Celastrus38	Heath11	Pieris	Tsuga 9
Centaurea40	Heather11	Pine6, 7	Tuliptree25
Cercis18	Helenium 41	Pinkroot	Tupelo 28 Turtlehead 40
Chamaecyparis 4 Chamaedaphne 11	Helianthus41	$\begin{array}{cccc} \text{Pinus}$	Turtlehead40 Ulmus36
	Hemerocallis41	Plantainlily41	Vaccinium36
Chelone	Hemlock	Plum29, 30	Veronica. 42
Chestnut18	Holly23	Polygonatum43	Veronica
Chinquapin18	Hollygrape12	Polypody41	Vinca14
Chionanthus18	Hollyhock 40	Poplar29	Viola
Chokeberry16	Honeylocust23	Populus29	Violet 43
Chokecherry30	Honeysuckle 25, 39	Potentilla29	Virginsbower38
Chrysanthemum40	Hop38	Privet24, 25	Wayfaringtree37
Cimicifuga40	Hornbeam18	Pseudotsuga7	Weigela37
Cinquefoil29	Hosta	Prunus29, 30	Witch-hazel23
Cladrastis18	Houseleek 43	Quercus30	Wild-indigo40
Clematis38	Houstonia41 Huckleberry23	Quince, Flowering 21 Raspberry, Flowering 32	Willow
Clethra	Humulus	Redbud18	Wintercreeper38
Coffeetree23	Hydrangea23	Redcedar4, 5	Wisteria39
Coneflower 41	Hydrangeavine39	Retinospora 4	Witherod 36
Coneflower 41 Convallaria 40	Hypericum23	Rhamnus30	Yellowroot
Coralberry34	Ilex	Rhododendron13, 14	Yellowwood18
Coreopsis40	Indigobush15	Rhodora30	Yew 7
Corktree28	Iris41,42	Rhodotypos30	Yucca43
Cornus19	Itea	Rhus30	Zanthorhiza37
Corylus19	Jetbead30	Robinia31	Zelkova37



An Avenue of Specimen Evergreens in Kelsey-Highlands Nursery East Boxford, Mass.

The Du Bois Press Horticultural Printers Rochester, N. Y.